

PENRITH CITY COUNCIL

NOTICE OF DETERMINATION

DESCRIPTION OF DEVELOPMENT

Application number:	DA14/0523
Description of development:	Alterations & Additions to Existing Place of Public Worship
Classification of development:	Class 9b

DETAILS OF THE LAND TO BE DEVELOPED

Legal description:	Lot 43 DP 811320
Property address:	26 - 48 Kingswood Road, ORCHARD HILLS NSW 2748

DETAILS OF THE APPLICANT

Name & Address:	Stimson & Baker Planning PO Box 4308 WINMALEE NSW 2777
-----------------	--

DECISION OF CONSENT AUTHORITY

In accordance with Section 81(1) (a) of the Environmental Planning and Assessment Act 1979, consent is granted subject to the conditions listed in attachment 1.

Please note that this consent will lapse on the expiry date unless the development has commenced in that time.

Date from which consent operates	27 May 2015
Date the consent expires	27 May 2017
Date of this decision	27 January 2015

POINT OF CONTACT

If you have any questions regarding this determination you should contact:

Assessing Officer:	Gurvinder Singh
Contact telephone number:	+612 4732 7539

NOTES

Reasons

The conditions in the attached schedule have been imposed in accordance with Section 80A of the Environmental Planning and Assessment Act 1979 as amended.

Conditions

Your attention is drawn to the attached conditions of consent in attachment 1.

Certification and advisory notes

You should also check if this type of development requires a construction certificate in addition to this development consent

It is recommended that you read any Advisory Note enclosed with this notice of determination.

Review of determination

The applicant may request Council to review its determination pursuant to Section 82A of the Environmental Planning and Assessment Act 1979 within 6 months of receiving this Notice of Determination.

You cannot make this request if the development is Designated Development, Integrated Development or State Significant development or if the application was decided by a Joint Regional Planning Panel.

Appeals in the Land and Environment Court

The applicant can appeal against this decision in the Land and Environment Court within six (6) months of receiving this Notice of Determination.

You cannot appeal if a Commission of Inquiry was held for the subject development application, or if the development is a State Significant Development.

An appeal to the Land and Environment Court is made by lodging an application to the Court in accordance with the Rules of the Court.

Designated development

If the application was for designated development and a written objection was made in respect to the application, the objector can appeal against this decision to the Land and Environment Court within 28 days after the date of this notice. The objector cannot appeal if a Commission of Inquiry was held.

If the applicant appeals against this decision, objector(s) will be given a notice of the appeal and the objector(s) can apply to the Land and Environment Court within 28 days after the date of this appeal notice to attend the appeal and make submissions at that appeal.

Joint Regional Planning Panels

If the application was decided by a Joint Regional Planning Panel, please refer to Section 23H of the Environmental Planning and Assessment Act, 1979 (as amended) for any further regulations.

ATTACHMENT 1: CONDITIONS OF CONSENT

General

- 1 The development must be implemented substantially in accordance with the stamped-approved plans issued by Penrith City Council and other plans or documents approved in respect to Schedule 1 by Council or an accredited Certifier, except as may be amended in red on the attached plans and by the following conditions.
- 2 **The development shall not be used or occupied until an Occupation Certificate has been issued.**
- 3 The finishes of all structures and buildings are to be maintained at all times and any graffiti or vandalism immediately removed/repaired.
- 4 A **Construction Certificate** shall be obtained prior to commencement of any building works.

Demolition

- 5 All demolition works are to be conducted in accordance with the provisions of AS 2601-1991 "The Demolition of Structures". **Prior to demolition**, all services shall be suitably disconnected and capped off or sealed to the satisfaction of the relevant service authority requirements.

All demolition and excavated material shall be disposed of at a Council approved site or waste facility. Details of the proposed disposal location(s) of all excavated material from the development site shall be provided to the Principal Certifying Authority **prior to commencement of demolition**.

- 6 You should read Council's Fact Sheet titled "Handling and Disposal of Fibrous Cement Products" **before any demolition works commence on the site**.

Prior to commencement of demolition works on site, a portaloos with appropriate washing facilities shall be located on the site and the Principal Certifying Authority is to be satisfied that:

- Measures are in place so as to comply with the WorkCover Authority's "Short Guide to Working with Asbestos Cement" and
- The person employed to undertake the works is a licensed asbestos removal contractor and is holder of a current WorkCover Asbestos Licence.

Any demolition works involving the removal of all asbestos shall only be carried out by a licensed asbestos removal contractor who has a current WorkCover Asbestos Licence.

All asbestos laden waste, including asbestos cement flat and corrugated sheeting must be disposed of at a tipping facility licensed by the Environmental Protection Authority to receive asbestos wastes.

- 7 Dust suppression techniques are to be employed during demolition and construction to reduce any potential nuisances to surrounding properties.
- 8 Mud and soil from vehicular movements to and from the site must not be deposited on the road.
- 9 Demolition works will be restricted to the following hours in accordance with the NSW Environment Protection

Authority Noise Control Guidelines:

- Mondays to Fridays, 7am to 6pm
- Saturdays, 7am to 1pm (if inaudible on neighbouring residential premises), otherwise 8am to 1pm
- No demolition work is permitted on Sundays and Public Holidays.

In the event that the demolition relates to works inside the building and do not involve external walls or the roof, and do not involve the use of equipment that emits noise then the demolition works are not restricted to the hours stated above.

The provisions of the Protection of the Environment Operations Act, 1997 in regulating offensive noise also apply to all construction works.

Environmental Matters

- 10 Erosion and sediment control measures shall be installed **prior to the commencement of works on site** including approved clearing of site vegetation. The erosion and sediment control measures are to be maintained in accordance with the approved erosion and sediment control plan(s) for the development and the Department of Housing's "Managing Urban Stormwater: Soils and Construction" 2004.

(Note: To obtain a copy of the publication, you should contact Landcom on (02) 98418600).

- 11 All land that has been disturbed by earthworks is to be spray grassed or similarly treated to establish a grass cover.
- 12 No fill material is to be imported to the site without the prior approval of Penrith City Council in accordance with Sydney Regional Environmental Plan No.20 (Hawkesbury- Nepean River) (No.2-1997). No recycling of material for use as fill material shall be carried out on the site without the prior approval of Council.
- 13 No fill material shall be imported to the site until such time as a Validation Certificate(with a copy of any report forming the basis for the validation) for the fill material has been submitted to, considered and approved by Council. The Validation Certificate shall:
- state the legal property description of the fill material source site,
 - be prepared by an appropriately qualified person (as defined in Penrith Contaminated Land Development Control Plan) with consideration of all relevant guidelines (e.g. EPA, ANZECC, NH&MRC), standards, planning instruments and legislation,
 - clearly indicate the legal property description of the fill material source site,
 - provide details of the volume of fill material to be used in the filling operations,
 - provide a classification of the fill material to be imported to the site in accordance with the Environment Protection Authority's "Environmental Guidelines: Assessment, Classification & Management of Non-Liquid Wastes" 1997, and
 - (based on the fill classification) determine whether the fill material is suitable for its intended purpose and land use and whether the fill material will or will not pose an unacceptable risk to human health or the environment.

{Note: Penrith Contaminated Land Development Control Plan defines an appropriately qualified person as "a person who, in the opinion of Council, has a demonstrated experience, or access to experience in hydrology, environmental chemistry, soil science, eco-toxicology, sampling and analytical procedures, risk evaluation and remediation technologies. In addition, the person will be required to have appropriate professional indemnity and public risk insurance."}.

If the Principal Certifying Authority or Penrith City Council is not satisfied that suitable fill materials have

been used on the site, further site investigations or remediation works may be requested. In these circumstances the works shall be carried out prior to any further approved works.

- 14 All waste materials stored on-site are to be contained within a designated area such as a waste bay or bin to ensure that no waste materials are allowed to enter the stormwater system or neighbouring properties. The designated waste storage areas shall provide at least two waste bays / bins so as to allow for the separation of wastes, and are to be fully enclosed when the site is unattended.
- 15 A Waste Management Plan shall be submitted to the Certifying Authority prior to the issue of a Construction Certificate. All excavated material and other wastes generated as a result of the development are to be re-used, recycled or disposed of in accordance with the approved waste management plan.

Waste materials not specified in the approved waste management plan are to be disposed of at a lawful waste management facility. Where the disposal location or waste materials have not been identified in the waste management plan, details shall be provided to the Certifying Authority as part of the waste management documentation accompanying the Construction Certificate application.

All receipts and supporting documentation must be retained in order to verify lawful disposal of materials and are to be made available to Penrith City Council on request.

BCA Issues

- 16 Access and sanitary facilities for persons with disabilities are to be provided and maintained in accordance with the requirements of the Building Code of Australia and AS 1428 "Design for Access and Mobility". Details of compliance are to be provided in the relevant plans and specifications accompanying the Construction Certificate application.

- 17 A fire safety list of essential fire or other safety measures shall be submitted to Penrith City Council prior to the issue of the Construction Certificate. The fire safety list shall specify all measures (both current and proposed) that are required for the building so as to ensure the safety of persons in the building in the event of fire. The fire safety list must distinguish between:

- the measures that are currently implemented in the building premises,
- and the measures that are to be proposed to be implemented in the building premises, and must specify the minimum standard of performance for each measure.

- 18 The owner of a building, to which an essential fire safety measure is applicable, shall provide Penrith City Council with an annual fire safety statement for the building. The annual fire safety statement for a building must:

(a) deal with each essential fire safety measure in the building premises, and

(b) be given:

- within 12 months after the last such statement was given, or
- if no such statement has previously been given, within 12 months after a final fire safety certificate was first issued for the building.
-

As soon as practicable after the annual fire safety statement is issued, the owner of the building to which the statement relates:

- must also provide a copy of the statement (together with a copy of the current fire safety schedule) to the Commissioner of New South Wales Fire Brigades, and
- prominently display a copy of the statement (together with a copy of the current fire safety schedule) in

the building.

- 19 All aspects of the building design shall comply with the applicable performance requirements of the Building Code of Australia so as to achieve and maintain acceptable standards of structural sufficiency, safety (including fire safety), health and amenity for the on-going benefit of the community. Compliance with the performance requirements can only be achieved by:
- (a) complying with the deemed to satisfy provisions, or
 - (b) formulating an alternative solution which:
 - complies with the performance requirements, or
 - is shown to be at least equivalent to the deemed to satisfy provision, or
 - (c) a combination of (a) and (b).

It is the owner's responsibility to place on display, in a prominent position within the building at all times, a copy of the latest fire safety schedule and fire safety certificate/ statement for the building.

Construction

- 20 Stamped plans, specifications, a copy of the development consent, the Construction Certificate and any other Certificates to be relied upon shall be available on site at all times during construction.

The following details are to be displayed in a maximum of 2 signs to be erected on the site:

- the name of the Principal Certifying Authority, their address and telephone number,
- the name of the person in charge of the work site and telephone number at which that person may be contacted during work hours,
- that unauthorised entry to the work site is prohibited,
- the designated waste storage area must be covered when the site is unattended, and
- all sediment and erosion control measures shall be fully maintained until completion of the construction phase.

Signage but no more than 2 signs stating the above details are to be erected:

- at the commencement of, and for the full length of the, construction works onsite, and
- in a prominent position on the work site and in a manner that can be easily read by pedestrian traffic.

All construction signage is to be removed when the Occupation Certificate has been issued for the development.

21 Prior to the commencement of construction works:

(a) Toilet facilities at or in the vicinity of the work site shall be provided at the rate of one toilet for every 20 persons or part of 20 persons employed at the site. Each toilet provided must be:

- a standard flushing toilet connected to a public sewer, or
- if that is not practicable, an accredited sewage management facility approved by the council, or
- alternatively, any other sewage management facility approved by council.

(b) All excavations and backfilling associated with the erection or demolition of a building must be executed safely and in accordance with the appropriate professional standards. All excavations associated with the erection or demolition of a building must be properly guarded and protected to prevent them from being dangerous to life or property.

(c) If an excavation associated with the erection or demolition of a building extends below the level of the base of the footings of a building on an adjoining allotment of land, the person causing the excavation to be made:

- must preserve and protect the building from damage, and
- if necessary, must underpin and support the building in an approved manner, and
- must, at least 7 days before excavating below the level of the base of the footings of a building on an adjoining allotment of land, give notice of intention to do so to the owner of the adjoining allotment of land and furnish particulars of the excavation to the owner of the building being erected or demolished. The owner of the adjoining allotment of land is not liable for any part of the cost of work carried out for the purposes of this condition, whether carried out on the allotment of land being excavated or on the adjoining allotment of land, (includes a public road and any other public place).

(d) If the work involved in the erection or demolition of a building is likely to cause pedestrian or vehicular traffic in a public place to be obstructed or rendered inconvenient, or involves the enclosure of a public place, a hoarding or fence must be erected between the work site and the public place:

- if necessary, an awning is to be erected, sufficient to prevent any substance from, or in connection with, the work falling into the public place,
- the work site must be kept lit between sunset and sunrise if it is likely to be hazardous to persons in the public place, and
- any such hoarding, fence or awning is to be removed when the work has been completed.

22 Detailed engineering plans and specifications relating to the work shall be submitted for consideration and approval prior to the issue of a Construction Certificate.

23 Construction works or subdivision works that are carried out in accordance with an approved consent that involve the use of heavy vehicles, heavy machinery and other equipment likely to cause offence to adjoining properties shall be restricted to the following hours in accordance with the NSW Environment Protection Authority Noise Control Guidelines:

- Mondays to Fridays, 7am to 6pm
- Saturdays, 7am to 1pm (if inaudible on neighbouring residential premises), otherwise 8am to 1pm
- No work is permitted on Sundays and Public Holidays.

Other construction works carried out inside a building/tenancy and do not involve the use of equipment that emits noise are not restricted to the construction hours stated above.

The provisions of the Protection of the Environment Operations Act, 1997 in regulating offensive noise also apply to all construction works.

Engineering

- 24 After completion of all the engineering works, Work-as-Executed Drawings and Certificates are to be submitted to the Principal Certifying Authority in accordance with Penrith City Council's Engineering Works Development Control Plan and Guidelines for Engineering Works for Subdivisions and Developments - Part 1 Design and Part 2 Construction. A copy of Work-as-Executed Drawings and Certificates are also to be submitted with Penrith City Council, if Council is not the Principal Certifying Authority.
- 25 A total of 224 off-street parking spaces are to be provided, linemarked and maintained for the development, generally in accordance with the approved schedule of external finishes. The parking space dimensions and manoeuvring areas are to comply with AS2890.1 and AS2890.2 the Building Code of Australia and the Commonwealth Disability Discrimination Act.

Landscaping

- 26 Landscaping to screen the proposed carpark shall be provided in the setback area fronting Kingswood Road, Orchard Hills. A detailed landscape plan for that area shall be submitted to the Principal Certifying Authority prior to the issue of a Construction Certificate. Landscape works are to be constructed in accordance with Section F5 "Planting Techniques", F8 "Quality Assurance Standards" and F9 "Site Management Plan" of Penrith Council's Landscape Development Control Plan.

Landscaping shall be maintained:

- in accordance with the approved plan, and
- in a healthy state, and in perpetuity by the existing or future owners and occupiers of the property.

If any of the vegetation comprising that landscaping dies or is removed, it is to be replaced with vegetation of the same species and, to the greatest extent practicable, the same maturity as the vegetation which died or was removed.

- 27 No trees are to be removed, ringbarked, cut, topped or lopped or wilfully destroyed (other than those within the proposed building footprint or as shown on the approved plans) without the prior consent of Penrith City Council and in accordance with Council's Tree Preservation Order and Policy.
- 28 Existing landscaping is to be retained and maintained at all times.

Payment of Fees

- 29 All roadworks, dedications and drainage works are to be carried out at the applicant's cost.

Certification

- 30 Prior to the commencement of any earthworks or construction works on site, the proponent is to:
- (a) employ a Principal Certifying Authority to oversee that the said works carried out on the site are in accordance with the development consent and related Construction Certificate issued for the approved development, and with the relevant provisions of the Environmental Planning and Assessment Act and accompanying Regulation, and
 - (b) submit a Notice of Commencement to Penrith City Council.

The Principal Certifying Authority shall submit to Council an "Appointment of Principal Certifying Authority" in accordance with Section 81A of the Environmental Planning and Assessment Act 1979.

Information to accompany the Notice of Commencement

Two (2) days before any earthworks or construction/demolition works are to commence on site (including the clearing site vegetation), the proponent shall submit a "Notice of Commencement" to Council in accordance with Section 81A of the Environmental Planning and Assessment Act 1979.

- 31 An Occupation Certificate is to be obtained from the Principal Certifying Authority on completion of all works and prior to the occupation of the building.

The Certificate shall not be issued if any conditions of this consent, but not the conditions relating to the operation of the development, are outstanding.

A copy of the Occupation Certificate and all necessary documentation supporting the issue of the Certificate is to be submitted to Penrith City Council, if Council is not the Principal Certifying Authority.

Operation of OSSM

- 32 The on-site sewage management (OSSM) system shall be installed and operated in accordance with the recommendations contained in the 'Wastewater Management Plan: Proposed Alterations and Additions - 26 Kingswood Road, Orchard Hills, NSW' (prepared by Martens & Associates Pty Ltd, dated 4 December 2014, Ref. P1404110JR01V05) and the Wastewater Management Plan (prepared by Martens & Associates Pty Ltd, dated 4 December 2014, Drawing SK001 at Appendix D) and the conditions of this consent.

Prior to the issue of the Occupation Certificate, an 'Approval to Operate' for the OSSM system is to be sought from and issued by Penrith City Council.

- 33 All wastewater generated on the site is to be diverted to a 25 KL balance tank, which is to dose to the existing Gebel Aquasafe extended aeration unit and be disposed of by way of sub-surface irrigation in the approved effluent management area. The effluent management area is to be located in accordance with the stamped approved Wastewater Management Plan (prepared by Martens & Associates Pty Ltd, dated 4 December 2014, Drawing SK001 at Appendix D) and have a minimum area of 2208m².

The system and effluent management area are to be installed and managed in accordance with the:

- “Environmental and Health Protection Guidelines On Site Sewage Management for Single Households”
- Australian Standards AS 1547:2012,
- Council's On-Site Sewage Management and Greywater Reuse Policy,
- the 'Wastewater Management Plan: Proposed Alterations and Additions - 26 Kingswood Road, Orchard Hills, NSW' (prepared by Martens & Associates Pty Ltd, dated 4 December 2014, Ref. P1404110JR01V05), and
- the 'Wastewater Management Plan' (prepared by Martens & Associates Pty Ltd, dated 4 December 2014, Drawing SK001 at Appendix D), and
- the approved Hydraulic Report.

The system is to be utilised for a maximum daily wastewater load of 4840 litres in accordance with the approved Wastewater Report.

- 34 Penrith City Council is both the consent authority and certifying authority for the installation of the On-Site Sewage Management System (OSSM). **It is your responsibility to contact Council's Development Services Department to organise all inspections required for the installation of the system.**

In this regard, the septic tank(s) and disposal area(s) will need to be inspected on completion of the system's installation (before backfilling occurs) and prior to its commissioning, to ensure compliance with those conditions specific to the installation of the system.

A copy of the satisfactory inspection reports carried out by Council shall be submitted to the Principal Certifying Authority if Council is not the Principal Certifying Authority.

- 35 The septic tank, drainage and irrigation lines and effluent management area shall not be altered without the prior approval of Council. In addition, the septic tank shall not be buried or covered.
- 36 All house sewer and plumbing work shall be carried out in accordance with the Plumbing Code of Australia.

- 37 The design of the irrigation system for the effluent management area is to be such that:
- The distribution line is to be buried from the tank to the designated disposal area.
 - The moveable irrigation line and sprinklers (including the plume from the sprinklers) situated within the disposal area can not exceed the designated boundaries of the disposal area.
 - The treated wastewater can be evenly irrigated across the entire designated disposal area.
 - Sited so as not to contaminate any natural watercourses that traverse the subject property.
- 38 All irrigation pipework and fittings shall comply with AS2698 “Plastic Pipes and Fittings for Irrigation and Rural Applications”. In this regard:
- the irrigation system is not to be connected to/not capable of connection to the mains water supply,
 - standard household fittings, soaker hoses, garden sprinklers and standard water hose fittings are not to be used,
 - **sub-surface drip irrigation lines are also to be installed in accordance with AS 1547:2012 and are to evenly distribute treated effluent over the designated disposal area, and**

- **all subsurface drip irrigation is to be buried within a minimum of 250mm of topsoil in accordance with AS 1547:2012. Mulch is not to be used as part of the minimum top soil requirement.**

39 There shall be no effluent runoff from the subject property to adjoining premises, public places or reserves.

40 A minimum of two signs shall be erected within the effluent management area. These signs are to state "RECLAIMED EFFLUENT - NOT FOR DRINKING - AVOID CONTACT". The signage shall be maintained for the term of the development.

41 The owner/occupier shall enter into an annual service contract with the manufacturer, distributor or other person authorised (in writing) by Penrith City Council to service the aerated septic tank(s) every three (3) months from the date of commissioning in the following manner:

i. A three monthly service shall include a check on all mechanical, electrical and functioning parts of the aerated system including:

- the chlorinator,
- replenishment of the disinfectant,
- all pumps and switches,
- the air blower, fan or air venturi,
- the alarm system,
- the effluent disposal area and sub-surface irrigation lines and filters,
- the slime growth on the filter media, and
- the operation of the sludge returns system.

ii. The following field tests are to be carried out at every service:

- free residual chlorine using DPD colorimetric or photometric method,
- pH from a sample taken from the irrigation chamber,
- dissolved oxygen from a sample taken from the final aeration or stilling chamber (although recommended) is optional.

iii. On the yearly anniversary date of the commissioning of the system, an annual service of the system shall also be carried out which includes a check on the sludge accumulation in the septic tank (primary treatment tank) and the clarifier, where appropriate.

iv. For systems which utilise the sewage treatment principle of activated sludge or contact aeration, a sludge bulking test, known as a SV30 Test, shall also be conducted on an annual basis. This test is to determine whether the accumulated sludge is bulking, indicating that the aeration compartment(s) will require desludging.

v. On completion of each service, a service report sheet is to specify all service items and test results, the amount of chlorine compound provided, parts replaced (if applicable), the date the service was conducted and the technician's name. A copy of the service report is to be:

- given to the property owner and another to the applicant (if not the same), and
- forwarded to Penrith City Council.

Each service agent shall provide a registered business office which, if unattended during business hours, is provided with a telephone answering device or service. A means of reporting a malfunction or breakdown outside normal business hours shall be available. In the event of a breakdown or malfunction, the service agent shall, within 24 hours of the breakdown or malfunction, ensure that temporary repairs are carried out to the aerated system to ensure continued operation of the system. This may necessitate provision of adequate spare parts and temporary replacement blowers and irrigation pumps where repairs cannot be completed on site.

- 42 The effluent management area is to be turfed to the satisfaction of Council. Where a specific variety of turf is identified in the approved Wastewater Report that variety is to be installed and maintained.
- 43 No concreting, driveways, vehicles or any other structure or access way is to be located over any portion of the effluent management area. The effluent management area is not to be used as a carpark at any time.
- 44 All stormwater and seepage shall be diverted away from the septic tank and the disposal area by using an agricultural drain or earthen bund and dish drain.
- 45 Orchards, vegetable gardens or any other plant species that can be used for the purposes of human consumption are not to be planted within the effluent management area.
- 46 **Prior to the issue of the Construction Certificate**, a Hydraulic Report is to be submitted to Council for approval that demonstrates how the wastewater generated across the site will be transferred to the approved treatment system, and how wastewater will be distributed evenly across the approved Effluent Disposal Area using sub-surface irrigation. This Report is to include an amended Site Plan showing the location of all pipework, any pump stations and all other associated infrastructure required.
- 47 **Prior to the issue of the Occupation Certificate**, an Operational Wastewater Management Plan (OWMP) for the system is to be provided to Penrith City Council for consideration and approval. The OWMP shall be prepared by a suitable qualified consultant in consultation with Council and other relevant agencies, and may need to be amended to include the comments provided by Council and other agencies. The OWMP is to address:
- All environmental aspects of the operation of the on-site sewage management system
 - All systems and controls to be implemented to minimise the potential for any adverse environmental impacts
 - A program for ongoing monitoring and review to ensure that the OWMP remains contemporary with relevant environmental standards. Council is to be consulted prior to any amendments of the OWMP. Council may request a review of the OWMP or any proposed amendments.
- The OWMP should include but is not limited to the following:
- System information (including specifications and site plans)
 - Monitoring and testing
 - Maintenance and servicing program (treatment system and irrigation system)
 - System performance
 - System failure contingency
 - Odour management
 - Landscape and disposal area management
 - Health and safety
- The on-site sewage management system is to be operated in accordance with the requirements of this Plan.

SIGNATURE

Name:	Gurvinder Singh
Signature:	

For the Development Services Manager