

- DO NOT SCALE DRAWINGS. FIGURE DIMENSIONS TAKE PRECEDENCE OVERALL.

THESE DRAWINGS ARE TO BE READ IN CONJUNCTION WITH ENGINEERS

COMPUTATIONS & DRAWINGS.

- THE BUILDER AND SUBCONTRACTOR SHALL CHECK AND VERIFY ALL DIMENSIONS. SETBACKS, LEVELS & SPECIFICATIONS & ALL OTHER RELEVANT DOCUMENTATION PRIOR

TO THE COMMENCEMENT OF ANY WORKS. REPORT ALL DISCREPANCIES TO THIS OFFICE

- INSTALLATION OF ALL SERVICES SHALL COMPLY WITH THE RESPECTIVE SUPPLY

AUTHORITY REQUIREMENTS.

- ALL WORK TO COMPLY WITH THE BUILDING CODE OF AUSTRALIA & OTHER RELEVANT BYLAWS AND AUTHORITIES.

- ALL GLASS TO COMPLY WITH AS1288-2006 SAFETY GLAZING IN ACCORDANCE WITH THE BCA, AS1288 & AS2047.

- ALL TIMBER TO COMPLY WITH AS1684-2006.

- ALL MASONRY TO COMPLY WITH AS3700-1998.

- INSTALLATION OF SMOKE DETECTORS TO COMPLY WITH AS3786-1993.

- WATERPROOFING OF WET AREAS TO COMPLY WITH AS3740-2004.

- UNLESS NOTED OTHERWISE, EXCAVATIONS TO BE BATTERED AT 45° MAX. FOR

SAND/SILT/FILL SITES. ALL BATTERS TO BE KEPT WITHIN PROPERTY BOUNDARIES.

- THE BUILDER AND SUBCONTRACTOR SHALL ENSURE THAT ALL STORMWATER DRAINS, SEWER PIPES & THE LIKE ARE LOCATED AT A SUFFICIENT DISTANCE FROM ANY

BUILDINGS FOOTING AND/OR SLAB EDGE BEAMS SO AS TO PREVENT MOISTURE

PENETRATION, DAMPNESS, WEAKENING AND UNDERMINING OF ANY BUILDING & ITS FOOTING SYSTEM.

- STORMWATER PIPES ARE INDICATIVE ONLY. - DOWNPIPES TO SERVE <12m OF GUTTER. INSTALL DOWNPIPE WITHIN 1200mm OF VALLEY OR PROVIDE OVERFLOWS TO GUTTER.

- INSULATION TO BE AS PER SPECIFICATION & TO BE READ IN CONJUNCTION WITH

- DOORS TO WC TO HAVE LIFT OFF HINGES, UNLESS 1200mm CLEAR BETWEEN PAN &

- STEP SIZES (OTHER THAN FOR SPIRAL STAIRS) TO BE:

RISERS (R) 190mm MAX. AND 115mm MIN.

GOING (G) 355mm MAX. AND 250mm MIN.

2R + G = 700mm MAX. AND 550mm MIN.

- WHERE NO STEP PROVIDED, SITE MUST BE GRADED TO ENSURE MAXIMUM STEP DOWN

OF 190mm FROM EXTERNAL DOOR TO FSL.

## **BASIX COMMITMENTS**

REFER TO SHEET 009 FOR BASIX COMMITMENTS



WSC DETAILS: RMA Infrastructure - Steven Penellum, Mobile: 0487 242 724



Creation Homes Pty Ltd Suite 3, 46 Brookhollow Avenue, Baulkham Hills, NSW 2153. (P) 02 8806 7604 (F) 02 8806 7699


© The plan & design of this house is owned by Creation Homes & under the copyright act of 1968 cannot be reproduced in any shape or form without prior written authorisation. Any doing so will be liable for action under the act.


CONCEPT PLANS	
<b>CLIENT:</b> LENDLEASE COMMUNITIES	

JOB N°: 920037 TBC PCA:


LEINDLEAGE COIVIIVIO	IVITILO		
920037 TBC	5 HOUSE 111	Assessor Accreditation No. Address Lot 1518 (#16) Chapman Street WERKINGTON Perrith City Council	Nov 2021 Claude-Francois Sockioll DMN/14/1662
PH: 02 0000 0000	www.nathers.gov.au	NSW 2747	

	TITLE PAGE	1 (20.502		SHEET:	SCALE:
	2	LC	OT 2000	1 OF 16	N/A
	JOB ADDRESS:	COUNCIL:	PENRITH	DRAWN BY:	DATE:
rancois	LOT 2210 DP 1226122	SOIL CLASS:	'H' Class TBC	SC	17.01.18
1662	No.16 CHAPMAN STREET	0012 027 100.	11 0.000 120	VERSION No.	CONSTRUCTION No.
	WERRINGTON NSW, 2747.	WIND CLASS:	N2	01	-









NOTE: FRONT ENTRY DOOR SHOWN INDICATIVELY ONLY. REFER TO INCLUSIONS FOR DOOR TYPE.

## NOTE: FRONT ENTRY DOOR SHOWN INDICATIVELY ONLY. REFER TO INCLUSIONS FOR DOOR TYPE.



Creation Homes Pty Ltd Suite 3, 46 Brookhollow Avenue, Baulkham Hills, NSW 2153. (P) 02 8806 7604 (F) 02 8806 7699

© The plan & design of this house is owned by Creation Homes & under the copyright act of 1968 cannot be reproduced in any shape or form without prior written authorisation. Any doing so will be liable for action under the act.

CONCEPT PLANS					
CLIENT: LENDLEASE COMMUNITIES					
JOB N°: 920037	OTEQJE6JTI 22 Nov 2021  Claude-Francois Sookioli Assessor				


PH: 02 0000 0000

111 www.nathers.gov.au


PCA:

			JOB
TI 22	Nov 2021 Claude-Franc	ois	LOT 2
No.	Sookioli DMN/14/1662		No.16
ON	95E		WER

	STREET ELEVATIONS	RESIDUE LOT 2000		SHEET: 3 OF 16	SCALE: 1:150
	JOB ADDRESS:	COUNCIL:	PENRITH	DRAWN BY:	DATE:
incois	LOT 2210 DP 1226122	SOIL CLASS:	'H' Class TBC	SC	17.01.18
62	No.16 CHAPMAN STREET	00.2 02.100.	11 0.000 120	VERSION No.	CONSTRUCTION No.
	WERRINGTON NSW, 2747.	WIND CLASS:	N2	01	-







NOTE: FRONT ENTRY DOOR SHOWN INDICATIVELY ONLY. REFER TO INCLUSIONS FOR DOOR TYPE.

## NOTE: FRONT ENTRY DOOR SHOWN INDICATIVELY ONLY. REFER TO INCLUSIONS FOR DOOR TYPE.



Creation Homes Pty Ltd Suite 3, 46 Brookhollow Avenue, Baulkham Hills, NSW 2153. (P) 02 8806 7604 (F) 02 8806 7699


© The plan & design of this house is owned by Creation Homes & under the copyright act of 1968 cannot be reproduced in any shape or form without prior written authorisation. Any doing so will be liable for action under the act.


CONCEPT PL	ANS
CLIENT: LENDLEASE COMMU	JNITIES
	_ I O T 1 F 1

JOB N°: 920037 PCA: TBC



	STREET ELEVATIONS	LOT 2000		SHEET: 4 OF 16	SCALE: 1:150
	JOB ADDRESS:			DRAWN BY:	DATE:
1 Francois	LOT 2210 DP 1226122	SOIL CLASS:	'H' Class TBC	SC	17.01.18
11662	No.16 CHAPMAN STREET	00.2 02.100.	0.000	VERSION No.	CONSTRUCTION No.
	WERRINGTON NSW, 2747.	WIND CLASS:	N2	01	-





	Commitment					
Water						
Total area of garden and lawn (m2)	205m2					
Area of indigenous planting within total garden (m2) required	None					
Rainwater tank capacity (litres)	3000L					
Area of roof connected to tank (m2)	160m2					
Connected to all toilets in the development?	Yes					
Connected to at least one outdoor tap?	Yes					
Connected to washing machine?	Yes					
Rating of all showerheads installed	3 Star (> 7.5 but <= 9 L/min)					
Rating of all toilet cisterns installed	4 Star					
Rating of bathroom tap fittings	3 Star					
Rating of kitchen tap fittings	3 Star					
Thermal Performance						
Refer to Universal Certificate	Pass					
Energy						
Active cooling to living areas	3-Phase AC (EER 3.0-3.5)					
Active cooling to bedroom areas	3-Phase AC (EER 3.0-3.5)					
Active heating to living areas	3-Phase AC (EER 3.5-4.0)					
Active heating to bedroom areas	3-Phase AC (EER 3.5-4.0)					
Hot water system	Gas Instantaneous					
Low energy lighting (If required refer to BASIX certificate)	Yes					
Bathroom ventilation	Ducted (manual switch on/off)					
Kitchen ventilation	Ducted (manual switch on/off)					
Laundry ventilation	No Mechanical Ventilation					
Cooktop and oven	Gas Cooktop / Electric Oven					
	Yes					
Outdoor Clothesline	162					
Outdoor Clothesline Indoor or Sheltered Clothesline	No					

Window / Door Schedule							
Window	Code	Window Size		Glazing Type	other		
No.	Code	Height	Width	Glazing Type	otilei		
W01	AA1806	1,800	610	Single Clear			
W02	AATT1818	1,800	1,810	Single Clear			
W03	AA1806	1,800	850	Single Clear			
W04	AA1806	1,800	850	Single Clear			
W05	AA1806	1,800	850	Single Clear			
W06	AST1822	1,800	2,170	Single Clear			
W07	AA1806	1,800	850	Single Clear			
W08	AA1216	1,200	1,810	Single Clear			
W09	AA1216	1,200	1,570	Single Clear			
W10	AA1806	1,800	850	Single Clear			
W11	AA1806	1,800	850	Single Clear			
W12	AA1006	1,030	610	Obscure Glazing			
W13	AA1216	1,200	1,570	Obscure Glazing			
W14	AS1024	1,030	2,410	Single Clear			
W15	AS1022	1,030	2,170	Single Clear			
WD1	MDF9	2,100	1,570	Single Clear	Entry Door (920x2040)		
WD2	ASD2115	2,100	1,450	Single Clear	Sliding Door		
WD3	ASSD2127	2,110	2,676	Single Clear	Stacker Door		
WD4	ASSD2123	2,110	2,316	Single Clear	Stacker Door		



Creation Homes Pty Ltd Suite 3, 46 Brookhollow Avenue, Baulkham Hills, NSW 2153. (P) 02 8806 7604 (F) 02 8806 7699

© The plan & design of this house is owned by Creation Homes & under the copyright act of 1968 cannot be reproduced in any shape or form without prior written authorisation. Any doing so will be liable for action under the act.

**CONCEPT PLANS** CLIENT: LENDLEASE COMMUNITIES

**JOB N°:** 920037 PCA: TBC

E LENDLEASE COMINIC	INITIES		
920037 TBC PH: 02 0000 0000	5 NATIONWIDE HOUSE WAR CORNER ON A WAR CORNERS GOLD AN	Assessor Accreditation No. Address Lot 151s (#16) Chapman Shoet WERNINGTON Perrift City Council NSW 2747	Nov 2021 Claude-Francois Sookioll DMN/14/1662

	WINDOW SCHEDULE	RESIDUE LOT 2000		SHEET: 13 OF 16	SCALE: 1:1
	JOB ADDRESS:	COUNCIL:	PENRITH	DRAWN BY:	DATE:
rancois	LOT 2210 DP 1226122	SOIL CLASS:	'H' Class TBC	SC	17.01.18
1662	No.16 CHAPMAN STREET	00.2 027.00.	11 0.000 120	VERSION No.	CONSTRUCTION No
	WERRINGTON NSW, 2747.	WIND CLASS:	N2	01	-

