VERSION	DESCRIPTION	DRAWN	DATE
01	DA SUBMISSION DRAWINGS	sclark	22/10/2020

PAGE	MASTER PLANS
001	TITLE PAGE
002	SITE PLAN
003	LOT 1108 GROUND FLOOR PLAN
004	LOT 1108 ELEVATIONS
005	LOT 1108 ELEVATIONS
006	LOT 1108 SECTION
007	LOT 1108 WINDOW SCHEDULE
008	LOT 1107 GROUND FLOOR PLAN
009	LOT 1107 FIRST FLOOR PLAN
010	LOT 1107 ELEVATIONS
011	LOT 1107 ELEVATIONS
012	LOT 1107 SECTION
013	LOT 1107 WINDOW SCHEDULE
014	LANDSCAPE PLAN
015	CONCEPT STORMWATER
016	SEDIMENT CONTROL PLAN
017	SHADOW DIAGRAMS

GENERAL NOTES:

DO NOT SCALE DRAWINGS. FIGURE DIMENSIONS TAKE PRECEDENCE OVERALL. - THESE DRAWINGS ARE TO BE READ IN CONJUNCTION WITH ENGINEERS COMPUTATIONS & DRAWINGS.

THE BUILDER AND SUBCONTRACTOR SHALL CHECK AND VERIFY ALL DIMENSIONS, SETBACKS, LEVELS & SPECIFICATIONS & ALL OTHER RELEVANT DOCUMENTATION PRIOR TO THE COMMENCEMENT OF ANY WORKS. REPORT ALL DISCREPANCIES TO THIS OFFICE FOR CLARIFICATION.
- INSTALLATION OF ALL SERVICES SHALL COMPLY WITH THE RESPECTIVE SUPPLY

AUTHORITY REQUIREMENTS.

- ALL WORK TO COMPLY WITH THE BUILDING CODE OF AUSTRALIA & OTHER RELEVANT BYLAWS AND AUTHORITIES.

- ALL GLASS TO COMPLY WITH AS1288-2006 SAFETY GLAZING IN ACCORDANCE WITH THE BCA, AS1288 & AS2047.

- ALL TIMBER TO COMPLY WITH AS1684-2006.

- ALL MASONRY TO COMPLY WITH AS3700-1998.

INSTALLATION OF SMOKE DETECTORS TO COMPLY WITH AS3786-1993.

WATERPROOFING OF WET AREAS TO COMPLY WITH AS3740-2004.

- UNLESS NOTED OTHERWISE, EXCAVATIONS TO BE BATTERED AT 45° MAX. FOR SAND/SILT/FILL SITES. ALL BATTERS TO BE KEPT WITHIN PROPERTY BOUNDARIES.

THE BUILDER AND SUBCONTRACTOR SHALL ENSURE THAT ALL STORMWATER DRAINS, SEWER PIPES & THE LIKE ARE LOCATED AT A SUFFICIENT DISTANCE FROM ANY BUILDINGS FOOTING AND/OR SLAB EDGE BEAMS SO AS TO PREVENT MOISTURE PENETRATION, DAMPNESS, WEAKENING AND UNDERMINING OF ANY BUILDING & ITS FOOTING SYSTEM.

STORMWATER PIPES ARE INDICATIVE ONLY.

DOWNPIPES TO SERVE <12m OF GUTTER. INSTALL DOWNPIPE WITHIN 1200mm

OF VALLEY OR PROVIDE OVERFLOWS TO GUTTER.

- INSULATION TO BE AS PER SPECIFICATION & TO BE READ IN CONJUNCTION WITH ENERGY REPORT.

- DOORS TO WC TO HAVE LIFT OFF HINGES. UNLESS 1200mm CLEAR BETWEEN PAN & DOORWAY.

- STEP SIZES (OTHER THAN FOR SPIRAL STAIRS) TO BE:

RISERS (R) 190mm MAX. AND 115mm MIN. GOING (G) 355mm MAX. AND 250mm MIN.

2R + G = 700mm MAX. AND 550mm MIN.

WHERE NO STEP PROVIDED. SITE MUST BE GRADED TO ENSURE MAXIMUM.

		STEP DOWN OF 190mm FROM EXTERNAL		
LOT 1108 BASIX	COMMITMENTS	LOT 1107 BASIX COMMITMENTS		
WA:	TER	WA	TER	
-RAINWATER TANK (RWT) OF AT LEAST 2,400L TO I -RWT TO MEET & BE INSTALLED IN ACCORDANCE -RWT TO COLLECT MIN. 215,0m² IN RUNOFF AREA -RWT TANK SUPPLY TO BE CONNECTED TO ALL TO TO CLOTHES WASHER AND AT LEAST 1 OUTDOOR	WITH APPLICABLE REGULATORY AUTHORITIES. DEPICTED IN BASIX CERTIFICATE 1064693S. DILETS IN THE DEVELOPMENT, COLD WATER TAP	-RAINWATER TANK (RWT) OF AT LEAST 2,400L TO BE INSTALLEDRWT TO MEET & BE INSTALLED IN ACCORDANCE WITH APPLICABLE REGULATORY AUTHORITIESRWT TO COLLECT MIN. 145.00m² IN RUNOFF AREA DEPICTED IN BASIX CERTIFICATE 1064700SRWT TANK SUPPLY TO BE CONNECTED TO ALL TOILETS IN THE DEVELOPMENT, COLD WATER TAP TO CLOTHES WASHER AND AT LEAST 1 OUTDOOR TAP.		
TAP FITTINGS		TAP FI	TTINGS	
KITCHEN SHOWER HEAD TOILET RATING (DUAL FLUSH) VANITY AND BATH	3 STAR 3 STAR 3 STAR 3 STAR	KITCHEN SHOWER HEAD TOILET RATING (DUAL FLUSH) VANITY AND BATH	3 STAR 3 STAR 3 STAR 3 STAR	

THERMAL COMFORT THERMAL COMFORT EXTERNAL WALLS BRICK VENEER/CLADDING EXTERNAL WALLS BRICK VENEER/CLADDING EXTERNAL WALL INSULATION EXTERNAL WALL INSULATION R 1.5 R 1.5 ROOF INSULATION METAL ROOF SHEETING METAL ROOF SHEETING ROOFING MATERIAL ROOF INSULATION SARKING SARKING ROOF COLOUR ROOF COLOUR DARK DARK CEILING INSULATION CEILING INSULATION R 2.5

ENERGY COMMITMENTS

- 5 STAR INSTANTANEOUS GAS HOT WATER SYSTEM. - GAS COOKTOP & ELECTRIC OVEN TO KITCHEN.
- LED DOWNLIGHTS TO LIGHT POINTS AS PER ELECTRICAL LAYOUT.

OUTDOOR CLOTHES LINE.

- HEATING/COOLING TO MIN. 1 BEDROOM & 1 LIVING AREA: 3-PHASE A/C WITH EER 2.5 - 3.0 (COOLING) & EER 3.0 - 2.5 (HEATING).
- MUST PROVIDE FOR DAY/NIGHT ZONING BETWEEN LIVING AREAS & - PROVIDE EXHAUST SYSTEMS TO: KITCHEN, NOT DUCTED WITH MANUAL ON/OFF SWITCH. BATHROOM AND LAUNDRY NATURALY VENTILATED
- 6 STAR INSTANTANEOUS GAS HOT WATER SYSTEM.
- GAS COOKTOP & ELECTRIC OVEN TO KITCHEN.
- LED DOWNLIGHTS TO LIGHT POINTS AS PER ELECTRICAL LAYOUT.
- OUTDOOR CLOTHES LINE.
- HEATING/COOLING TO MIN. 1 BEDROOM & 1 LIVING AREA: 3-PHASE A/C WITH EER 2.5 - 3.0 (COOLING) & EER 3.0 - 2.5 (HEATING).

ENERGY COMMITMENTS

- MUST PROVIDE FOR DAY/NIGHT ZONING BETWEEN LIVING AREAS &
- BEDROUMS
 PROVIDE EXHAUST SYSTEMS TO: KITCHEN, NOT DUCTED WITH MANUAL ON/OFF SWITCH. BATHROOM AND LAUNDRY NATURALY VENTILATED

SCALE:

DATE:

1:1

04.10.18

CONSTRUCTION No.

WSC DETAILS: RMA Infrastructure Pty Ltd, Mobile:0487 242 724




Creation Homes Pty Ltd Suite 3, 46 Brookhollow Avenue, Baulkham Hills NSW, 2153. (P) 02 8806 7600 (F) 02 8806 7699

HOMES © The plan & design of this house is owned by Creation Homes & under the copyright act of 1968 cannot be reproduced in any shape or form without prior written authorisation. Any doing so will be liable for action under the act.

DA SUBMISSION		TITLE PAGE	DISPLAY HOMES - WERRINGTON		SHEET:
	DA SODIVIISSION	IIILL PAGE	DISPLATITION	L3 - WEIXININGTON	1 OF 4
CLIENT:	LENDLEASE CORPORATION	JOB ADDRESS:	COUNCIL:	PENRITH	DRAWN BY:
JOB N°:	200899/200900	LOT 1007 & 1008 DP 1226122	SOIL CLASS:	H1-TBC	SC
PCA: TBA	1-11	No. CHAPMAN STREET	OOIL OLAGO.	111-100	VERSION No.
	PH: 02 0000 0000	WERRINGTON, NSW, 2747.	WIND CLASS:	-	01

Document Set ID: 9493369 Version: 1, Version Date: 01/03/2021






Creation Homes Pty Ltd Suite 3, 46 Brookhollow Avenue, Baulkham Hills NSW, 2153. (P) 02 8806 7600 (F) 02 8806 7699

HOMES © The plan & design of this house is owned by Creation Homes & under the copyright act of 1968 cannot be reproduced in any shape or form without prior written authorisation. Any doing so will be liable for action under the act.

	DA SUBMISSION	SITE PLAN	DISDLAY HOM	IES - WERRINGTON	SHEET:	SCALE:
	DA SUBINIOSION	SITE FEAN	DISFLATITION	ILS - WEINNING FON	2 OF 4	1:200
CLIENT:	LENDLEASE CORPORATION	JOB ADDRESS:	COUNCIL:	PENRITH	DRAWN BY:	DATE:
JOB N°:	200899/200900	LOT 1007 & 1008 DP 1226122	SOIL CLASS:	H1-TBC	SC	04.10.18
PCA:	TBA	No. CHAPMAN STREET	GOIL GLAGG.	111-100	VERSION No.	CONSTRUCTION No.
	PH: 02 0000 0000	WERRINGTON, NSW, 2747.	WIND CLASS:	-	01	_



HOUSE AREAS	
ALFRESCO	12.23
GARAGE	32.97
LIVING	143.03
PORCH	3.00
	191.23 m²



Creation Homes Pty Ltd Suite 3, 46 Brookhollow Avenue, Baulkham Hills NSW, 2153. (P) 02 8806 7600 (F) 02 8806 7699

HOMES © The plan & design of this house is owned by Creation Homes & under the copyright act of 1968 cannot be reproduced in any shape or form without prior written authorisation. Any doing so will be liable for action under the act.


	DA SUBMISSION	LOT 1108 GROUND FLOOR PLAN	DISPLAY HOM	ES - WERRINGTON	SHEET: 3 OF 4	SCALE: 1:100, 1:1
CLIENT:	LENDLEASE CORPORATION	JOB ADDRESS:	COUNCIL:	PENRITH	DRAWN BY:	DATE:
JOB N°:	200899/200900	LOT 1007 & 1008 DP 1226122	SOIL CLASS:	H1-TBC	SC	04.10.18
PCA:	TBA	No. CHAPMAN STREET	OOIL OLAGO.		VERSION No.	CONSTRUCTION No.
	PH: 02 0000 0000	WERRINGTON, NSW, 2747.	WIND CLASS:	-	01	_

F.R.L R.L 00.000 SELECTED LIGHTWEIGHT SELECTED METAL ROOF SHEETING @ 25° PITCH CLADDING TO PORCH ENTRY ROOF PITCH R.L 00.000 F.C.L R.L 00.000 ALUMINIUM FRAMED WINDOWS AND DOORS AS -2410x2100H GARAGE SELECTED-PANEL LIFT DOOR -SELECTED FACE BRICKWORK SELECTED FACE BRICKWORK F.F.L R.L 19.350 __F.F.L_R.L_19.350__ % F.F.L R.L 19.400 -RENDERED & PAINTED

BRICKWORK

FRONT ELEVATION 1

COLOURS LEGEND





AUSTRAL BLACKBUTT FACE BRICK OR SIMILAR


AUSTRAL SILVER BIRCH FACE BRICK OR SIMILAR



COLORBOND WINDSPRAY



COLORBOND TERRAIN





Creation Homes Pty Ltd Suite 3, 46 Brookhollow Avenue, Baulkham Hills NSW, 2153. (P) 02 8806 7600 (F) 02 8806 7699

HOMES The plan & design of this house is owned by Creation Homes & under the copyright act of 1968 cannot be reproduced in any shape or form without prior written authorisation. Any doing so will be liable for action under the act.

	DA SUBMISSION	LOT 1108 ELEVATIONS	DISPLAY HOMES - WERRINGTON		SHEET:	SCALE:
	DA GODINIGGION	LOT TIOU ELEVATIONS	DISI LAT HOW	LO - WEIGHNOTON	4 OF 4	1:100
CLIENT:	LENDLEASE CORPORATION	JOB ADDRESS:	COUNCIL:	PENRITH	DRAWN BY:	DATE:
JOB N°:	200899/200900	LOT 1007 & 1008 DP 1226122	SOIL CLASS:	H1-TBC	SC	04.10.18
PCA:	TBA	No. CHAPMAN STREET	COIL OL 100.		VERSION No.	CONSTRUCTION No.
	PH: 02 0000 0000	WERRINGTON, NSW, 2747.	WIND CLASS:	-	01	-

COLOURS LEGEND



TAUBMANS SILVERADO OR SIMILAR



AUSTRAL BLACKBUTT FACE BRICK OR SIMILAR

AUSTRAL SILVER BIRCH FACE BRICK OR SIMILAR




COLORBOND WINDSPRAY



COLORBOND TERRAIN







Creation Homes Pty Ltd Suite 3, 46 Brookhollow Avenue, Baulkham Hills NSW, 2153. (P) 02 8806 7600 (F) 02 8806 7699

HOMES © The plan & design of this house is owned by Creation Homes & under the copyright act of 1968 cannot be reproduced in any shape or form without prior written authorisation. Any doing so will be liable for action under the act.

	DA SUBMISSION
CLIENT:	LENDLEASE CORPORATION
JOB N°:	200899/200900


ORATION TBA PH: 02 0000 0000

JOB ADDRESS:				
LOT 1007 & 1008 DP 1226122				
No. CHAPMAN STREET				
WERRINGTON, NSW, 2747.				

LOT 1108 ELEVATIONS

DISPLAY HOMES - WERRINGTON					
COUNCIL:	PENRITH				
SOIL CLASS:	H1-TBC				
WIND CLASS:	-				

TON	SHEET:	SCALE:
II OIN	5 OF 4	1:100
	DRAWN BY:	DATE:
	SC	04.10.18
	VERSION No.	CONSTRUCTION No.
	01	-



SECTION A-A

NOTE:
- PROVIDE A 0.2 MICRON THICK HIGH IMPACT MEMBRANE
TO THE SLAB ON GROUND CONSTRUCTION.
- STAIRS ARE TO BE CONSTRUCTED WITH A NON-SLIP RESISTANCE IN
ACCORDANCE WITH AS4586-2013.



Creation Homes Pty Ltd Suite 3, 46 Brookhollow Avenue, Baulkham Hills NSW, 2153. (P) 02 8806 7600 (F) 02 8806 7699

HOMES © The plan & design of this house is owned by Creation Homes & under the copyright act of 1968 cannot be reproduced in any shape or form without prior written authorisation. Any doing so will be liable for action under the act.

DA SUBMISSION		LOT 1108 SECTION	DISPLAY HOMES - WERRINGTON		SHEET: 6 OF 4	SCALE: 1:100
			00111011		3 51 1	
CLIENT:	LENDLEASE CORPORATION	JOB ADDRESS:	COUNCIL:	PENRITH	DRAWN BY:	DATE:
JOB N°:	200899/200900	LOT 1007 & 1008 DP 1226122	SOIL CLASS:	H1-TBC	sc	04.10.18
PCA:	TBA	No. CHAPMAN STREET	0012 02 100.		VERSION No.	CONSTRUCTION No.
	PH: 02 0000 0000	WERRINGTON, NSW, 2747.	WIND CLASS:	-	01	-

Document Set ID: 9493369 Version: 1, Version Date: 01/03/2021

	W	/ideline Wir	idow / Do	oor Schedule	
Window No.	Code	Window Size		Claring Tune	othor
	Code	Height	Width	Glazing Type	other
W01	AAT1809	1,800	850	Single Clear	
W02	AAT1809	1,800	850	Single Clear	
W03	AA1006	1,030	610	Single Obscure	
W04	AA0922	860	2,170	Single Clear	
W05	AS1416	1,370	1,570	Single Clear	
W06	AS1012	1,030	1,210	Single Obscure	
W07	AS1416	1,370	1,570	Single Clear	
W08	AS1416	1,370	1,570	Single Clear	
W09	AAT1816	1,800	1,570	Single Clear	
W10	AAT1816	1,800	1,570	Single Clear	
WD1	MDF8	2,100	880	Single Clear	Laundry Door
WD2	ASD2124	2,100	2,410	Single Clear	Sliding Door
WD3	ASD2116	2,100	1,570	Single Clear	Sliding Door



Creation Homes Pty Ltd Suite 3, 46 Brookhollow Avenue, Baulkham Hills NSW, 2153. (P) 02 8806 7600 (F) 02 8806 7699

HOMES The plan & design of this house is owned by Creation Homes & under the copyright act of 1968 cannot be reproduced in any shape or form without prior written authorisation. Any doing so will be liable for action under the act.

DA SUBMISSION		LOT 1108 WINDOW SCHEDULE	DISPLAY HOMES - WERRINGTON		SHEET:	SCALE:
					7 OF 4	1:1
CLIENT:	LENDLEASE CORPORATION	JOB ADDRESS:	COUNCIL:	PENRITH	DRAWN BY:	DATE:
JOB N°:	200899/200900	LOT 1007 & 1008 DP 1226122	SOIL CLASS: H1-TBC	H1-TRC	SC	04.10.18
PCA:	TBA PH: 02 0000 0000	No. CHAPMAN STREET		111 150	VERSION No.	CONSTRUCTION No.
		WERRINGTON, NSW, 2747.	WIND CLASS:	-	01	_

Document Set ID: 9493369 Version: 1, Version Date: 01/03/2021