

- DO NOT SCALE DRAWINGS. FIGURE DIMENSIONS TAKE PRECEDENCE OVERALL. THESE DRAWINGS ARE TO BE READ IN CONJUNCTION WITH ENGINEERS

COMPUTATIONS & DRAWINGS.

- THE BUILDER AND SUBCONTRACTOR SHALL CHECK AND VERIFY ALL DIMENSIONS. SETBACKS, LEVELS & SPECIFICATIONS & ALL OTHER RELEVANT DOCUMENTATION PRIOR TO THE COMMENCEMENT OF ANY WORKS. REPORT ALL DISCREPANCIES TO THIS OFFICE

FOR CLARIFICATION.

- INSTALLATION OF ALL SERVICES SHALL COMPLY WITH THE RESPECTIVE SUPPLY

AUTHORITY REQUIREMENTS.

- ALL WORK TO COMPLY WITH THE BUILDING CODE OF AUSTRALIA & OTHER RELEVANT BYLAWS AND AUTHORITIES.

- ALL GLASS TO COMPLY WITH AS1288-2006 SAFETY GLAZING IN ACCORDANCE WITH THE BCA, AS1288 & AS2047.

- ALL TIMBER TO COMPLY WITH AS1684-2006.

- ALL MASONRY TO COMPLY WITH AS3700-1998.

- INSTALLATION OF SMOKE DETECTORS TO COMPLY WITH AS3786-1993.

- WATERPROOFING OF WET AREAS TO COMPLY WITH AS3740-2004.

- UNI ESS NOTED OTHERWISE EXCAVATIONS TO BE BATTERED AT 45° MAX FOR

SAND/SILT/FILL SITES. ALL BATTERS TO BE KEPT WITHIN PROPERTY BOUNDARIES.

THE BUILDER AND SUBCONTRACTOR SHALL ENSURE THAT ALL STORMWATER DRAINS, SEWER PIPES & THE LIKE ARE LOCATED AT A SUFFICIENT DISTANCE FROM ANY

BUILDINGS FOOTING AND/OR SLAB EDGE BEAMS SO AS TO PREVENT MOISTURE

PENETRATION, DAMPNESS, WEAKENING AND UNDERMINING OF ANY BUILDING & ITS FOOTING SYSTEM.

- STORMWATERPIPES ARE INDICATIVE ONLY.
- DOWNPIPES TO SERVE <12m OF GUTTER. INSTALL DOWNPIPE WITHIN 1200mm OF VALLEY OR PROVIDE OVERFLOWS TO GUTTER.

- INSULATION TO BE AS PER SPECIFICATION & TO BE READ IN CONJUNCTION WITH

- DOORS TO WC TO HAVE LIFT OFF HINGES, UNLESS 1200mm CLEAR BETWEEN PAN &

- STEP SIZES (OTHER THAN FOR SPIRAL STAIRS) TO BE:

RISERS (R) 190mm MAX. AND 115mm MIN.

GOING (G) 355mm MAX. AND 250mm MIN.

2R + G = 700mm MAX. AND 550mm MIN.

- WHERE NO STEP PROVIDED, SITE MUST BE GRADED TO ENSURE MAXIMUM STEP DOWN

OF 190mm FROM EXTERNAL DOOR TO FSL.



REFER TO SHEET 009 FOR BASIX COMMITMENTS



WSC DETAILS: RMA Infrastructure - Steven Penellum, Mobile: 0487 242 724



Creation Homes Pty Ltd Suite 3, 46 Brookhollow Avenue, Baulkham Hills, NSW 2153. (P) 02 8806 7604 (F) 02 8806 7699


© The plan & design of this house is owned by Creation Homes & under the copyright act of 1968 cannot be reproduced in any shape or form without prior written authorisation. Any doing so will be liable for action under the act.

CONCEPT PLANS	
CLIENT: LENDLEASE COMMUNITIES	

JOB N°: 920037 PCA: TBC



	TITLE PAGE	SMART LOTS LOT1213		SHEET: 1 OF 16	SCALE: N/A
	JOB ADDRESS:	COUNCIL:	PENRITH	DRAWN BY:	DATE:
1 rancois	LOT 1213 DP 1226122	SOIL CLASS:	'H' Class TBC	SC	17.01.18
662	No.16 CHAPMAN STREET	00.2 02 .00.	0.000	VERSION No.	CONSTRUCTION No.
50000 50000	WERRINGTON NSW, 2747.	WIND CLASS:	N2	02	-





Suite 3, 46 Brookhollow Avenue, Baulkham Hills, NSW 2153. (P) 02 8806 7604 (F) 02 8806 7699


© The plan & design of this house is owned by Creation Homes & under the copyright act of 1988 cannot be reproduced in any shape or form without prior written authorisation. Any doing so will be liable for action under the act.


CLIENT: LENDLEASE COMMU	NITIES	
IOD NO. 000007	45 K	F90Q4DROTD 2


JOB N°: 920037 PCA: TBC PH: 02 0000 0000

	JOB
22 Nov 2021 Claude-Francois	LOT
Sockoll o. DMN/14/1662	No.16
	WER

	SITE PLAN	SMART LOTS LOT1213			SCALE:
				2 OF 16	1:250, 1:298.0
	JOB ADDRESS:	COUNCIL:	PENRITH	DRAWN BY:	DATE:
xois (a)	LOT 1213 DP 1226122	SOIL CLASS:	'H' Class TBC	SC	17.01.18
	No.16 CHAPMAN STREET	0012 02 100.	0.000 120	VERSION No.	CONSTRUCTION No
	WERRINGTON NSW, 2747.	WIND CLASS:	N2	02	-







NOTE: FRONT ENTRY DOOR SHOWN INDICATIVELY ONLY. REFER TO INCLUSIONS FOR DOOR TYPE.

NOTE: FRONT ENTRY DOOR SHOWN INDICATIVELY ONLY. REFER TO INCLUSIONS FOR DOOR TYPE.



Creation Homes Pty Ltd Suite 3, 46 Brookhollow Avenue, Baulkham Hills, NSW 2153. (P) 02 8806 7604 (F) 02 8806 7699


© The plan & design of this house is owned by Creation Homes & under the copyright act of 1968 cannot be reproduced in any shape or form without prior written authorisation. Any doing so will be liable for action under the act.


	CONCEPT PL	ANS
CLIENT: L	ENDLEASE COMMU	NITIES
CLIENT. L	LINDLLAGE COMMO	FOOO


JOB N°: 920037 PCA: TBC



	STREET ELEVATIONS	SMART LOTS LOT1213		SHEET: 3 OF 16	SCALE: 1:150
	JOB ADDRESS:	COUNCIL:	PENRITH	DRAWN BY:	DATE:
icois	LOT 1213 DP 1226122	SOIL CLASS:	'H' Class TBC	SC	17.01.18
2	No.16 CHAPMAN STREET	00.2 02.100.	0.000 .20	VERSION No.	CONSTRUCTION No
500.000 1	WERRINGTON NSW, 2747.	WIND CLASS:	N2	02	-







NOTE: FRONT ENTRY DOOR SHOWN INDICATIVELY ONLY. REFER TO INCLUSIONS FOR DOOR TYPE.

NOTE: FRONT ENTRY DOOR SHOWN INDICATIVELY ONLY. REFER TO INCLUSIONS FOR DOOR TYPE.



Creation Homes Pty Ltd Suite 3, 46 Brookhollow Avenue, Baulkham Hills, NSW 2153. (P) 02 8806 7604 (F) 02 8806 7699


© The plan & design of this house is owned by Creation Homes & under the copyright act of 1968 cannot be reproduced in any shape or form without prior written authorisation. Any doing so will be liable for action under the act.


CONCEPT PLANS	
CLIENT: LENDLEASE COMMUNITIES	

JOB N°: 920037 PCA: TBC



	STREET ELEVATIONS	SMART LOTS LOT1213		SHEET: 4 OF 16	SCALE: 1:150
	JOB ADDRESS:	COUNCIL:	PENRITH	DRAWN BY:	DATE:
1 rancois	LOT 1213 DP 1226122	SOIL CLASS:	'H' Class TBC	SC	17.01.18
662	No.16 CHAPMAN STREET	0012 027 100.	11 01000 120	VERSION No.	CONSTRUCTION No.
500 BB	WERRINGTON NSW, 2747.	WIND CLASS:	N2	02	-





Summary of BASIX Commitments for Lot 1501 (#16) Ch	Summary of BASIX Commitments for Lot 1501 (#16) Chapman Street WERRINGTON 2747				
	Commitment				
Water					
Total area of garden and lawn (m2)	195m2				
Area of indigenous planting within total garden (m2) required	None				
Rainwater tank capacity (litres)	3000L				
Area of roof connected to tank (m2)	160m2				
Connected to all toilets in the development?	Yes				
Connected to at least one outdoor tap?	Yes				
Connected to washing machine?	Yes				
Rating of all showerheads installed	3 Star (> 7.5 but <= 9 L/min)				
Rating of all toilet cisterns installed	4 Star				
Rating of bathroom tap fittings	3 Star				
Rating of kitchen tap fittings	3 Star				
Thermal Performance					
Refer to Universal Certificate	Pass				
Energy					
Active cooling to living areas	3-Phase AC (EER 3.0-3.5)				
Active cooling to bedroom areas	3-Phase AC (EER 3.0-3.5)				
Active heating to living areas	3-Phase AC (EER 3.5-4.0)				
Active heating to bedroom areas	3-Phase AC (EER 3.5-4.0)				
Hot water system	Gas Instantaneous				
	Yes				
Low energy lighting (If required refer to BASIX certificate)	162				
	Ducted (manual switch on/off)				
Bathroom ventilation	1.22				
Low energy lighting (If required refer to BASIX certificate) Bathroom ventilation Kitchen ventilation Laundry ventilation	Ducted (manual switch on/off)				
Bathroom ventilation Kitchen ventilation	Ducted (manual switch on/off) Ducted (manual switch on/off)				
Bathroom ventilation Kitchen ventilation Laundry ventilation	Ducted (manual switch on/off) Ducted (manual switch on/off) No Mechanical Ventilation				
Bathroom ventilation Kitchen ventilation Laundry ventilation Cooktop and oven	Ducted (manual switch on/off) Ducted (manual switch on/off) No Mechanical Ventilation Gas Cooktop / Electric Oven				

Window / Door Schedule						
Window	Code	Window S		Glazing Type	other	
No.	Code	Height	Width	Glazing Type	Outer	
W01	AA1806	1,800	610	Single Clear		
W02	AATT1818	1,800	1,810	Single Clear		
W03	AA1806	1,800	850	Single Clear		
W04	AA1806	1,800	850	Single Clear		
W05	AA1806	1,800	850	Single Clear		
W06	AST1822	1,800	2,170	Single Clear		
W07	AA1806	1,800	850	Single Clear		
W08	AA1216	1,200	1,810	Single Clear		
W09	AA1216	1,200	1,570	Single Clear		
W10	AA1806	1,800	850	Single Clear		
W11	AA1806	1,800	850	Single Clear		
W12	AA1006	1,030	610	Obscure Glazing		
W13	AA1216	1,200	1,570	Obscure Glazing		
W14	AS1024	1,030	2,410	Single Clear		
W15	AS1022	1,030	2,170	Single Clear		
WD1	MDF9	2,100	1,570	Single Clear	Entry Door (920x2040)	
WD2	ASD2115	2,100	1,450	Single Clear	Sliding Door	
WD3	ASSD2127	2,110	2,676	Single Clear	Stacker Door	
WD4	ASSD2123	2,110	2,316	Single Clear	Stacker Door	



Creation Homes Pty Ltd Suite 3, 46 Brookhollow Avenue, Baulkham Hills, NSW 2153. (P) 02 8806 7604 (F) 02 8806 7699

© The plan & design of this house is owned by Creation Homes & under the copyright act of 1968 cannot be reproduced in any shape or form without prior written authorisation. Any doing so will be liable for action under the act.


CONCEPT PLANS


CLIENT: LENDLEASE COMMUNITIES


JOB N°: 920037 **PCA**: TBC

. LENDLEAGE COMINIO	IVITILO		
920037	****5	F90Q4DROTD 22	2 Nov 2021 Claude-Francois
920037	NATIONWIDE HOUSE	Assessor Accreditation No.	Sockfoll DMN/14/1662
TBC	110.8	Address List 1501 (#16) Chapman Street WERRINGTON Perrith City Council	
PH: 02 0000 0000	www.nathers.gov.au	NSW 2747) 10

	WINDOW SCHEDULE	SMART LOTS LOT1213		SHEET: 13 OF 16	SCALE: 1:1
	JOB ADDRESS:	COUNCIL:	PENRITH	DRAWN BY:	DATE:
	LOT 1213 DP 1226122	SOIL CLASS:	'H' Class TBC	SC	17.01.18
	No.16 CHAPMAN STREET			VERSION No.	CONSTRUCTION No.
335	WERRINGTON NSW, 2747.	WIND CLASS:	N2	02	-









Creation Homes Pty Ltd Suite 3, 46 Brookhollow Avenue, Baulkham Hills, NSW 2153. (P) 02 8806 7604 (F) 02 8806 7699

© The plan & design of this house is owned by Creation Homes & under the copyright act of 1968 cannot be reproduced in any shape or form without prior written authorisation. Any doing so will be liable for action under the act.

CONCEPT PLANS
CLIENT: LENDLEASE COMMUNITIES

JOB N°: 920037

TBC PH: 02 0000 00

		F90Q4DROTD 22	2 Nov 2021
0	5 HOUSE 110.8	Assessor Accreditation No. Address Lot 1001 (FIG) Chapman Shest WilderNotToN Parenth City Council NSW 2747	Claude-Francois Sockioli DMN/14/1662

	JUNE SHADOWS	SMART LOTS LOT1213		SHEET: 16 OF 16	SCALE: 1:300
	JOB ADDRESS:	COUNCIL:	PENRITH	DRAWN BY:	DATE:
icois	LOT 1213 DP 1226122	SOIL CLASS:	'H' Class TBC	SC	17.01.18
	No.16 CHAPMAN STREET	22.2 22.00.		VERSION No.	CONSTRUCTION No.
	WERRINGTON NSW, 2747.	WIND CLASS:	N2	02	-