

PENRITH CITY COUNCIL

NOTICE OF DETERMINATION

DESCRIPTION OF DEVELOPMENT

Application number:	DA18/0278
Description of development:	Building Alterations & Additions, Use of Premises as Starbucks Coffee Shop & Associated Outdoor Dining Area & Signage (Shop 152)
Classification of development:	Class 6

DETAILS OF THE LAND TO BE DEVELOPED

Legal description:	Lot 1 DP 1137699
Property address:	569 - 595 High Street, PENRITH NSW 2750

DETAILS OF THE APPLICANT

Name & Address:	Scentre Group Pty Ltd 85 Castlereagh Street SYDNEY NSW 2000
-----------------	---

DECISION OF CONSENT AUTHORITY

In accordance with Section 81(1) (a) of the Environmental Planning and Assessment Act 1979, consent is granted subject to the conditions listed in attachment 1.

Please note that this consent will lapse on the expiry date unless the development has commenced in that time.

Date from which consent operates	12 June 2018
Date the consent expires	12 June 2020
Date of this decision	4 June 2018

POINT OF CONTACT

If you have any questions regarding this determination you should contact:

Assessing Officer:	Sufyan Nguyen
Contact telephone number:	+612 4732 8568

NOTES

Reasons

The conditions in the attached schedule have been imposed in accordance with Section 80A of the Environmental Planning and Assessment Act 1979 as amended.

Conditions

Your attention is drawn to the attached conditions of consent in attachment 1.

Certification and advisory notes

You should also check if this type of development requires a construction certificate in addition to this development consent

It is recommended that you read any Advisory Note enclosed with this notice of determination.

Review of determination

The applicant may request Council to review its determination pursuant to Section 82A of the Environmental Planning and Assessment Act 1979 within 6 months of receiving this Notice of Determination.

You cannot make this request if the development is Designated Development, Integrated Development or State Significant development or if the application was decided by Sydney West Planning Panel.

Appeals in the Land and Environment Court

The applicant can appeal against this decision in the Land and Environment Court within six (6) months of receiving this Notice of Determination.

You cannot appeal if a Commission of Inquiry was held for the subject development application, or if the development is a State Significant Development.

An appeal to the Land and Environment Court is made by lodging an application to the Court in accordance with the Rules of the Court.

Designated development

If the application was for designated development and a written objection was made in respect to the application, the objector can appeal against this decision to the Land and Environment Court within 28 days after the date of this notice. The objector cannot appeal if a Commission of Inquiry was held.

If the applicant appeals against this decision, objector(s) will be given a notice of the appeal and the objector(s) can apply to the Land and Environment Court within 28 days after the date of this appeal notice to attend the appeal and make submissions at that appeal.

Sydney West Planning Panels

If the application was decided by the Sydney West Planning Panel, please refer to Section 18 of the Greater Sydney Commission Act 2015 and Section 23H of the Environmental Planning and Assessment Act, 1979 (as amended) for any further regulations.

ATTACHMENT 1: CONDITIONS OF CONSENT

General

- 1 The development must be implemented substantially in accordance with the following plans stamped approved by Council, the application form and any supporting information received with the application, except as may be amended in red on the stamped approved plans and by the following conditions.

Drawing Title	Prepared By	Reference No.	Dated	Revision
Site Plan	Westfield Design & Construction Pty Ltd	C48237 (DA 80.0001)	14/03/18	A
Demolition Plan	Westfield Design & Construction Pty Ltd	C48237 (DA 80.0002)	14/03/18	A
Floor Plan, Roof Plan & Section	Westfield Design & Construction Pty Ltd	C48237 (DA 80.0003)	14/03/18	A
Elevations & Section	Westfield Design & Construction Pty Ltd	C48237 (DA 80.0010)	14/03/18	A
Section & Internal Ramp	Westfield Design & Construction Pty Ltd	C48237 (DA 80.0011)	14/03/18	A
Outdoor Seating Plan & Elevations (External Barrier Details 1)	Starbucks Coffee	B021-J013 (Sheet 1)	21/05/18	C
Loop & Leg Detail & Section (External Barrier Details 2)	Starbucks Coffee	B021-J014 (Sheet 1)	01/03/18	A
Finishes & Door Schedule	Starbucks Coffee	B021-A001 (Sheet 1)	21/05/18	B
Signage Elevations	Starbucks Coffee	B021-A020 - A021 (Sheet 1)	01/03/18	A
Signage Details	Starbucks Coffee	B021-J0030 (Sheet 1)	01/03/18	A
Waste Management Plan	Scentre Group Pty Ltd	–	–	–

- 2 The proprietor of the food business shall ensure that the requirements of the *NSW Food Act 2003*, *NSW Food Regulation 2010* and the Australian and New Zealand Food Standards Code are met at all times.
- 3 **The development shall not be used or occupied until an Occupation Certificate has been issued.**
- 4 A satisfactory inspection from an authorised officer of Council's Environmental Health Department is required prior to the issue of an Occupation Certificate. The occupier is to contact the Environmental Health Department to organise an appointment at least 72 hours prior to the requested inspection time.
- 5 The approved operating hours are as per existing Westfield Penrith shopping centre hours of operation.
- 6 The finishes of all structures and the building are to be maintained at all times and any graffiti or vandalism immediately removed/repaired.
- 7 A **Construction Certificate** shall be obtained prior to commencement of any building works.
- 8 The approved outdoor dining area shall comply with the following requirements at all times:
- The furniture shall be high quality in design and construction, and complement the existing streetscape. Lightweight plastic furniture, which may become airborne on windy days if not adequately weighted, is not permitted.
 - The furniture is to be maintained in a clean and hygienic state at all times.

- The eating area is not to cause inconvenience or to disrupt pedestrian traffic along the footpath or thoroughfare.
- No food is to be prepared or stored outside. No hot food counters, boilers or urns shall be placed on public areas or areas external to the premises.
- All furniture which is not fixed to the ground must be put away inside the premises when it is closed.

9 An outdoor dining license permit shall be issued before commencement of the outdoor dining area.

Demolition

10 The existing structures nominated for demolition on the approved plans shall be demolished as part of the approved works.

11 All demolition works are to be conducted in accordance with the provisions of AS 2601-1991 "The Demolition of Structures". **Prior to demolition**, all services shall be suitably disconnected and capped off or sealed to the satisfaction of the relevant service authority requirements.

All demolition and excavated material shall be disposed of at a Council approved site or waste facility. Details of the proposed disposal location(s) of all excavated material from the development site shall be provided to the Principal Certifying Authority **prior to commencement of demolition**.

12 You should read Council's Fact Sheet titled "Handling and Disposal of Fibrous Cement Products" **before any demolition works commence on the site**.

Prior to commencement of demolition works on site, a portaloo with appropriate washing facilities shall be located on the site and the Principal Certifying Authority is to be satisfied that:

- Measures are in place so as to comply with the WorkCover Authority's "Short Guide to Working with Asbestos Cement" and
- The person employed to undertake the works is a licensed asbestos removal contractor and is holder of a current WorkCover Asbestos Licence.

Any demolition works involving the removal of all asbestos shall only be carried out by a licensed asbestos removal contractor who has a current WorkCover Asbestos Licence.

All asbestos laden waste, including asbestos cement flat and corrugated sheeting must be disposed of at a tipping facility licensed by the Environment Protection Authority to receive asbestos wastes.

13 Dust suppression techniques are to be employed during demolition and construction works to reduce any potential nuisances to surrounding properties.

14 Mud and soil from vehicular movements to and from the site during demolition and construction works must not be deposited on the road.

15 Demolition works shall be restricted to the following hours in accordance with the NSW Environment Protection Authority Noise Control Guidelines:

- Mondays to Fridays, 7am to 6pm
- Saturdays, 7am to 1pm if inaudible on neighbouring residential premises, otherwise 8am to 1pm
- No demolition work is permitted on Sundays and Public Holidays.

In the event that the demolition relates to works inside the building that do not involve external walls or the roof, and that do not involve the use of equipment that emits noise, then the demolition works are not restricted to the hours stated above.

The provisions of the *Protection of the Environment Operations Act 1997* in regulating offensive noise also apply to all construction works.

Environmental Matters

- 16 Erosion and sediment control measures shall be installed **prior to the commencement of works on site** including approved clearing of site vegetation. The erosion and sediment control measures are to be maintained in accordance with the approved erosion and sediment control plan(s) for the development and the Department of Housing's "Managing Urban Stormwater: Soils and Construction" 2004.
- 17 All waste materials stored on-site are to be contained within a designated area such as a waste bay or bin to ensure that no waste materials are allowed to enter the stormwater system or neighbouring properties. The designated waste storage areas shall provide at least two waste bays / bins so as to allow for the separation of wastes, and are to be fully enclosed when the site is unattended.
- 18 All excavated material and other wastes generated as a result of the development are to be re-used, recycled or disposed of in accordance with the approved waste management plan.

Waste materials not specified in the approved waste management plan are to be disposed of at a lawful waste management facility. Where the disposal location or waste materials have not been identified in the waste management plan, details shall be provided to the Principal Certifying Authority as part of the waste management documentation accompanying the Construction Certificate application.

All receipts and supporting documentation must be retained in order to verify lawful disposal of materials and are to be made available to Penrith City Council on request.

BCA Issues

19 The owner of a building, to which an essential fire safety measure is applicable, shall provide Penrith City Council with an annual fire safety statement for the building. The annual fire safety statement for a building must:

(a) deal with each essential fire safety measure in the building premises, and

(b) be given:

- within 12 months after the last such statement was given, or
- if no such statement has previously been given, within 12 months after a final fire safety certificate was first issued for the building.

As soon as practicable after the annual fire safety statement is issued, the owner of the building to which the statement relates:

- must also provide a copy of the statement (together with a copy of the current fire safety schedule) to the Commissioner of New South Wales Fire Brigades, and
- prominently display a copy of the statement (together with a copy of the current fire safety schedule) in the building.

20 All aspects of the building design shall comply with the applicable performance requirements of the Building Code of Australia so as to achieve and maintain acceptable standards of structural sufficiency, safety (including fire safety), health and amenity for the on-going benefit of the community. Compliance with the performance requirements can only be achieved by:

(a) complying with the deemed to satisfy provisions, or

(b) formulating an alternative solution which:

- complies with the performance requirements, or
- is shown to be at least equivalent to the deemed to satisfy provision, or

(c) a combination of (a) and (b).

It is the owner's responsibility to place on display, in a prominent position within the building at all times, a copy of the latest fire safety schedule and fire safety certificate/statement for the building.

Utility Services

21 A Section 73 Compliance Certificate under the *Sydney Water Act 1994* shall be obtained from Sydney Water. The application must be made through an authorised Water Servicing Coordinator. Please refer to "Your Business" section of Sydney Water's website at www.sydneywater.com.au then the "e-developer" icon, or telephone 13 20 92.

The Section 73 Compliance Certificate must be submitted to the Principal Certifying Authority prior to the issue of an Occupation Certificate.

Construction

- 22 Stamped plans, specifications, a copy of the development consent, the Construction Certificate and any other Certificates to be relied upon shall be available on site at all times during construction.

The following details are to be displayed in a maximum of 2 signs to be erected on the site:

- the name of the Principal Certifying Authority, their address and telephone number,
- the name of the person in charge of the work site and telephone number at which that person may be contacted during work hours,
- that unauthorised entry to the work site is prohibited,
- the designated waste storage area must be covered when the site is unattended, and
- all sediment and erosion control measures shall be fully maintained until completion of the construction phase.

Signage but no more than 2 signs stating the above details are to be erected:

- at the commencement of, and for the full length of the, construction works onsite, and
- in a prominent position on the work site and in a manner that can be easily read by pedestrian traffic.

All construction signage is to be removed when the Occupation Certificate has been issued for the development.

- 23 Prior to the commencement of construction works:

(a) Toilet facilities at or in the vicinity of the work site shall be provided at the rate of one toilet for every 20 persons or part of 20 persons employed at the site. Each toilet provided must be:

- a standard flushing toilet connected to a public sewer, or
- if that is not practicable, an accredited sewage management facility approved by Council, or
- alternatively, any other sewage management facility approved by Council.

(b) If the work involved in the erection or demolition of a building is likely to cause pedestrian or vehicular traffic in a public place to be obstructed or rendered inconvenient, or involves the enclosure of a public place, a hoarding or fence must be erected between the work site and the public place:

- if necessary, an awning is to be erected, sufficient to prevent any substance from, or in connection with, the work falling into the public place,
- the work site must be kept lit between sunset and sunrise if it is likely to be hazardous to persons in the public place, and
- any such hoarding, fence or awning is to be removed when the work has been completed.

- 24 Construction works or that are carried out in accordance with an approved consent that involve the use of heavy vehicles, heavy machinery and other equipment likely to cause offence to adjoining properties shall be restricted to the following hours in accordance with the NSW Environment Protection Authority Noise Control Guidelines:

- Mondays to Fridays, 7am to 6pm
- Saturdays, 7am to 1pm if inaudible on neighbouring residential premises otherwise 8am to 1pm
- No work is permitted on Sundays and Public Holidays.

Other construction works carried out inside a building/tenancy that do not involve the use of equipment that

emits noise are not restricted to the construction hours stated above.

The provisions of the *Protection of the Environment Operations Act 1997* in regulating offensive noise also apply to all construction works.

Engineering

- 25 An Infrastructure Restoration Bond is to be lodged with Penrith City Council for development involving works around Penrith City Council's Public Infrastructure Assets. The bond is to be lodged with Penrith City Council prior to commencement of any works on site or prior to the issue of any Construction Certificate, whichever occurs first. The bond and applicable fees are in accordance with Council's adopted Fees and Charges.

An application form together with an information sheet and conditions are available on Council's website.

Contact Penrith City Council's City Works Department on (02) 4732 7777 or visit Penrith City Council's website for more information.

- 26 Prior to the issue of a Construction Certificate, a Section 138 Roads Act application including payment of application and inspection fees, shall be lodged with and approved by Penrith City Council being the Roads Authority for any works required in a public road.

All works shall be carried out in accordance with the Roads Act approval, the development consent, including the stamped approved plans, and Penrith City Council's specifications, guidelines and best engineering practice.

Contact Penrith City Council's City Works Department on (02) 4732 7777 or visit Penrith City Council's website for more information.

Note:

- a) Where Penrith City Council is the Certifying Authority for the development, the Roads Act approval for the above works may be issued concurrently with the Construction Certificate.
- b) All works associated with the Roads Act approval must be completed prior to the issue of an Occupation Certificate.

- 27 Stormwater run-off from the building additions shall be directed to the site's existing drainage system.

Landscaping

- 28 All trees that are required to be retained as part of the development are to be protected in accordance with the minimum tree protection standards prescribed in Section C2 Vegetation Management of *Penrith Development Control Plan 2014*.

- 29 No trees are to be removed, ringbarked, cut, topped or lopped or wilfully destroyed (other than those within the proposed building footprint or as shown on the approved plans) without the prior consent of Penrith City Council and in accordance with Council's Tree Preservation Order and Policy.
- 30 Existing landscaping is to be retained and maintained at all times.

Section 94

- 31 This condition is imposed in accordance with Penrith City Council's Development Contributions Plan for Penrith City Centre Civic Improvement. Based on the current rates detailed in the accompanying schedule attached to this Notice, \$5,760.00 is to be paid to Council prior to a Construction Certificate being issued for this development (the rates are subject to quarterly reviews). If not paid within the current quarterly period, this contribution will be reviewed at the time of payment in accordance with the adopted contribution plan. The projected rates of this contribution amount are listed in Council's Fees and Charges Schedule.

Council should be contacted prior to payment to ascertain the rate for the current quarterly period. The invoice accompanying this consent should accompany the contribution payment. The Development Contributions Plan for \$5,760.00 may be inspected at Council's Civic Centre, 601 High Street, Penrith.

Certification

- 32 An Occupation Certificate is to be obtained from the Principal Certifying Authority on completion of all works and prior to the occupation of the tenancy and commencement of the approved use. The Occupation Certificate shall not be issued if any conditions of this consent, but not the conditions relating to the operation of the development, are outstanding, and/or if the development does not comply with the provisions of the Environmental Planning and Assessment Act and Regulation.

Before the Occupation Certificate can be issued for the development, Fire Safety Certificates issued for the building are to be submitted to Penrith City Council and the New South Wales Fire Brigades.

A copy of the Occupation Certificate and all necessary documentation supporting the issue of that Certificate including the above mentioned documents shall be submitted to Penrith City Council, if Council is not the Principal Certifying Authority.

- 33 Prior to the commencement of any earthworks or construction works on site, the proponent is to:
- (a) employ a Principal Certifying Authority to oversee that the said works carried out on the site are in accordance with the development consent and related Construction Certificate issued for the approved development, and with the relevant provisions of the Environmental Planning and Assessment Act and accompanying Regulation, and
 - (b) submit a Notice of Commencement to Penrith City Council.

The Principal Certifying Authority shall submit to Council an “Appointment of Principal Certifying Authority” in accordance with Section 6.6 of the *Environmental Planning and Assessment Act 1979*.

Information to accompany the Notice of Commencement

Two (2) days before any earthworks or construction/demolition works are to commence on site (including the clearing site vegetation), the proponent shall submit a “Notice of Commencement” to Council in accordance with Section 6.6 of the *Environmental Planning and Assessment Act 1979*.

SIGNATURE

Name:	Sufyan Nguyen
Signature:	

For the Development Services Manager