

PENRITH CITY COUNCIL

NOTICE OF DETERMINATION

DESCRIPTION OF DEVELOPMENT

Application number:	DA13/0762
Description of development:	Construction of an Industrial Development Including Warehouse, Showroom, Ancillary Office, Car Parking & Landscaping Works
Classification of development:	Class 8 , Class 7B , Class 5

DETAILS OF THE LAND TO BE DEVELOPED

Legal description:	Lot 34 DP 1036699
Property address:	60 Jack Williams Drive, PENRITH NSW 2750

DETAILS OF THE APPLICANT

Name & Address:	Crest Office Holdings Pty Ltd PO Box 1039 GOULBURN NSW 2580
-----------------	---

DECISION OF CONSENT AUTHORITY

In accordance with Section 81(1) (a) of the Environmental Planning and Assessment Act 1979, consent is granted subject to the conditions listed in attachment 1.

Please note that this consent will lapse on the expiry date unless the development has commenced in that time.

Date from which consent operates	11 September 2013
Date the consent expires	11 September 2015
Date of this decision	10 September 2013

POINT OF CONTACT

If you have any questions regarding this consent you should contact:

Assessing Officer:	Jonathon Wood
Contact telephone number:	02 4732 7774

NOTES

Reasons

The conditions in the attached schedule have been imposed in accordance with Section 80A of the Environmental Planning and Assessment Act 1979 as amended.

Conditions

Your attention is drawn to the attached conditions of consent in attachment 1.

Certification and advisory notes

You should also check if this type of development requires a construction certificate in addition to this development consent

It is recommended that you read any Advisory Note enclosed with this notice of determination.

Review of determination

The applicant may request Council to review its determination pursuant to Section 82A of the Environmental Planning and Assessment Act 1979 within 6 months of receiving this Notice of Determination.

You cannot make this request if the development is Designated Development, Integrated Development or State Significant development or if the application was decided by a Joint Regional Planning Panel.

Appeals in the Land and Environment Court

The applicant can appeal against this decision in the Land and Environment Court within six (6) months of receiving this Notice of Determination.

You cannot appeal if a Commission of Inquiry was held for the subject development application, or if the development is a State Significant Development.

An appeal to the Land and Environment Court is made by lodging an application to the Court in accordance with the Rules of the Court.

Designated development

If the application was for designated development and a written objection was made in respect to the application, the objector can appeal against this decision to the Land and Environment Court within 28 days after the date of this notice. The objector cannot appeal if a Commission of Inquiry was held.

If the applicant appeals against this decision, objector(s) will be given a notice of the appeal and the objector(s) can apply to the Land and Environment Court within 28 days after the date of this appeal notice to attend the appeal and make submissions at that appeal.

Joint Regional Planning Panels

If the application was decided by a Joint Regional Planning Panel, please refer to Section 23H of the Environmental Planning and Assessment Act, 1979 (as amended) for any further regulations.

ATTACHMENT 1: CONDITIONS OF CONSENT

General

- 1 The development must be implemented substantially in accordance with the following plans, and any documents stamped approved by Council, except as may be amended in red on the attached plans and by the following conditions.

Architectural Drawings

- Dwg No: 5642-301 Plan - Existing Site Plan Rev B prepared by Dutailis Architects
- Dwg No 5642-302 Plan - Proposed Ground Floor Rev F prepared by Dutailis Architects
- Dwg No 5642-303 Plan - Proposed First Floor Rev E prepared by Dutailis Architects
- Dwg No 5642-304 Plan - Proposed Second Floor Rev F prepared by Dutailis Architects
- Dwg No 5642-305 Plan - Roof Plan Rev E prepared by Dutailis Architects
- Dwg No 5642-306 Elevation & Section – East Rev F prepared by Dutailis Architects
- Dwg No 5642-307 Elevation & Section - North Rev E prepared by Dutailis Architects
- Dwg No 5642-308 Elevations - West & South Rev D prepared by Dutailis Architects
- Dwg No 5642-309 Sections & Materials I Finishes Schedule Rev D prepared by Dutailis Architects
- Dwg No 5642-310 Sediment & Erosion Control Plan Rev A prepared by Dutailis Architects
- Dwg No 5642-111 Rigid Vehicle Manoeuvring Diagrams Rev B prepared by Dutailis Architects

Stormwater Plan

- Dwg No. 100007-1 Stormwater Drainage Plan & Details Rev A prepared by Kneebone Beretta and Hall

Landscape Plan

- Dwg No 3405 Landscape Concept Rev A prepared by Monaco Designs

- 2 **The development shall not be used or occupied until an Occupation Certificate has been issued.**
- 3 No retail sale of goods shall be conducted from the subject premises.
- 4 All materials and goods associated with the use shall be contained within the building at all times.
- 5 The finishes of all structures and buildings are to be maintained at all times and any graffiti or vandalism immediately removed/repaired.
- 6 A **Construction Certificate** shall be obtained prior to commencement of any building works.

- 7 Front boundary fencing is to be black palisade fencing to a maximum height of 2.4m.

- 8 Roof materials are to be dull and non-reflective.

- 9 A salinity management plan is to be formulated and submitted to the Principal Certifying Authority with the application for a Construction Certificate detailing measures to mitigate the impact of salinity processes on the building and associated elements of the development.

- 10 Lighting is to be provided to the building entry and carpark areas to ensure safety for persons attending the site outside of daylight hours.

- 11 • All car parking and manoeuvring must be in accordance with AS2890.1-2004; AS2890.6-2009 and Council's requirements.

Demolition

- 12 Dust suppression techniques are to be employed during demolition to reduce any potential nuisances to surrounding properties.

- 13 Mud and soil from vehicular movements to and from the site must not be deposited on the road.

Environmental Matters

- 14 Erosion and sediment control measures shall be installed **prior to the commencement of works on site** including approved clearing of site vegetation. The erosion and sediment control measures are to be maintained in accordance with the approved erosion and sediment control plan(s) for the development and the Department of Housing's "Managing Urban Stormwater: Soils and Construction" 2004.

(Note: To obtain a copy of the publication, you should contact Landcom on (02) 98418600).

- 15 Erosion and sediment control measures shall be installed **prior to the commencement of works on site** including approved clearing of site vegetation. The erosion and sediment control measures are to be maintained in accordance with the approved erosion and sediment control plan(s) for the development and the Department of Housing's "Managing Urban Stormwater: Soils and Construction" 2004.

(Note: To obtain a copy of the publication, you should contact Landcom on (02) 98418600).

Certification that the erosion and sediment control measures have been installed in accordance with the approved erosion and sediment control plan (s) for the development and "Managing Urban Stormwater: Soils and Construction 2004" shall be obtained and issued a minimum 2 days before any other site works are to commence, including earthworks and clearing of the site.

The approved sediment and erosion control measures are to be installed **prior to and maintained throughout the construction phase of the development until the landscaping, driveway and on-site parking areas have been completed for the development.** These measures shall ensure that mud and soil from vehicular movements to and from the site does not occur during the construction of the development.

- 16 All waste materials stored on-site are to be contained within a designated area such as a waste bay or bin to ensure that no waste materials are allowed to enter the stormwater system or neighbouring properties. The designated waste storage areas shall provide at least two waste bays / bins so as to allow for the separation of wastes, and are to be fully enclosed when the site is unattended.
- 17 All excavated material and other wastes generated as a result of the development are to be re-used, recycled or disposed of in accordance with the approved waste management plan.

Waste materials not specified in the approved waste management plan are to be disposed of at a lawful waste management facility. Where the disposal location or waste materials have not been identified in the waste management plan, details shall be provided to the Certifying Authority as part of the waste management documentation accompanying the Construction Certificate application.

All receipts and supporting documentation must be retained in order to verify lawful disposal of materials and are to be made available to Penrith City Council on request.

BCA Issues

- 18 Access and sanitary facilities for persons with disabilities are to be provided and maintained in accordance with the requirements of the Building Code of Australia and AS 1428 "Design for Access and Mobility". Details of compliance are to be provided in the relevant plans and specifications accompanying the Construction Certificate application.

19 A fire safety list of essential fire or other safety measures shall be submitted to Penrith City Council prior to the issue of the Construction Certificate. The fire safety list shall specify all measures (both current and proposed) that are required for the building so as to ensure the safety of persons in the building in the event of fire. The fire safety list must distinguish between:

- the measures that are currently implemented in the building premises,
- and the measures that are to be proposed to be implemented in the building premises, and must specify the minimum standard of performance for each measure.

20 The owner of a building, to which an essential fire safety measure is applicable, shall provide Penrith City Council with an annual fire safety statement for the building. The annual fire safety statement for a building must:

(a) deal with each essential fire safety measure in the building premises, and

(b) be given:

- within 12 months after the last such statement was given, or
- if no such statement has previously been given, within 12 months after a final fire safety certificate was first issued for the building.

-

As soon as practicable after the annual fire safety statement is issued, the owner of the building to which the statement relates:

- must also provide a copy of the statement (together with a copy of the current fire safety schedule) to the Commissioner of New South Wales Fire Brigades, and
- prominently display a copy of the statement (together with a copy of the current fire safety schedule) in the building.

21 All aspects of the building design shall comply with the applicable performance requirements of the Building Code of Australia so as to achieve and maintain acceptable standards of structural sufficiency, safety (including fire safety), health and amenity for the on-going benefit of the community. Compliance with the performance requirements can only be achieved by:

(a) complying with the deemed to satisfy provisions, or

(b) formulating an alternative solution which:

- complies with the performance requirements, or
- is shown to be at least equivalent to the deemed to satisfy provision, or

(c) a combination of (a) and (b).

It is the owner's responsibility to place on display, in a prominent position within the building at all times, a copy of the latest fire safety schedule and fire safety certificate/ statement for the building.

Utility Services

- 22 A Section 73 Compliance Certificate under the Sydney Water Act 1994 shall be obtained from Sydney Water (or their agent). The application must be made through an authorised Water Servicing Coordinator. Please refer to “Your Business” section of Sydney Water’s website at www.sydneywater.com.au then the “e-developer” icon, or telephone 13 20 92.

The Section 73 Compliance Certificate must be submitted to the Principal Certifying Authority prior to the issue of an Occupation Certificate.

- 23 Prior to the issue of a Construction Certificate, a written clearance is to be obtained from Endeavour Energy stating that electrical services have been made available to the development or that arrangements have been entered into for the provision of services to the development.

In the event that a padmounted substation is necessary to service the development, Penrith City Council shall be consulted over the proposed location of the substation before the Construction Certificate for the development is issued as the location of the substation may impact on other services and building, driveway or landscape design already approved by Council.

Construction

- 24 Stamped plans, specifications, a copy of the development consent, the Construction Certificate and any other Certificates to be relied upon shall be available on site at all times during construction.

The following details are to be displayed in a maximum of 2 signs to be erected on the site:

- the name of the Principal Certifying Authority, their address and telephone number,
- the name of the person in charge of the work site and telephone number at which that person may be contacted during work hours,
- that unauthorised entry to the work site is prohibited,
- the designated waste storage area must be covered when the site is unattended, and
- all sediment and erosion control measures shall be fully maintained until completion of the construction phase.

Signage but no more than 2 signs stating the above details is to be erected:

- at the commencement of, and for the full length of the, construction works onsite, and
- in a prominent position on the work site and in a manner that can be easily read by pedestrian traffic.

All construction signage is to be removed when the Occupation Certificate has been issued for the development.

25 Prior to the commencement of construction works:

(a) Toilet facilities at or in the vicinity of the work site shall be provided at the rate of one toilet for every 20 persons or part of 20 persons employed at the site. Each toilet provided must be:

- a standard flushing toilet connected to a public sewer, or
- if that is not practicable, an accredited sewage management facility approved by the council, or
- alternatively, any other sewage management facility approved by council.

(b) All excavations and backfilling associated with the erection or demolition of a building must be executed safely and in accordance with the appropriate professional standards. All excavations associated with the erection or demolition of a building must be properly guarded and protected to prevent them from being dangerous to life or property.

(c) If an excavation associated with the erection or demolition of a building extends below the level of the base of the footings of a building on an adjoining allotment of land, the person causing the excavation to be made:

- must preserve and protect the building from damage, and
- if necessary, must underpin and support the building in an approved manner, and
- must, at least 7 days before excavating below the level of the base of the footings of a building on an adjoining allotment of land, give notice of intention to do so to the owner of the adjoining allotment of land and furnish particulars of the excavation to the owner of the building being erected or demolished. The owner of the adjoining allotment of land is not liable for any part of the cost of work carried out for the purposes of this condition, whether carried out on the allotment of land being excavated or on the adjoining allotment of land, (includes a public road and any other public place).

(d) If the work involved in the erection or demolition of a building is likely to cause pedestrian or vehicular traffic in a public place to be obstructed or rendered inconvenient, or involves the enclosure of a public place, a hoarding or fence must be erected between the work site and the public place:

- if necessary, an awning is to be erected, sufficient to prevent any substance from, or in connection with, the work falling into the public place,
- the work site must be kept lit between sunset and sunrise if it is likely to be hazardous to persons in the public place, and
- any such hoarding, fence or awning is to be removed when the work has been completed.

26 Construction works or subdivision works that are carried out in accordance with an approved consent that involve the use of heavy vehicles, heavy machinery and other equipment likely to cause offence to adjoining properties shall be restricted to the following hours in accordance with the NSW Environment Protection Authority Noise Control Guidelines:

- Mondays to Fridays, 7am to 6pm
- Saturdays, 7am to 1pm (if inaudible on neighbouring residential premises), otherwise 8am to 1pm
- No work is permitted on Sundays and Public Holidays.

Other construction works carried out inside a building/tenancy and do not involve the use of equipment that emits noise are not restricted to the construction hours stated above.

The provisions of the Protection of the Environment Operations Act, 1997 in regulating offensive noise also apply to all construction works.

Engineering

- 27 All roadworks, drainage works and dedications, required to effect the consented development shall be undertaken at no cost to Penrith City Council.
- 28 Prior to the issue of a Construction Certificate a Roads Act application, including payment of application and inspection fees shall be lodged with Penrith City Council, as the Roads Authority, for the following works:
- a) Provision of a heavy-duty vehicular crossing/s.
 - b) Provision of private drainage connections to Council's road drainage system.
 - c) Opening the road reserve for the provision of services including stormwater.

All works within the road reserve shall be carried out in accordance with Penrith City Council's Design Guidelines and Construction Specification for Civil Works.

Penrith City Council (being the Roads Authority under the Roads Act) shall approve the works completed on or over the road reserve. Contact Council's **City Works Department** on (02) 4732 7777 to arrange an inspection of the works (and payment of inspection fees, if required).

- 29 The stormwater drainage system shall be provided generally in accordance with the concept plan/s lodged for development approval, prepared by Kneebone, Beretta & Hall, reference number 100007-1, dated 27.06.2013

The proposed development and stormwater drainage system shall be designed to ensure that stormwater runoff from upstream properties is conveyed through the site without adverse impact on the development or adjoining properties.

Engineering plans and supporting calculations for the stormwater drainage system are to be prepared by a suitably qualified person and shall accompany the application for a Construction Certificate.

Prior to the issue of a Construction Certificate the Certifying Authority shall ensure that the stormwater drainage system has been designed in accordance with Penrith City Council's Design Guidelines and Construction Specification for Civil Works.

- 30 Prior to the issue of a Construction Certificate the Certifying Authority shall ensure that: *Nominate*
- a) Off street access and parking complies with AS2890.1.
 - b) Vehicular access and internal manoeuvring has been designed for a Medium Rigid vehicle in accordance with AS2890.2.
 - c) Sight Distance at the street frontage has been provided in accordance with AS 2890.1.
 - d) All vehicles can enter and exit the site in a forward direction
 - e) The vehicular crossing and access driveway has been designed in accordance with AS 2890.2 Table 3.1, Figure 3.1 and the drawing amended in "RED"

- 31 All electrical services associated with the proposed building works shall be adequately flood proofed in accordance with Penrith City Council's Development Control Plan relating to flood liable land. Flood sensitive equipment (including electric motors and switches) shall also be located above RL (25.9)m AHD (standard flood level + 0.5m).

Landscaping

32 All landscape works are to be constructed in accordance with the stamped approved plan and Sections F5 “Planting Techniques”, F8 “Quality Assurance Standards”, F9 “Site Management Plan” of Penrith Council’s Landscape Development Control Plan.

Landscaping shall be maintained:

- in accordance with the approved plan, and
- in a healthy state, and
- in perpetuity by the existing or future owners and occupiers of the property.

If any of the vegetation comprising that landscaping dies or is removed, it is to be replaced with vegetation of the same species and, to the greatest extent practicable, the same maturity, as the vegetation which died or was removed.

33 All plant material associated with the construction of approved landscaping is to be planted in accordance with the Tree Planting Specification prescribed in Penrith Council’s Landscape Development Control Plan.

34 All landscape works are to meet industry best practice and the following relevant Australian Standards:

- AS 4419 Soils for Landscaping and Garden Use,
- AS 4454 Composts, Soil Conditioners and Mulches, and
- AS 4373 Pruning of Amenity Trees.

Certification

35 Prior to the commencement of any earthworks or construction works on site, the proponent is to:

- (a) employ a Principal Certifying Authority to oversee that the said works carried out on the site are in accordance with the development consent and related Construction Certificate issued for the approved development, and with the relevant provisions of the Environmental Planning and Assessment Act and accompanying Regulation, and
- (b) submit a Notice of Commencement to Penrith City Council.

The Principal Certifying Authority shall submit to Council an “Appointment of Principal Certifying Authority” in accordance with Section 81A of the Environmental Planning and Assessment Act 1979.

Information to accompany the Notice of Commencement

Two (2) days before any earthworks or construction/demolition works are to commence on site (including the clearing site vegetation), the proponent shall submit a “Notice of Commencement” to Council in accordance with Section 81A of the Environmental Planning and Assessment Act 1979.

SIGNATURE

Name:	Gavin Cherry Principal Planner
Signature:	

For the Development Services Manager