

Nationwide House Energy Rating Scheme — Class 2 summary

NatHERS Certificate No. 0005239220

Generated on 25 Sep 2020 using BERS Pro v4.4.0.1 (3.21)

Property

Address 118-120 Station Street , Penrith ,
NSW , 2750

Lot/DP 4-6/112466,1003862

NatHERS climate zone 28

Accredited assessor 

Manuel Basiri

Eco Certificates Pty Ltd

info@ecocertificates.com.au

1300162436

Accreditation No. VIC/BDAV/12/1462

Assessor Accrediting Organisation BDAV



6.3
Average Rating

**NATIONWIDE
HOUSE**
ENERGY RATING SCHEME®

The rating above is the average of all dwellings in this summary.

For more information on your dwelling's rating see:
www.nathers.gov.au



Verification

To verify this certificate, scan the QR code or visit hstar.com.au/QR/Generate?p=YYlymUCte .
When using either link, ensure you are visiting hstar.com.au

Summary of all dwellings

Certificate number and link	Unit Number	Heating load (MJ/m ² /p.a.)	Cooling load (MJ/m ² /p.a.)	Total load (MJ/m ² /p.a.)	Star rating
0005238779	01-01	63.1	27.7	90.7	5.9
0005238746	01-02	30.2	31.4	61.6	7.3
0005238712	01-03	18.1	52.9	71	6.8
0005238696	01-04	45.4	32.5	78	6.4
0005238670	02-01	55.7	46.1	101.8	5.4

Continued Over

National Construction Code (NCC) requirements

The NCC's requirements for NatHERS-rated buildings are detailed in 3.12.0(a)(i) and 3.12.5 of the NCC Volume Two. For apartments the requirements are detailed in J0.2 and J5 to J8 of the NCC Volume One.

In NCC 2019, these requirements include minimum star ratings and separate heating and cooling load limits that need to be met by buildings and apartments through the NatHERS assessment. Requirements additional to the NatHERS assessment that must also be satisfied include, but are not limited to: insulation installation methods, thermal breaks, building sealing, water heating and pumping, and artificial lighting requirements. The NCC and NatHERS Heating and Cooling Load Limits (Australian Building Codes Board Standard) are available at www.abcb.gov.au.

State and territory variations and additions to the NCC may also apply.

Summary of all dwellings (continued)

Certificate number and link	Unit Number	Heating load (MJ/m ² /p.a.)	Cooling load (MJ/m ² /p.a.)	Total load (MJ/m ² /p.a.)	Star rating
0005238852	02-02	19.6	36.1	55.8	7.4
0005238845	02-03	18.3	51.7	70	6.9
0005238837	02-04	45.9	32.2	78.1	6.4
0005238795	03-01	62.1	34.3	96.4	5.7
0005238761	03-02	29.8	36.5	66.3	6.9
0005238738	03-03	25.6	43.5	69.1	6.9
0005238704	03-04	49.4	28.8	78.3	6.4
0005238662	04-01	53.7	39.7	93.4	5.8
0005238829	04-02	25.9	40.7	66.6	6.9
0005238787	04-03	60.2	40.1	100.2	5.4
0005238753	05-01	57.4	34.7	92.1	5.8
0005238720	05-02	41.6	45.4	87	6
0005238688	05-03	60.6	39.7	100.3	5.4
0005238654	06-01	63.5	36.2	99.7	5.4
Average		43.48	38.43	81.92	6.27

Explanatory Notes

About this report

This summary rating is the average rating of all NCC Class 2 dwellings in a development. The individual dwellings' ratings are a comprehensive, dynamic computer modelling evaluation of a home, using the floorplans, elevations and specifications to estimate the energy load. It addresses the building layout, orientation and fabric (i.e. walls, windows, floors, roofs and ceilings), but does not cover the water or energy use of appliances, or energy production of solar panels. For more details about an individual dwelling's assessment, refer to the individual dwelling's NatHERS Certificate (accessible via link).

Accredited Assessors

To ensure the NatHERS Certificate is of a high quality, always use an accredited or licenced assessor. NatHERS accredited assessors are members of a professional body called an Assessor Accrediting Organisation (AAO). AAOs have specific quality assurance processes in place, and continuing professional development requirements, to maintain a high and consistent standard of assessments across the country.

Any questions or concerns about this report should be directed to the assessor in the first instance. If the assessor is unable to address these questions or concerns, the AAO specified on the front of this certificate should be contacted.

Disclaimer

The format of the NatHERS Certificate was developed by the NatHERS Administrator. However the content, input and creation of the NatHERS Certificate is by the assessor. It is the responsibility of the assessor who prepared this certificate to use NatHERS accredited software correctly and follow the NatHERS Technical Notes to produce a NatHERS Certificate.