BASIX Certificate

Building Sustainability Index www.basix.nsw.gov.au

Alterations and Additions

Certificate number: A281385

This certificate confirms that the proposed development will meet the NSW government's requirements for sustainability, if it is built in accordance with the commitments set out below. Terms used in this certificate, or in the commitments, have the meaning given by the document entitled "BASIX Alterations and Additions Definitions" dated 18/09/2014 published by Planning & Infrastructure. This document is available at www.basix.nsw.gov.au

Director-General Date of issue: Wednesday, 17, May 2017 To be valid, this certificate must be lodged within 3 months of the date of issue.



| Project address | |
|----------------------------|-------------------------------------|
| Project name | 17S2413 |
| Street address | 64 Ninth Avenue Jordan Springs 2747 |
| Local Government Area | Penrith City Council |
| Plan type and number | Deposited Plan 1211124 |
| Lot number | 6218 |
| Section number | 0 |
| | |
| Project type | |
| Project type Dwelling type | Separate dwelling house |

Certificate Prepared by (please complete before submitting to Council or PCA)

Name / Company Name: Blue Haven Pools South Pty Ltd

ABN (if applicable): 78133909369

| Pool and Spa | Show on DA Plans | Show on CC/CDC Plans & specs | Certifier Check |
|---|---------------------|---------------------------------------|--------------------|
| Rainwater tank | | | |
| The applicant must install a rainwater tank of at least 1476 litres on the site. This rainwater tank must meet, and be installed in accordance with, the requirements of all applicable regulatory authorities. | ~ | ~ | ~ |
| The applicant must configure the rainwater tank to collect rainwater runoff from at least 365 square metres of roof area. | | \checkmark | \checkmark |
| The applicant must connect the rainwater tank to a tap located within 10 metres of the edge of the pool. | | \checkmark | \checkmark |
| Outdoor swimming pool | | | |
| The swimming pool must be outdoors. | \checkmark | \checkmark | \checkmark |
| The swimming pool must not have a capacity greater than 49.8 kilolitres. | | \checkmark | \checkmark |
| The applicant must install a pool pump timer for the swimming pool. | | \checkmark | \checkmark |
| The applicant must not incorporate any heating system for the swimming pool that is part of this development. | | \checkmark | \checkmark |

Legend

In these commitments, "applicant" means the person carrying out the development.

Commitments identified with a "
"
"
in the "Show on DA plans" column must be shown on the plans accompanying the development application for the proposed development (if a development application is to be lodged for the proposed development).

Commitments identified with a "
"" in the "Show on CC/CDC plans & specs" column must be shown in the plans and specifications accompanying the application for a construction certificate / complying development certificate for the proposed development.

Commitments identified with a "
"
"
in the "Certifier check" column must be certified by a certifying authority as having been fulfilled, before a final occupation certificate for the development may be issued.

Document Set ID: 7671924 Version: 1, Version Date: 25/05/2017