## NSW RURAL FIRE SERVICE GUIDELINES FOR SINGLE DWELLING DEVELOPMENT APPLICATIONS

## SECTION TWO - BUSH FIRE ASSESSMENT REPORT (Attach to DA)

PART A  Property Details  Applicants Name: EDGENATER HOMES  Contact Phone Number; (H): (OZ.) SEOZ. 6111 (M):  Council: PERRITH COUGL Council Reference (if known):  Lot: ZZ46 DP: 1168992  Address to be developed: DND ST SOZON STANCS  My property is on Bush Fire Prone Land: Yes							
PART B  Type of Proposal:  New Building	Type of Propos	Urban					
Dual Occupancy Alteration/Additions to an e	torey house with attac	Rural Residentia Isolated Rural ched garage	he stop	E			
Copy of plans attached	Yes Push Fire Attack	and level of Const	ruction				
PART C Bush Fire Attack and Level of Construction  Step 1: Assess the vegetation about the proposed building in all directions and convert from Keith to AUSLIG (1990) using Table 1							
CATEGORY	NORTH	EAST	SOUTH	WEST			
Converted vegetation	Forest Woodland Shrubland Scrub Mallee/Mulga Rainforest Tussock Moorland Managed Land	Forest Woodland Shrubland Scrub Mallee/Mulga Rainforest Tussock Moorland Managed Land	Forest Woodland Shrubland Scrub Mallee/Mulga Rainforest Tussock Moorland Managed Land	Forest Woodland Shrubland Scrub Mallee/Mulga Rainforest Tussock Moorland Managed Land			
Copy of any relevant photos attached $\square$ Yes $ u$ C							
Step 2: Determine the distance	from the building line	e to the vegetation in ea	ch direction as above				
ASPECT	NORTH	EAST	SOUTH	WEST			
Distance	<u>C</u> m	200 <sub>m</sub>	O_m				

Step 3: Determine the effective slope that will influence bushfire behaviour in each direction

CATEGORY	NORTH	EAST	SOUTH	WEST					
Slope under the hazard (over 100m) [in degrees]	upslope/flat >0 to 5 >5 to 10 >10 to 15 >15 to 18	upslope/flat >0 to 5 >5 to 10 >10 to 15 >15 to 18	upslope/flat >0 to 5 >5 to 10 >10 to 15 >15 to 18	upslope/flat >0 to 5 >5 to 10 >10 to 15 >15 to 18					
Step 4: Determine the Fire Danger Index (FDI) that applies to your local government area (see page 9). Circle the relevant FDI below									
FDI	100	□80		50					
Step 5: Match the relevant FDI, vegetation, distance and slope to determine the required APZ and Construction level									
FDI	100 (see Table 4, page	11) 80 (see Ta	able 5. page 12)	50 (see Table 6. page 13)					
Identify the bush fire attack level for each direction, select the highest level for the entire building and record below. Note BAL-12.5 is the lowest construction level within the scope of AS3959.									
Bush Fire Attack Level									
BAL- FZ BAL- 40	BAL-19 BAL12.5								
□ BAL- 29	No requirement								
Does your proposal meet the required construction level YES NO									
PART D									
				e Provide details and evidence of an alternative solution.					

If you determine your house is located in the flame zone you may wish to seek the advice of a specialist bush fire consultant.

PARTE	W	Vater Supplies						
Does your property have a reticulated (piped) water supply?; If so, please provide details on the distance to the nearest fire hydrant on your site plan.								
Reticulated (piped) w	ater supply is a	vailable						
Yes No D	Distance 10-7	(m) to hydrant from house.						
	u plan to have	dedicated water supply for firefight	ing purposes?					
Yes No								
Davidanment Tune	m 57 (51 m)	Water Dawinson	Planned	Future .				
Development Type		Water Requirement	ELECTRICAL PROPERTY OF THE PERSON OF THE PER	Existing				
Residential Lots (<1,000m2	2)	5,000 l/lot	NA					
Rural-residential Lots (1,000~10,000m2) 10,000 l/lot		AG AG						
Large Rural/Lifestyle Lots (>10,000m2) 20,000 l/lot			NA					
Dual Occupancy 2,500 l/unit		7-P						
Townhouse/Unit Style (e.g.	. Flats)	5,000 l/unit up to 20,000l maximu	m NR					
Do you have or do you litres and also include		static water supply (e.g. pool, tank o using a tank:	r dam). Include approx. size in					
Water supply type	Capacity	Construction material	Planned	Existing				
e.g. pool	50,0001	Above ground rolled steel with plastic-liner						
				İ				
NOTE: Check with your Control Plan (DCP) as th	local council conis may dictate	ncerning their Local Environmental he type and size of tank.	Plan (LEP) or their Developmen	t				
PARTF	Gas	Supplies						
GAS Do you have reticulated	d (piped) or bot	led gas?						



TYPE OF GAS Reticulated gas Bottled gas

**PARTE** 

NOTE: When attaching development plans please ensure they clearly show location and details of electricity and gas (where relevant) on your property.