

PENRITH CITY COUNCIL

NOTICE OF DETERMINATION

DESCRIPTION OF DEVELOPMENT

Application number:	DA18/0152
Description of development:	Occupation of Premises as Community Facility & Construction of Timber Deck
Classification of development:	Class 9b , Class 10a

DETAILS OF THE LAND TO BE DEVELOPED

Legal description:	Lot 3 DP 38566
Property address:	27 Swanston Street, ST MARYS NSW 2760

DETAILS OF THE APPLICANT

Name & Address:	The Nepean District Lapidary Club P O Box 99 PENRITH NSW 2751
-----------------	---

DECISION OF CONSENT AUTHORITY

In accordance with Section 81(1)(a) of the Environmental Planning and Assessment Act 1979, consent is granted subject to the conditions listed in Attachment 1.

Please note that this consent will lapse on the expiry date unless the development has commenced in that time.

Date from which consent operates	16 May 2018
Date the consent expires	16 May 2023
Date of this decision	9 May 2018

POINT OF CONTACT

If you have any questions regarding this determination you should contact:

Assessing Officer:	Donna Clarke
Contact telephone number:	(02) 4732 7991

NOTES

Reasons

The conditions in the attached schedule have been imposed in accordance with Section 80A of the Environmental Planning and Assessment Act 1979 (as amended).

Conditions

Your attention is drawn to the attached conditions of consent in Attachment 1.

Certification and Advisory Notes

You should also check if this type of development requires a Construction Certificate in addition to this development consent.

It is recommended that you read any Advisory Note enclosed with this Notice of Determination.

Review of Determination

The applicant may request Council to review its determination pursuant to Section 82A of the Environmental Planning and Assessment Act 1979 within six (6) months of receiving this Notice of Determination.

You cannot make this request if the development is Designated Development, Integrated Development or State Significant Development or if the application was decided by the Sydney Western City Planning Panel.

Appeals in the Land and Environment Court

The applicant can appeal against this decision in the Land and Environment Court within six (6) months of receiving this Notice of Determination.

You cannot appeal if a Commission of Inquiry was held for the subject Development Application or if the development is a State Significant Development.

An appeal to the Land and Environment Court is made by lodging an application to the Court in accordance with the Rules of the Court.

Designated Development

If the application was for designated development and a written objection was made in respect to the application, the objector can appeal against this decision to the Land and Environment Court within 28 days after the date of this notice. The objector cannot appeal if a Commission of Inquiry was held.

If the applicant appeals against this decision, the objector(s) will be given a notice of the appeal and the objector(s) can apply to the Land and Environment Court within 28 days after the date of this appeal notice to attend the appeal and make submissions at that appeal.

Sydney Western City Planning Panel

If the application was decided by the Sydney Western City Planning Panel, please refer to Section 18 of the Greater Sydney Commission Act 2015 and Section 23H of the Environmental Planning and Assessment Act 1979 (as amended) for any further regulations.

ATTACHMENT 1: CONDITIONS OF CONSENT

General

- 1 The development must be implemented substantially in accordance with the plans stamped approved by Council, the application form and any supporting information received with the application, except as may be amended in red on the attached plans and by the following conditions.

The stamped approved plan is as follows:-

Drawing No.	Title	Prepared By:	Date:	Revision
A02	Sub Floor and Ground Floor Plan	Kleyn Creations	18/12/2017	A

- 2 **The development shall not be used or occupied until an Occupation Certificate has been issued.**
- 3 A separate development application for the erection of a sign or advertising structure, other than an advertisement listed as exempt development, is to be submitted to Penrith City Council, complying with the requirements of Penrith Development Control Plan-Advertising Signs.
- 4 The community facility is required to operate in accordance with the hours of operation outlined within letter signed and dated 4th April 2018 from the Nepean District Lapidary Club Inc unless otherwise agreed to in writing by Penrith City Council - Development Services Manager.
- 5 All materials and goods associated with the use shall be contained within the building at all times.
- 6 A lighting system shall be installed for the entry and exit of the development to provide safe exit for users in the evening. Exterior lighting shall be located and directed in such a manner so as not to create a nuisance to surrounding land uses. The lighting shall be the minimum level of illumination necessary for safe operation. The lighting shall be in accordance with AS 4282 "Control of the obtrusive effects of outdoor lighting" (1997).
- 7 A **Construction Certificate** shall be obtained prior to commencement of any building works.

Environmental Matters

- 8 Erosion and sediment control measures shall be installed **prior to the commencement of works on site** including approved clearing of site vegetation. The erosion and sediment control measures are to be maintained in accordance with the approved erosion and sediment control plan(s) for the development and the Department of Housing's "Managing Urban Stormwater: Soils and Construction" 2004.

(Note: To obtain a copy of the publication, you should contact Landcom on (02) 9841 8600).

Certification that the erosion and sediment control measures have been installed in accordance with the approved erosion and sediment control plan (s) for the development and "Managing Urban Stormwater: Soils and Construction 2004" shall be obtained and issued a minimum 2 days before any other site works are to commence, including earthworks and clearing of the site.

The approved sediment and erosion control measures are to be installed **prior to and maintained throughout the construction phase of the development until the deck has been completed for the development**. These measures shall ensure that mud and soil from vehicular movements to and from the site does not occur during the construction of the development.

BCA Issues

- 9 A preliminary assessment of the plans submitted with the application has disclosed that the following design and/or construction issues need to be addressed prior to the issue of any Construction Certificate to ensure compliance with the Building Code of Australia:

Submit plans indicating;

- The length, width, and grade of the access ramp for persons with disabilities.
- The dimensions of the deck and awning i.e floor area/dimensions and heights.

- 10 In accordance with the requirements of Clause 94 of then Environmental Planning and Assessment regulation 2000, the following works are to be completed to ensure the fire safety of the occupants.

- Portable fire extinguishers are to be installed in accordance with Section E of the Building Code of Australia (BCA). An installation certificate is to be submitted to Council prior to the issue of an Occupation Certificate.
- All required exit doors are to be fitted with latching devices that comply with Section D of the BCA.

- 11 All aspects of the building design shall comply with the applicable performance requirements of the Building Code of Australia so as to achieve and maintain acceptable standards of structural sufficiency, safety (including fire safety), health and amenity for the on-going benefit of the community. Compliance with the performance requirements can only be achieved by:
- (a) complying with the deemed to satisfy provisions, or
 - (b) formulating an alternative solution which:
 - complies with the performance requirements, or
 - is shown to be at least equivalent to the deemed to satisfy provision, or
 - (c) a combination of (a) and (b).

It is the owner's responsibility to place on display, in a prominent position within the building at all times, a copy of the latest fire safety schedule and fire safety certificate/statement for the building.

Construction

12 Stamped plans, specifications, a copy of the development consent, the Construction Certificate and any other Certificates to be relied upon shall be available on site at all times during construction.

The following details are to be displayed in a maximum of 2 signs to be erected on the site:

- the name of the Principal Certifying Authority, their address and telephone number,
- the name of the person in charge of the work site and telephone number at which that person may be contacted during work hours,
- that unauthorised entry to the work site is prohibited,
- the designated waste storage area must be covered when the site is unattended, and
- all sediment and erosion control measures shall be fully maintained until completion of the construction phase.

Signage but no more than 2 signs stating the above details are to be erected:

- at the commencement of, and for the full length of the, construction works onsite, and
- in a prominent position on the work site and in a manner that can be easily read by pedestrian traffic.

All construction signage is to be removed when the Occupation Certificate has been issued for the development.

13 Prior to the commencement of construction works:

(a) Toilet facilities at or in the vicinity of the work site shall be provided at the rate of one toilet for every 20 persons or part of 20 persons employed at the site. Each toilet provided must be:

- a standard flushing toilet connected to a public sewer, or
- if that is not practicable, an accredited sewage management facility approved by the council, or
- alternatively, any other sewage management facility approved by council.

(b) All excavations and backfilling associated with the erection or demolition of a building must be executed safely and in accordance with the appropriate professional standards. All excavations associated with the erection or demolition of a building must be properly guarded and protected to prevent them from being dangerous to life or property.

(c) If an excavation associated with the erection or demolition of a building extends below the level of the base of the footings of a building on an adjoining allotment of land, the person causing the excavation to be made:

- must preserve and protect the building from damage, and
- if necessary, must underpin and support the building in an approved manner, and
- must, at least 7 days before excavating below the level of the base of the footings of a building on an adjoining allotment of land, give notice of intention to do so to the owner of the adjoining allotment of land and furnish particulars of the excavation to the owner of the building being erected or demolished. The owner of the adjoining allotment of land is not liable for any part of the cost of work carried out for the purposes of this condition, whether carried out on the allotment of land being excavated or on the adjoining allotment of land, (includes a public road and any other public place).

(d) If the work involved in the erection or demolition of a building is likely to cause pedestrian or vehicular traffic in a public place to be obstructed or rendered inconvenient, or involves the enclosure of a public place, a hoarding or fence must be erected between the work site and the public place:

- if necessary, an awning is to be erected, sufficient to prevent any substance from, or in connection with, the work falling into the public place,
- the work site must be kept lit between sunset and sunrise if it is likely to be hazardous to persons in the public place, and
- any such hoarding, fence or awning is to be removed when the work has been completed.

14 All reinforced concrete footings and slabs are to be designed to suit the soil conditions in accordance with AS 2870-1996 "Residential Slabs and Footings".

15 Construction works or subdivision works that are carried out in accordance with an approved consent that involve the use of heavy vehicles, heavy machinery and other equipment likely to cause offence to adjoining properties shall be restricted to the following hours in accordance with the NSW Environment Protection Authority Noise Control Guidelines:

- Mondays to Fridays, 7am to 6pm
- Saturdays, 7am to 1pm (if inaudible on neighbouring residential premises), otherwise 8am to 1pm
- No work is permitted on Sundays and Public Holidays.

Other construction works carried out inside a building/tenancy and do not involve the use of equipment that emits noise are not restricted to the construction hours stated above.

The provisions of the Protection of the Environment Operations Act, 1997 in regulating offensive noise also apply to all construction works.

16 All timber frame work shall comply with AS 1684-1999 "Residential Timber-Framed Construction."

Certification

- 17 Prior to the commencement of any earthworks or construction works on site, the proponent is to:
- (a) employ a Principal Certifying Authority to oversee that the said works carried out on the site are in accordance with the development consent and related Construction Certificate issued for the approved development, and with the relevant provisions of the Environmental Planning and Assessment Act and accompanying Regulation, and
 - (b) submit a Notice of Commencement to Penrith City Council.

The Principal Certifying Authority shall submit to Council an "Appointment of Principal Certifying Authority" in accordance with Section 81A of the Environmental Planning and Assessment Act 1979.

Information to accompany the Notice of Commencement

Two (2) days before any earthworks or construction/demolition works are to commence on site (including the clearing site vegetation), the proponent shall submit a "Notice of Commencement" to Council in accordance with Section 81A of the Environmental Planning and Assessment Act 1979.

SIGNATURE

Name:	Robert Craig
Signature:	

For the Development Services Manager