

Building Sustainability Index www.basix.nsw.gov.au

Single Dwelling

Certificate number: 481701S

This certificate confirms that the proposed development will meet the NSW government's requirements for sustainability, if it is built in accordance with the commitments set out below. Terms used in this certificate, or in the commitments, have the meaning given by the document entitled "BASIX Definitions" dated 29/06/2009 published by the Department of Planning. This document is available at www.basix.nsw.gov.au

Director-General
Date of issue: Tuesday, 14 May 2013
To be valid, this certificate must be lodged within 3 months of the date of issue.



Project summary			
Project name	Bergan		
Street address	Cullen Avenue Jordan Springs 2747		
Local Government Area	Penrith City Council		
Plan type and plan number	deposited 1168989		
Lot no.	2063		
Section no.	-		
Project type	separate dwelling house		
No. of bedrooms	4		
Project score	A STATE OF THE STA		
Water	√ 41	Target 40	
Thermal Comfort	√ Pass	Target Pass	
Energy	√ 52	Target 40	

Reviewed by: JORDAN SPRINGS
LANDSCAPPISECTION

2 8 MAN 2013

SIGNED

Certificate	Prepared	by

Name / Company Name: Monaco Designs (NSW) PL

ABN (if applicable): 151847988

BASIX Department of Planning www.basix.nsw.gov.au Version: 6.23 / CASUARINA_2_13_8 Certificate No.: 481701S Tuesday, 14 May 2013 page 1/7

Description of project

Project name	Bergan	
Street address	n/a Cullen Avenue Jordan Springs 2747	
Local Government Area	Penrith City Council	
Plan type and plan number	Deposited Plan 1168989	
Lot no.	2063	
Section no.	-	
Project type		
Project type	separate dwelling house	
No. of bedrooms	4	
Site details		
Site area (m²)	450	
Roof area (m²)	248	
Conditioned floor area (m2)	66	
Unconditioned floor area (m2)	92	
Total area of garden and lawn (m2)	175	

Assessor details and thermal I	oads	
Assessor number	n/a	
Certificate number	n/a	
Climate zone	n/a	
Area adjusted cooling load (MJ/m².year)	n/a	
Area adjusted heating load (MJ/m².year)	n/a	
Other		
none	n/a	
Project score		
Water	√ 41	Target 40
Thermal Comfort	√ Pass	Target Pass
Energy	√ 52	Target 40

BASIX

Schedule of BASIX commitments

The commitments set out below regulate how the proposed development is to be carried out. It is a condition of any development consent granted, or complying development certificate issued, for the proposed development, that BASIX commitments be complied with.

Water Commitments	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
Fixtures — The second of the s	mantis		
The applicant must install showerheads with a minimum rating of 3 star (> 4.5 but <= 6 L/min) in all showers in the development.		/	✓
The applicant must install a toilet flushing system with a minimum rating of 2 star in each toilet in the development.		/	✓
The applicant must install taps with a minimum rating of 3 star in the kitchen in the development.		✓	
The applicant must install basin taps with a minimum rating of 3 star in each bathroom in the development.		✓	
Alternative water			
Rainwater tank	A 5 - 10		
The applicant must install a rainwater tank of at least 2500 litres on the site. This rainwater tank must meet, and be installed in accordance with, the requirements of all applicable regulatory authorities.	1	✓	✓
The applicant must configure the rainwater tank to collect rain runoff from at least 248.11 square metres of the roof area of the development (excluding the area of the roof which drains to any stormwater tank or private dam).		✓	✓
The applicant must connect the rainwater tank to:			
all toilets in the development		✓	✓
 at least one outdoor tap in the development (Note: NSW Health does not recommend that rainwater be used for human consumption in areas with potable water supply.) 		✓	✓

BASIX Department of Planning

Thermal Comfort Commitments	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
Criteria			31
The applicant must construct the dwelling in accordance with the following specifications:			
the dwelling is a single storey dwelling;	✓	✓	1
• the dwelling has a slab on ground floor or, if the floor is suspended, the floor has insulation with an R-value of at least R1.5;	✓	✓	1
walls are brick veneer, weatherboard or fibre cement;		✓	✓
walls have insulation with an R-value of at least R2.0;		✓	✓
 all windows and glazed doors have eaves that project at least 600 millimetres (including gutter width); 	✓	✓	✓
 eaves are no more than 500 millimetres above window or glazed door heads; 	✓	✓	1
 the total window and glazed door area is no more than 34.7 square metres; 	✓	✓	/
ceilings have insulation with an R-value of at least R3.0;		✓	/
 the roof has sarking or two wind-driven ventilators with eave and/or roof vents. 		/	1

Note Insulation specified in this Certificate must be installed in accordance with Part 3.12.1.1 of the Building Code of Australia.

BASIX

Department of Planning

Energy Commitments	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
lot water			
The applicant must install the following hot water system in the development, or a system with a higher energy rating: gas instantaneous.	√	✓	✓
Cooling system			
The applicant must install the following cooling system, or a system with a higher energy rating, in at least 1 living area: 3-phase airconditioning; Energy rating: EER 2.5 - 3.0		✓	✓
The applicant must install the following cooling system, or a system with a higher energy rating, in at least 1 bedroom: ceiling fans; Energy rating: n/a		✓	✓
Heating system			
The applicant must install the following heating system, or a system with a higher energy rating, in at least 1 living area: 3-phase airconditioning; Energy rating: EER 2.5 - 3.0		√	✓
The bedrooms must not incorporate any heating system, or any ducting which is designed to accommodate a heating system.		✓	/
Ventilation			
The applicant must install the following exhaust systems in the development:			
At least 1 Bathroom: individual fan, not ducted; Operation control: manual switch on/off		√	/
Kitchen: individual fan, not ducted; Operation control: manual switch on/off			1
Laundry: natural ventilation only, or no laundry; Operation control: n/a			1
Artificial lighting			
The applicant must ensure that the "primary type of artificial lighting" is fluorescent or light emitting diode (LED) lighting in each of the ollowing rooms, and where the word "dedicated" appears, the fittings for those lights must only be capable of accepting fluorescent or ight emitting diode (LED) lamps:			
 at least 4 of the bedrooms / study; 		/	1
at least 3 of the living / dining rooms;		,	1
the kitchen; dedicated		v ,	V
		✓	√
all bathrooms/toilets; dedicated		1	1

BASIX

Energy Commitments	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
the laundry; dedicated		✓	1
all hallways; dedicated		✓	✓
Natural lighting			
The applicant must install a window and/or skylight in 2 bathroom(s)/toilet(s) in the development for natural lighting.	✓	✓	✓
Other			
The applicant must install a gas cooktop & electric oven in the kitchen of the dwelling.		√	
The applicant must construct each refrigerator space in the development so that it is "well ventilated", as defined in the BASIX definitions.		√	
The applicant must install a fixed outdoor clothes drying line as part of the development.		/	

Legend

In these commitments, "applicant" means the person carrying out the development.

Commitments identified with a $\sqrt{\ }$ in the "Show on DA plans" column must be shown on the plans accompanying the development application for the proposed development (if a development application is to be lodged for the proposed development).

Commitments identified with a $\sqrt{\ }$ in the "Show on CC/CDC plans and specs" column must be shown in the plans and specifications accompanying the application for a construction certificate / complying development certificate for the proposed development.

Commitments identified with a $\sqrt{\ }$ in the "Certifier check" column must be certified by a certifying authority as having been fulfilled, before a final occupation certificate(either interim or final) for the development may be issued.