


CONFIGURATION BY KINGSPAN


ENSURE ALL CONNECTIONS
WITHIN CHARGED SYSTEM
ARE SOLVENT WELDED

ALL DOWNPIPES ARE TO BE ENTIRELY PVC. PIPES ARE TO BE SEALED UPTO U/S OF ROOF GUTTERS


ROOF GUTTERS I.L. 60.23 TANK INLET I.L. 59.40 HEAD PRESSURE - 830mm





ROOF & FIRST FLOOR LAYOUT




RH3030 WITH HA








TYPICAL PIT DETAIL



TYPICAL SECTION A





PROJECT: PROPOSED RESIDENTIAL DUAL OCCUPANCY AT
LOT 30, # 4 INKERMAN ROAD, EMU HEIGHTS NSW
DRAWING: ROOF LAYOUT & GENERAL DETAILS
DESIGNED DRAWN CHECKED:

DESIGNED DRAWN CHECKED: ANDREW L WAHBE - BE (CIVIL) MIEAUST PENG
A.W N.W DRAWNIGS NOT TO BE USED FOR CONSTRUCTION UNLESS SIGNED BY DESIGNING ENGINEER
A ISSUED FOR DEVELOPMENT APPLICATION 1/1/10/21
ISSUE REVISION DESCRIPTION APPR. DATE