

PENRITH CITY COUNCIL

NOTICE OF DETERMINATION

DESCRIPTION OF DEVELOPMENT

Application number:	DA18/0956
Description of development:	Demolition of Existing Structures, Tree Removal and Construction of a Four (4) Storey Residential Flat Building containing 20 Apartments, Basement Car Parking & Strata Subdivision
Classification of development:	Class 2 , Class 7a

DETAILS OF THE LAND TO BE DEVELOPED

Legal description:	Lot 2 DP 513528
Property address:	20 Robert Street, PENRITH NSW 2750

DETAILS OF THE APPLICANT

Name & Address:	R20 Pty Limited, Penrith Robert Pty Limited, Miaz Group Pty Limited 20 Robert Street PENRITH NSW 2750
-----------------	---

DECISION OF CONSENT AUTHORITY

In accordance with Section 4.18(1) (a) of the Environmental Planning and Assessment Act 1979, consent is granted subject to the conditions listed in attachment 1.

Please note that this consent will lapse on the expiry date unless the development has commenced in that time.

Date from which consent operates	29 April 2019
Date the consent expires	29 April 2024
Date of this decision	29 April 2019

POINT OF CONTACT

If you have any questions regarding this determination you should contact:

Assessing Officer:	Jane Hetherington
Contact telephone number:	+612 4732 8078

NOTES

Reasons

The conditions in the attached schedule have been imposed in accordance with Section 4.17 of the Environmental Planning and Assessment Act 1979 as amended.

Conditions

Your attention is drawn to the attached conditions of consent in attachment 1.

Certification and advisory notes

You should also check if this type of development requires a construction certificate in addition to this development consent

It is recommended that you read any Advisory Note enclosed with this notice of determination.

Review of determination

The applicant may request Council to review its determination pursuant to Division 8.2 of the Environmental Planning and Assessment Act 1979 within six months of receiving this Notice of Determination.

These provisions do not apply to designated development, complying development or crown development pursuant to Section 8.2(2) of the Environmental Planning and Assessment Act 1979.

Appeals in the Land and Environment Court

The applicant can appeal against this decision in the Land and Environment Court within six months of receiving this Notice of Determination.

There is no right of appeal to a decision of the Independent Planning Commission or matters relating to a complying development certificate pursuant to clause 8.6(3) of the Environmental Planning and Assessment Act 1979.

Designated development

If the application was for designated development and a written objection was made in respect to the application, the objector can appeal against this decision to the Land and Environment Court within 28 days after the date of this notice.

If the applicant appeals against this decision, objector(s) will be given a notice of the appeal and the objector(s) can apply to the Land and Environment Court within 28 days after the date of this appeal notice to attend the appeal and make submissions at that appeal.

Sydney Western City Planning Panels

If the application was decided by the Sydney Western City Planning Panel, please refer to Section 2.16 of the Environmental Planning and Assessment Act, 1979 (as amended) for any further regulations.

ATTACHMENT 1: CONDITIONS OF CONSENT

General

- 1 The development must be implemented substantially in accordance with the following plans stamped approved by Council, the application form, the BASIX Certificate No. 951560M and any supporting information received with the application, except as may be amended in red on the attached plans and by the following conditions.

Drawing Title	Drawing No	Prepared By	Dated
Site Plan	170869 DA 200 (Rev C)	Design Cubicle P/L	13/03/2019
Basement Plan	170869 DA 202 (Rev C)	Design Cubicle P/L	13/03/2019
Ground Floor Plan	170869 DA 203 (Rev C)	Design Cubicle P/L	13/03/2019
Level 1 & 2 Floor Plan	170869 DA 204 (Rev C)	Design Cubicle P/L	13/03/2019
Level 3 Floor Plan	170869 DA 205 (Rev C)	Design Cubicle P/L	13/03/2019
Roof Plan	170869 DA 206 (Rev C)	Design Cubicle P/L	13/03/2019
North & South Elevation	170869 DA 300 (Rev C)	Design Cubicle P/L	13/03/2019
East & West Elevation	170869 DA 301 (Rev C)	Design Cubicle P/L	13/03/2019
Sections	170869 DA 303 (Rev C)	Design Cubicle P/L	13/03/2019
Sections & Fence Details	170869 DA 304 (Rev C)	Design Cubicle P/L	13/03/2019
Landscape Concept Plan	18135 DA1-2 & DA2-2 (Rev B)	Vision Dynamics	18/12/2018
External Colour Schedule	-	Design Cubicle P/L	-
Waste Management Plan	-	Design Cubicle P/L	March 2019
Stormwater Concept Design	20170210 SW100-500 (Sheets 1-7) Rev C/D	SGC Consulting Engineers	13/03/2019

- 2 A minimum of two (2) apartments shall be constructed as adaptable apartments to meet the requirements for persons with a disability in accordance with the stamped approved plans. The adaptable units shall each be allocated an accessible car parking space compliant with AS 2890.6. **The Construction Certificate must be accompanied by certification** from a person suitably qualified by the Association of Consultants in Access Australia confirming that the adaptable dwellings are capable of being modified, when required by the occupant, to comply with the Australian Housing Standard (AS 4299-2009). A compliance Certificate in this regard shall be provided **prior to the issue of an Occupation Certificate**.
- 3 **Prior to the issue of a Construction Certificate**, a design verification statement from a qualified designer shall be submitted. The design verification statement shall verify that the Construction Certificate plans and specifications achieve or improve the design quality of the development for which development consent was granted, having regard to the design quality principles set out in Schedule 1 of State Environmental Planning

Policy No. 65 - Design Quality of Residential Apartment Development.

- 4 **Prior to the issue of an Occupation Certificate**, a design verification statement from a qualified designer shall be submitted. The design verification statement shall verify that the Construction Certificate plans and specifications achieve or improve the design quality of the development for which development consent was granted, having regard to the design quality principles set out in Schedule 1 of State Environmental Planning Policy No. 65 - Design Quality of Residential Apartment Development.
- 5 All mechanical ventilation equipment, ducts, air conditioner services and the like shall be shown on the Construction Certificate documentation as being contained within the building. Gutters and down pipes shall be integrated into the architecture of the building. Any plant or unsightly structures installed on the rooftop must be screened from view.

Demolition

- 6 All demolition works are to be conducted in accordance with the provisions of AS 2601-1991 "The Demolition of Structures". **Prior to demolition**, all services shall be suitably disconnected and capped off or sealed to the satisfaction of the relevant service authority requirements.

All demolition and excavated material shall be disposed of at a Council approved site or waste facility. Details of the proposed disposal location(s) of all excavated material from the development site shall be provided to the Principal Certifying Authority **prior to commencement of demolition**.

- 7 You should read Council's Fact Sheet titled "Handling and Disposal of Fibrous Cement Products" **before any demolition works commence on the site**.

Prior to commencement of demolition works on site, a portaloo with appropriate washing facilities shall be located on the site and the Principal Certifying Authority is to be satisfied that:

- Measures are in place so as to comply with the WorkCover Authority's "Short Guide to Working with Asbestos Cement" and
- The person employed to undertake the works is a licensed asbestos removal contractor and is holder of a current WorkCover Asbestos Licence.

Any demolition works involving the removal of all asbestos shall only be carried out by a licensed asbestos removal contractor who has a current WorkCover Asbestos Licence.

All asbestos laden waste, including asbestos cement flat and corrugated sheeting must be disposed of at a tipping facility licensed by the Environmental Protection Authority to receive asbestos wastes.

- 8 Demolition works will be restricted to the following hours in accordance with the NSW Environment Protection Authority Noise Control Guidelines:
- Mondays to Fridays, 7am to 6pm
 - Saturdays, 7am to 1pm (if inaudible on neighbouring residential premises), otherwise 8am to 1pm
 - No demolition work is permitted on Sundays and Public Holidays.

In the event that the demolition relates to works inside the building and do not involve external walls or the roof, and do not involve the use of equipment that emits noise then the demolition works are not restricted to the hours stated above.

The provisions of the Protection of the Environment Operations Act, 1997 in regulating offensive noise also apply to all construction works.

Environmental Matters

- 9 Erosion and sediment control measures shall be installed **prior to the commencement of works on site** including approved clearing of site vegetation. The erosion and sediment control measures are to be maintained in accordance with the approved erosion and sediment control plan(s) for the development and the Department of Housing's "Managing Urban Stormwater: Soils and Construction" 2004.

(Note: To obtain a copy of the publication, you should contact Landcom on (02) 98418600).

- 10 No fill material is to be imported to the site without the prior approval of Penrith City Council in accordance with Sydney Regional Environmental Plan No.20 (Hawkesbury- Nepean River) (No.2-1997). No recycling of material for use as fill material shall be carried out on the site without the prior approval of Council.
- 11 No fill material shall be imported to the site until such time as a Validation Certificate(with a copy of any report forming the basis for the validation) for the fill material has been submitted to, considered and approved by Council. The Validation Certificate shall:
- state the legal property description of the fill material source site,
 - be prepared by an appropriately qualified person (as defined in Penrith Contaminated Land Development Control Plan) with consideration of all relevant guidelines (e.g. EPA, ANZECC, NH&MRC), standards, planning instruments and legislation,
 - clearly indicate the legal property description of the fill material source site,
 - provide details of the volume of fill material to be used in the filling operations,
 - provide a classification of the fill material to be imported to the site in accordance with the Environment Protection Authority's "Environmental Guidelines: Assessment, Classification & Management of Non-Liquid Wastes" 1997, and
 - (based on the fill classification) determine whether the fill material is suitable for its intended purpose and land use and whether the fill material will or will not pose an unacceptable risk to human health or the environment.

{Note: Penrith Contaminated Land Development Control Plan defines an appropriately qualified person as "a person who, in the opinion of Council, has a demonstrated experience, or access to experience in hydrology, environmental chemistry, soil science, eco-toxicology, sampling and analytical procedures, risk evaluation and remediation technologies. In addition, the person will be required to have appropriate professional indemnity and public risk insurance."}.

If the Principal Certifying Authority or Penrith City Council is not satisfied that suitable fill materials have been used on the site, further site investigations or remediation works may be requested. In these circumstances the works shall be carried out prior to any further approved works.

- 12 All waste materials stored on-site are to be contained within a designated area such as a waste bay or bin to ensure that no waste materials are allowed to enter the stormwater system or neighbouring properties. The designated waste storage areas shall provide at least two waste bays / bins so as to allow for the separation of wastes, and are to be fully enclosed when the site is unattended.
- 13 All excavated material and other wastes generated as a result of the development are to be re-used, recycled or disposed of in accordance with the approved waste management plan.

Waste materials not specified in the approved waste management plan are to be disposed of at a lawful waste management facility. Where the disposal location or waste materials have not been identified in the

waste management plan, details shall be provided to the Certifying Authority as part of the waste management documentation accompanying the Construction Certificate application.

All receipts and supporting documentation must be retained in order to verify lawful disposal of materials and are to be made available to Penrith City Council on request.

- 14 Noise levels within the premises shall not exceed the relevant noise criteria detailed in 'Road Noise Impact Assessment: Proposed Residential Development, 20 Robert Street, Penrith' prepared by Rodney Stevens Acoustics Pty Ltd dated 7 August 2018 (Ref. 170331R1 Revision 1).

The recommendations provided in the above-mentioned acoustic report shall be implemented and incorporated into the design and construction of the development, and **shall be shown on plans accompanying the Construction Certificate application.**

A certificate is to be obtained from a qualified acoustic consultant certifying that the development has been constructed to meet the noise criteria in accordance with the approved acoustic report. This certificate is to be submitted to the Principal Certifying Authority **prior to the issue of an Occupation Certificate.**

The provisions of the Protection of the Environment Operations Act 1997 apply to the development, in terms of regulating offensive noise.

- 15 The operating noise level of plant and equipment shall not exceed 5dB(A) above the background noise level when measured at the boundaries of the premises.

Prior to the issue of the Construction Certificate, further details on the type and location of all mechanical plant and equipment associated with the development it to be provided to Council for consideration and approval. Suitable data and information on the noise impacts associated with this plant and equipment is also to be supplied to demonstrate compliance with the noise criteria.

Prior to the issue of the Occupation Certificate, a Compliance Certificate is to be submitted to and approved by Council. The Certificate is to outline that all plant and equipment have been installed to comply with the above information and the established noise criteria. Should the Compliance Certificate identify any non-compliance issues, the Certificate is to provide suitable recommendations for mitigation of those issues. Any mitigation works are to be undertaken within thirty (30) days from the date of notice from Council, unless otherwise specified.

- 16 Only clean and unpolluted water is to be discharged into Penrith City Council's stormwater drainage system. Liquid wastes suitable for discharge to the mains sewer are to be discharged in accordance with Sydney Water requirements.

If mains sewer is not available or if Sydney Water will not allow disposal to the sewer then a licensed waste contractor is to remove the liquid waste from the premises to an appropriate waste facility.

The waste contractor and waste facility are to hold the relevant licenses issued by the NSW Environment Protection Authority.

- 17 The stormwater drainage system shall not be altered or new lines directed into the system without the prior approval of Penrith City Council.
- 18 Dust suppression techniques are to be employed during demolition and construction to reduce any potential nuisances to surrounding properties.

- 19 Mud and soil from vehicular movements to and from the site must not be deposited on the road.
- 20 Should any "unexpected finds" occur during the excavation and earthworks, including, but not limited to, the identification/finding of contaminated soils, buried building materials, asbestos, odour and/or staining, works are to cease immediately and Council is to be notified. Any such "unexpected finds" shall be addressed by an appropriately qualified environmental consultant, including preparation of an environmental management plan to be submitted to and approved by Council.

All remediation works within the Penrith Local Government Area are considered to be Category 1 works under State Environmental Planning Policy No. 55 - Remediation of Land. Should any contamination be found during development works and should remediation be required, development consent is to be sought from Penrith City Council prior to remediation works commencing.

21 The following details shall be shown on the Construction Certificate plans:

- All on-site waste collection infrastructure, doors and access points are to be locked through Councils Abloy Key System. System specifications are outlined in section 3.5.5 of the 'Residential Flat Building Guideline' document.
- All on-site waste collection infrastructure are to provide wash facilities through the use of a centralised mixing valve and hose cock. Respective drainage and water proofing to be installed to support the use of hose facilities.
- The Bulky Households Waste Room to replace the roller door with 1.8m wide, outwards opening dual doors.

- 22 **Prior to the issue of an Occupation Certificate**, the developer is to enter into a formal agreement with Penrith City Council for the utilisation of Councils Waste Collection Service. This is to include Council being provided with indemnity against claims for loss and damage.

Note: By entering into an agreement with Council for Waste Collection, the development will be required to operate in full compliance with Penrith City Councils Waste Collection and Processing Contracts for Standard Waste Collection. The provision of Councils waste collection service will not commence until formalisation of the agreement.

- 23 **Prior to the issue of the Construction Certificate**, a Construction Noise Impact Assessment and Management Plan is to be prepared and submitted to Council for approval. This assessment is to consider (at minimum) the details of the construction program, construction methods and equipment in association with the NSW Department of Environment and Climate Change's "Interim Construction Noise Guideline" 2009.

The recommendations of the approved Management Plan are to be implemented and adhered to during the construction phase of the development.

- 24 Wastewater from the washing of garbage bins and vehicles is not to enter the stormwater system.

BCA Issues

- 25 All aspects of the building design shall comply with the applicable performance requirements of the Building Code of Australia so as to achieve and maintain acceptable standards of structural sufficiency, safety (including fire safety), health and amenity for the on-going benefit of the community. Compliance with the performance requirements can only be achieved by:
- (a) complying with the deemed to satisfy provisions, or
 - (b) formulating an alternative solution which:
 - complies with the performance requirements, or
 - is shown to be at least equivalent to the deemed to satisfy provision, or
 - (c) a combination of (a) and (b).
- 26 The owner of a building, to which an essential fire safety measure is applicable, shall provide Penrith City Council with an annual fire safety statement for the building. The annual fire safety statement for a building must:
- (a) deal with each essential fire safety measure in the building premises, and
 - (b) be given:
 - within 12 months after the last such statement was given, or
 - if no such statement has previously been given, within 12 months after a final fire safety certificate was first issued for the building.
 -
- As soon as practicable after the annual fire safety statement is issued, the owner of the building to which the statement relates:
- must also provide a copy of the statement (together with a copy of the current fire safety schedule) to the Commissioner of New South Wales Fire Brigades, and
 - prominently display a copy of the statement (together with a copy of the current fire safety schedule) in the building.

Utility Services

- 27 A Section 73 Compliance Certificate under the Sydney Water Act 1994 shall be obtained from Sydney Water. The application must be made through an authorised Water Servicing Coordinator. Please refer to “Your Business” section of Sydney Water’s website at www.sydneywater.com.au then the “e-developer” icon, or telephone 13 20 92.

The Section 73 Compliance Certificate must be submitted to the Principal Certifying Authority prior to the issue of an Occupation Certificate.

- 28 Prior to the issue of a Construction Certificate, a written clearance is to be obtained from Endeavour Energy stating that electrical services have been made available to the development or that arrangements have been entered into for the provision of services to the development.

In the event that a pad mounted substation is necessary to service the development, Penrith City Council shall be consulted over the proposed location of the substation before the Construction Certificate for the development is issued as the location of the substation may impact on other services and building, driveway or landscape design already approved by Council.

- 29 **Prior to the issue of a Construction Certificate**, the Principal Certifying Authority shall be satisfied that telecommunications infrastructure may be installed to service the premises which complies with the following:

- The requirements of the Telecommunications Act 1997:
- For a fibre ready facility, the NBN Co's standard specifications current at the time of installation; and
- For a line that is to connect a lot to telecommunications infrastructure external to the premises, the line shall be located underground.

Unless otherwise stipulated by telecommunications legislation at the time of construction, the development must be provided with all necessary pits and pipes, and conduits to accommodate the future connection of optic fibre technology telecommunications.

Prior to the issue of an Occupation Certificate, written certification from all relevant service providers that the telecommunications infrastructure is installed in accordance with the requirements above and the applicable legislation at the time of construction, must be submitted to the Principal Certifying Authority.

Construction

- 30 Stamped plans, specifications, a copy of the development consent, the Construction Certificate and any other Certificates to be relied upon shall be available on site at all times during construction.

The following details are to be displayed in a maximum of 2 signs to be erected on the site:

- the name of the Principal Certifying Authority, their address and telephone number,
- the name of the person in charge of the work site and telephone number at which that person may be contacted during work hours,
- that unauthorised entry to the work site is prohibited,
- the designated waste storage area must be covered when the site is unattended, and
- all sediment and erosion control measures shall be fully maintained until completion of the construction phase.

Signage but no more than 2 signs stating the above details is to be erected:

- at the commencement of, and for the full length of the, construction works onsite, and
- in a prominent position on the work site and in a manner that can be easily read by pedestrian traffic.

All construction signage is to be removed when the Occupation Certificate has been issued for the development.

31 Prior to the commencement of construction works:

(a) Toilet facilities at or in the vicinity of the work site shall be provided at the rate of one toilet for every 20 persons or part of 20 persons employed at the site. Each toilet provided must be:

- a standard flushing toilet connected to a public sewer, or
- if that is not practicable, an accredited sewage management facility approved by the council, or
- alternatively, any other sewage management facility approved by council.

(b) All excavations and backfilling associated with the erection or demolition of a building must be executed safely and in accordance with the appropriate professional standards. All excavations associated with the erection or demolition of a building must be properly guarded and protected to prevent them from being dangerous to life or property.

(c) If an excavation associated with the erection or demolition of a building extends below the level of the base of the footings of a building on an adjoining allotment of land, the person causing the excavation to be made:

- must preserve and protect the building from damage, and
- if necessary, must underpin and support the building in an approved manner, and
- must, at least 7 days before excavating below the level of the base of the footings of a building on an adjoining allotment of land, give notice of intention to do so to the owner of the adjoining allotment of land and furnish particulars of the excavation to the owner of the building being erected or demolished. The owner of the adjoining allotment of land is not liable for any part of the cost of work carried out for the purposes of this condition, whether carried out on the allotment of land being excavated or on the adjoining allotment of land, (includes a public road and any other public place).

(d) If the work involved in the erection or demolition of a building is likely to cause pedestrian or vehicular traffic in a public place to be obstructed or rendered inconvenient, or involves the enclosure of a public place, a hoarding or fence must be erected between the work site and the public place:

- if necessary, an awning is to be erected, sufficient to prevent any substance from, or in connection with, the work falling into the public place,
- the work site must be kept lit between sunset and sunrise if it is likely to be hazardous to persons in the public place, and
- any such hoarding, fence or awning is to be removed when the work has been completed.

32 Clothes drying facilities are to be positioned and screened from public view.

33 Construction works or subdivision works that are carried out in accordance with an approved consent that involve the use of heavy vehicles, heavy machinery and other equipment likely to cause offence to adjoining properties shall be restricted to the following hours in accordance with the NSW Environment Protection Authority Noise Control Guidelines:

- Mondays to Fridays, 7am to 6pm
- Saturdays, 7am to 1pm (if inaudible on neighbouring residential premises), otherwise 8am to 1pm
- No work is permitted on Sundays and Public Holidays.

Other construction works carried out inside a building/tenancy and do not involve the use of equipment that emits noise are not restricted to the construction hours stated above.

The provisions of the Protection of the Environment Operations Act, 1997 in regulating offensive noise also apply to all construction works.

Engineering

- 34 All roadworks, stormwater drainage works, associated civil works and dedications, required to effect the consented development shall be undertaken at no cost to Penrith City Council.
- 35 Prior to the issue of any Construction Certificate, a Section 138 Roads Act applications, including payment of application and inspection fees, shall be lodged and approved by Penrith City Council (being the Roads Authority for any works required in a public road). These works may include but are not limited to the following:
- a) Vehicular crossings (including kerb reinstatement of redundant vehicular crossings)
 - b) Concrete footpaths and or cycleways
 - c) Road opening for utilities and stormwater (including stormwater connection to Penrith City Council roads and other Penrith City Council owned drainage)
 - d) Road occupancy or road closures
 - e) The placement of hoardings, structures, containers, waster skips, signs etc. in the road reserve
 - f) Temporary construction access

All works shall be carried out in accordance with the Roads Act approval, the development consent, including the stamped approved plans, and Penrith City Council's specifications, guidelines and best engineering practice.

Contact Penrith City Council's City Works Department on (02) 4732 7777 or visit Penrith City Council's website for more information.

Note:

- a) Where Penrith City Council is the Certifying Authority for the development, the Roads Act approval for the above works may be issued concurrently with the Construction Certificate.
- b) Separate approvals may also be required from the Roads and Maritime Services for classified roads.
- c) All works associated with the Roads Act approval must be completed prior to the issue of any Occupation Certificate or Subdivision Certificate as applicable.
- d) On completion of any awning over the road reserve, a certificate from a practising structural engineer certifying the structural adequacy of the awning is to be submitted to Council before Council will inspect the works and issue its final approval under the Roads Act

36

The stormwater management system shall be provided generally in accordance with the stormwater strategy, MUSIC modelling and associated concept plan/s lodged for development approval, prepared by SGC Consulting Engineers reference 20170210 drawings SW100; SW300 revision D dated 10 April 2019; SW200 to SW202, and SW400 to SW500 revision C dated 13 March 2019.

Engineering plans and supporting calculations for the stormwater management systems are to be prepared by a suitably qualified person and shall accompany the application for a Construction Certificate.

Prior to the issue of a Construction Certificate the Certifying Authority shall ensure that the

stormwater management system has been designed in accordance with Council's Stormwater Drainage for Building Developments and Water Sensitive Urban Design Policy.

- 37 Prior to the issue of any Construction Certificate, the Certifying Authority shall ensure that the stormwater drainage system for the basement car park has been designed in accordance with the requirements for pumped systems in AS3500.3 (or as amended) (Plumbing and Drainage – Stormwater Drainage).
- 38 Prior to the issue of any Construction Certificate, the Certifying Authority shall ensure that vehicular access, circulation, manoeuvring, pedestrian and parking areas associated with the subject development are in accordance with AS 2890.1, AS2890.2, AS2890.6 and Penrith City Council's Development Control Plan.
- 39 Prior to commencement of works sediment and erosion control measures shall be installed in accordance with the approved Construction Certificate and to ensure compliance with the Protection of the Environment Operations Act 1997.

The erosion and sediment control measures shall remain in place and be maintained until all disturbed areas have been rehabilitated and stabilised.

- 40 Upon completion of all works in the road reserve, all verge areas fronting and within the development are to be turfed. The turf shall extend from the back of kerb to the property boundary, with the exception of concrete footpaths, service lids or other infrastructure which is not to be turfed over. Turf laid up to concrete footpaths, service lids or other infrastructure shall finish flush with the edge.
- 41 Prior to the issue of any Occupation Certificate, the Principal Certifying Authority shall ensure that all works associated with a S138 Roads Act approval or S68 Local Government Act approval have been inspected and signed off by Penrith City Council.
- 42 Prior to the issue of an Occupation Certificate, works-as-executed drawings, final operation and maintenance management plans and any other compliance documentation shall be submitted to the Principal Certifying Authority in accordance with Penrith City Council's Engineering Construction Specification for Civil Works, WSUD Technical Guidelines and Stormwater Drainage for Building Developments.

An original set of works-as-executed drawings and copies of the final operation and maintenance management plans and compliance documentation shall also be submitted to Penrith City Council with notification of the issue of the Occupation Certificate where Council is not the Principal Certifying Authority.

- 43 Prior to the issue of any Occupation Certificate, the Principal Certifying Authority shall ensure that the stormwater management system (including water sensitive urban design measures):
- Have been satisfactorily completed in accordance with the approved Construction Certificate and the requirements of this consent.
 - Have met the design intent with regard to any construction variations to the approved design.
 - Any remedial works required to be undertaken have been satisfactorily completed.

Details of the approved and constructed system/s shall be provided as part of the works-as-executed drawings.

- 44 Prior to the issue of an Occupation Certificate a restriction as to user and positive covenant relating to the stormwater management systems (including water sensitive urban design measures) shall be registered on the title of the property. The restriction as to user and positive covenant shall be in Penrith City Council's standard wording as detailed in Penrith City Council's Stormwater Drainage Specification for Building Development – Appendix F
- 45 The stormwater management systems shall continue to be operated and maintained in perpetuity for the life of the development in accordance with the final operation and maintenance management plan.
- Regular inspection records are required to be maintained and made available to Penrith City Council on request. All necessary improvements are required to be made immediately upon awareness of any deficiencies in the stormwater management systems.
- 46 The stormwater management systems shall continue to be operated and maintained in perpetuity to the satisfaction of Council in accordance with the final operation and maintenance management plan. Regular inspection records are required to be maintained and made available to Council upon request. All necessary improvements are required to be made immediately upon awareness of any deficiencies in the treatment measure/s
- 47 All car spaces are to be line marked and dedicated for the parking of vehicles only and not be used for storage of materials/products/waste materials etc.
- 48 The internal aisles are to be clearly marked showing direction of travel by use of signs, lines and arrows.
- 49 Subleasing of car parking spaces is not permitted.
- 50 The required sight lines around the driveway entrances are not to be compromised by landscaping, fencing or signage.

Landscaping

- 51 All landscape works are to be constructed in accordance with the stamped approved plan Landscape Concept Plan, 18135 (Rev B), prepared by Vision Dynamics and dated 18/12/2018 and Penrith Council's Development Control Plan.

Landscaping shall be maintained:

- in accordance with the approved plan, and
- in a healthy state, and in perpetuity by the existing or future owners and occupiers of the property.

If any of the vegetation comprising that landscaping dies or is removed, it is to be replaced with vegetation of the same species and, to the greatest extent practicable, the same maturity as the vegetation which died or was removed.

- 52 The approved landscaping for the site must be constructed by a suitably qualified and experienced landscape professional.
- 53 Upon completion of the landscape works associated with the development and prior to the issue of an Occupation Certificate, an Implementation Report must be submitted to the Principal Certifying Authority

attesting to the satisfactory completion of the landscaping works for the development.

An Occupation Certificate should not be issued until such time as a satisfactory Implementation Report has been received. If Penrith City Council is not the Principal Certifying Authority, a copy of the satisfactory Implementation Report is to be submitted to Council together with the Occupation Certificate for the development.
property owners.

- 54 All landscape works are to meet industry best practice and the following relevant Australian Standards:
- AS 4419 Soils for Landscaping and Garden Use,
 - AS 4454 Composts, Soil Conditioners and Mulches, and
 - AS 4373 Pruning of Amenity Trees.
- 55 No trees are to be removed, ringbarked, cut, topped or lopped or wilfully destroyed (other than those within the proposed building footprint or as shown on the approved plans) without the prior consent of Penrith City Council and in accordance with Council's Tree Preservation Order and Policy.
- 56 Landscaping shall be installed in accordance with Landscape Concept Plan, prepared by Vision Dynamics, Dwg No 18135 DA 1-2, Revision B, dated 18/8/2018.
- 57 Architecture and landscape plans are to be amended to allow for a separate access way for Unit 005 on the ground floor from the footpath area. The entry is to be treated with paving stones or the like in order to minimise impact on soft landscaping. Documentation indicating Council satisfaction of any amended design is to be provided to the Certifying Authority **prior to the issue of any Construction Certificate**.
- 58 In order to increase privacy and reduce overlooking, the canopy trees on the front boundary should reach a minimum height of 15m as marked in red on the approved landscape drawings.
- 59 a) In accordance with Part A-Arbicultural Impact Assessment & Part B - Tree Management Plan, prepared by Redgum Horticultural , author Craig Martin, dated 23 July 2018, Trees 1-7 can be removed.
- b) All tree removal works must comply with the *Amenity Tree Industry – Code of Practice, 1998* (Workcover, NSW) and *Guide to Managing Risks of Tree Trimming and Removal Work* (Safe Work Australia 2016).
- c) All other vegetation not specifically identified above, and protected by Councils Tree Management Order, is to be retained and protected from construction damage and pruning. The Tree Management Order protects trees over 5m in height.
- 60 a) Trees 9, 10, 11 & 12 are to be retained and protected in accordance with Part A-Arbicultural Impact Assessment & Part B - Tree Management Plan, prepared by Redgum Horticultural , author Craig Martin, dated 23 July 2018.
- b) The tree/s to be retained and protected together with their relevant Tree Protection Zone (TPZ) and Structural Root Zone (SRZ) shall be marked on all demolition and construction drawings.
- c) All contractors and workers on site shall be briefed on the tree protection and management procedures in place as part of their site induction. A written record of the induction process is to be kept on site.
- d) If tree roots are exposed during approved works, roots with a diameter less than 25mm are to be pruned cleanly using sharp hand tools and not torn or ripped by machinery. Tree roots greater than 25mm in diameter are to be assessed by a qualified arborist - minimum Australian Qualification Framework (AQF) Level 4 or equivalent – before any pruning work is undertaken. If necessary, changes in design or relocation

of works may be required.

Subdivision

61 **Prior to the issue of the Subdivision Certificate**, the following is to be submitted:

An original plan of subdivision and two (2) copies of the plan. The plan of subdivision must indicate, where relevant -

- All drainage easements, rights of way, restrictions and covenants.
- All proposed dedications of roads/drainage/public reserve, which are to be undertaken at no cost to Penrith City Council.

The following information is to be shown on one (1) copy of the plan.

- The location of all buildings and/or other permanent improvements shall comply with any statutory boundary clearances or setbacks as defined by the Building Code of Australia and Council's resolutions.
- All existing services are wholly contained within the lot served and/or covered by an appropriate easement.

Prior to lodgement of the Subdivision Certificate Application, street address numbering must be obtained/approved by Penrith City Council's Rates Team. Proposed street addresses can be forwarded to council@penrith.city for approval.

Section 94

62 This condition is imposed in accordance with Penrith City Council's Section 7.11 Contributions Plan for Cultural Facilities. Based on the current rates detailed in the accompanying schedule attached to this Notice, \$7,695 is to be paid to Council prior to a Construction Certificate being issued for this development (the rates are subject to quarterly reviews). If not paid within the current quarterly period, this contribution will be reviewed at the time of payment in accordance with the adopted Section 7.11 plan. The projected rates of this contribution amount are listed in Council's Fees and Charges Schedule.

Council should be contacted prior to payment to ascertain the rate for the current quarterly period. The S7.11 invoice accompanying this consent should accompany the contribution payment. The Section 7.11 Contributions Plan for Cultural Facilities may be inspected at Council's Civic Centre, 601 High Street, Penrith.

63 This condition is imposed in accordance with Penrith City Council's Section 7.11 Contributions Plan for District Open Space. Based on the current rates detailed in the accompanying schedule attached to this Notice, \$72,988 is to be paid to Council prior to a Construction Certificate being issued for this development (the rates are subject to quarterly reviews). If not paid within the current quarterly period, this contribution will be reviewed at the time of payment in accordance with the adopted Section 7.11 plan. The projected rates of this contribution amount are listed in Council's Fees and Charges Schedule.

Council should be contacted prior to payment to ascertain the rate for the current quarterly period. The S7.11 invoice accompanying this consent should accompany the contribution payment. The Section 7.11 Contributions Plan for District Open Space may be inspected at Council's Civic Centre, 601 High Street, Penrith.

64 This condition is imposed in accordance with Penrith City Council's Section 7.11 Contributions Plan for Local Open Space. Based on the current rates detailed in the accompanying schedule attached to this Notice, \$26,383 is to be paid to Council prior to a Construction Certificate being issued for this development (the rates are subject to quarterly reviews). If not paid within the current quarterly period, this contribution will be reviewed at the time of payment in accordance with the adopted Section 7.11 plan. The projected rates of this contribution amount are listed in Council's Fees and Charges Schedule.

Council should be contacted prior to payment to ascertain the rate for the current quarterly period. The S7.11 invoice accompanying this consent should accompany the contribution payment. The Section 7.11 Contributions Plan for Local Open Space may be inspected at Council's Civic Centre, 601 High Street, Penrith.

Certification

65 A Strata Certificate shall be obtained from the Principal Certifying Authority prior to lodgement of the strata plan with the Land and Property Information division of the Department of Lands. The Strata Certificate will not be issued if:

- (a) any of the conditions in this consent are outstanding, and
- (b) if the Final Occupation Certificate for the building, the subject of the strata plan, has not been issued.

66 Prior to the commencement of any earthworks or construction works on site, the proponent is to:

(a) employ a Principal Certifying Authority to oversee that the said works carried out on the site are in accordance with the development consent and related Construction Certificate issued for the approved development, and with the relevant provisions of the Environmental Planning and Assessment Act 1979, and accompanying Regulation, and

(b) submit a Notice of Commencement to Penrith City Council.

The Principal Certifying Authority shall submit to Council an "Appointment of Principal Certifying Authority" in accordance with Section 81A of the Environmental Planning and Assessment Act 1979.

Information to accompany the Notice of Commencement

Two (2) days before any earthworks or construction/demolition works are to commence on site (including the clearing of site vegetation), the proponent shall submit a "Notice of Commencement" to Council in accordance with Section 81A of the Environmental Planning and Assessment Act 1979.

67 An Occupation Certificate is to be obtained from the Principal Certifying Authority on completion of all works and prior to the occupation of the dwellings.

The Certificate shall not be issued if any conditions of this consent, but not the conditions relating to the operation of the development, are outstanding.

A copy of the Occupation Certificate and all necessary documentation supporting the issue of the Certificate is to be submitted to Penrith City Council, if Council is not the Principal Certifying Authority.

SIGNATURE

Name:	Jane Hetherington
Signature:	

For the Development Services Manager