

PENRITH CITY COUNCIL

NOTICE OF DETERMINATION

DESCRIPTION OF DEVELOPMENT

Application number:	DA16/0333
Description of development:	Warehouse for Manufacture, Repair & Storage of Pallet Pooling Systems (Proposed Lot 201)
Classification of development:	Class 7b , Class 5

DETAILS OF THE LAND TO BE DEVELOPED

Legal description:	Lot 22 DP 1178567
Property address:	54 Tyrone Place, ERSKINE PARK NSW 2759

DETAILS OF THE APPLICANT

Name & Address:	David Tubb- Tubb And Associates Pty Ltd 22 The High Road BLAXLAND NSW 2774
-----------------	--

DECISION OF CONSENT AUTHORITY

In accordance with Section 81(1) (a) of the Environmental Planning and Assessment Act 1979, consent is granted subject to the conditions listed in attachment 1.

Please note that this consent will lapse on the expiry date unless the development has commenced in that time.

Date from which consent operates	7 September 2016
Date the consent expires	7 September 2018
Date of this decision	6 September 2016

POINT OF CONTACT

If you have any questions regarding this determination you should contact:

Assessing Officer:	Mathew Rawson
Contact telephone number:	+612 4732 7522

NOTES

Reasons

The conditions in the attached schedule have been imposed in accordance with Section 80A of the Environmental Planning and Assessment Act 1979 as amended.

Conditions

Your attention is drawn to the attached conditions of consent in attachment 1.

Certification and advisory notes

You should also check if this type of development requires a construction certificate in addition to this development consent

It is recommended that you read any Advisory Note enclosed with this notice of determination.

Review of determination

The applicant may request Council to review its determination pursuant to Section 82A of the Environmental Planning and Assessment Act 1979 within 6 months of receiving this Notice of Determination.

You cannot make this request if the development is Designated Development, Integrated Development or State Significant development or if the application was decided by a Joint Regional Planning Panel.

Appeals in the Land and Environment Court

The applicant can appeal against this decision in the Land and Environment Court within six (6) months of receiving this Notice of Determination.

You cannot appeal if a Commission of Inquiry was held for the subject development application, or if the development is a State Significant Development.

An appeal to the Land and Environment Court is made by lodging an application to the Court in accordance with the Rules of the Court.

Designated development

If the application was for designated development and a written objection was made in respect to the application, the objector can appeal against this decision to the Land and Environment Court within 28 days after the date of this notice. The objector cannot appeal if a Commission of Inquiry was held.

If the applicant appeals against this decision, objector(s) will be given a notice of the appeal and the objector(s) can apply to the Land and Environment Court within 28 days after the date of this appeal notice to attend the appeal and make submissions at that appeal.

Joint Regional Planning Panels

If the application was decided by a Joint Regional Planning Panel, please refer to Section 23H of the Environmental Planning and Assessment Act, 1979 (as amended) for any further regulations.

ATTACHMENT 1: CONDITIONS OF CONSENT

General

- 1 The development must be implemented substantially in accordance with the following plans stamped approved by Council, the application form, and any supporting information received with the application, except as may be amended in red on the approved plans and by the following conditions.

Description	Reference No.	Issue	Author	Date
Cover Sheet	115110_A DA-001	1	Reid Campbell	01/03/2016
Overall Site Plan	115110_A DA-002	1	Reid Campbell	01/03/2016
Site Plan	115110_A DA-003	5	Reid Campbell	01/03/2016
Warehouse Plan	115110_A DA-101	2	Reid Campbell	01/03/2016
Office Floor Plans	115110_A DA-102	3	Reid Campbell	01/03/2016
Roof Plan	115110_A DA-103	1	Reid Campbell	01/03/2016
Tenant Fit Out Plan	115110_A DA-104	1	Reid Campbell	01/03/2016
Elevations	115110_A DA-201	1	Reid Campbell	01/03/2016
Sections	115110_A DA-301	1	Reid Campbell	01/03/2016
Perspectives	115110_A DA-401	1	Reid Campbell	01/03/2016
External Finishes	115110_A DA-402	1	Reid Campbell	01/03/2016
Coversheet, Locality Plan and Drawings Schedule	15100 DA1.01	1	Sparks+Partners	01/04/2016
General Arrangement Plan	15100 DA1.02	1	Sparks+Partners	01/04/2016
Concept Sediment and Erosion Control Plan	15100 DA2.01	1	Sparks+Partners	01/04/2016
Concept Sediment and Erosion Control Details Sheet	15100 DA2.11	1	Sparks+Partners	01/04/2016
Concept Siteworks and Stormwater Management Plan Sheet 1	15100 DA4.01	1	Sparks+Partners	01/04/2016
Concept Siteworks and Stormwater Management Plan Sheet 2	15100 DA4.02	1	Sparks+Partners	01/04/2016
Concept Stormwater Catchment Plan	15100 DA4.05	1	Sparks+Partners	01/04/2016
Stormwater Management Concept Typical Sections and Details Sheet	15100 DA4.11	1	Sparks+Partners	01/04/2016
Landscape Analysis Plan	1611 DA-L01	A	Eximiadesign	11/03/2016
Landscape Site Plan	1611 DA-L02	A	Eximiadesign	11/03/2016
Waste Management Plan	–	–	David Tubb	16/03/2016

- 2 **The development shall not be used or occupied until an Occupation Certificate has been issued.**
- 3 The approved operating hours of the store, deliveries and services are 24 hours a day, Mondays to Sundays.
- 4 All materials and goods associated with the use shall be contained within the building at all times aside from the outdoor storage areas shown on the stamped approved plans. Such outdoor storage is to be a maximum of 6 metres in height.
- 5 A **Construction Certificate** shall be obtained prior to commencement of any building works.
- 6 Prior to the issue of a Construction Certificate, details are to be submitted of the proposed fencing around the site. These details shall include the use of decorative palisade fencing behind a landscaped buffer for any fencing in publicly visible areas. Any security fencing shall generally be of an 'open' nature and of a dark colour, such as green or black plastic coated mesh fencing, which blend better with screening vegetation than galvanised wire.
- 7 Works are limited to those shown on the approved plans and within the boundaries of proposed Lot 201. No works are permitted within the Biodiversity Corridor.
- 8 Prior to the issue of an Occupation Certificate for the subject development, a Subdivision Certificate for DA15/0907 must have been issued and the subdivision registered through Land and Property Information NSW.
- 9 The proposed sprinkler dark shall be painted in a dark recessive colour such as green or black to blend better with the screening vegetation.
- 10 The dedicated wash bay is to be installed and connected to the sewer in accordance with Sydney Water's requirements. the Notice of Requirements issued by Sydney Water for the discharge of wastewater from this facility shall be submitted to the Principal Certifying Authority before the wash bay can be installed.

Environmental Matters

- 11 Erosion and sediment control measures shall be installed **prior to the commencement of works on site** including approved clearing of site vegetation. The erosion and sediment control measures are to be maintained in accordance with the approved erosion and sediment control plan(s) for the development and the Department of Housing's "Managing Urban Stormwater: Soils and Construction" 2004.
- 12 Dust suppression techniques are to be employed during construction to reduce any potential nuisances to surrounding properties.
- 13 Mud and soil from vehicular movements to and from the site must not be deposited on the road.
- 14 No fill material is to be imported to the site without the prior approval of Penrith City Council in accordance with Sydney Regional Environmental Plan No.20 (Hawkesbury- Nepean River) (No.2-1997). No recycling of material for use as fill material shall be carried out on the site without the prior approval of Council.
- 15 Cut and fill operations on the property are only permitted in conjunction with the works as detailed on the

approved plans and specifications, and shall not extend more than 2 metres past the approved works footprint outlined in the plans.

16 All waste materials stored on-site are to be contained within a designated area such as a waste bay or bin to ensure that no waste materials are allowed to enter the stormwater system or neighbouring properties. The designated waste storage areas shall provide at least two waste bays / bins so as to allow for the separation of wastes, and are to be fully enclosed when the site is unattended.

17 All excavated material and other wastes generated as a result of the development are to be re-used, recycled or disposed of in accordance with the approved waste management plan.

Waste materials not specified in the approved waste management plan are to be disposed of at a lawful waste management facility. Where the disposal location or waste materials have not been identified in the waste management plan, details shall be provided to the Certifying Authority as part of the waste management documentation accompanying the Construction Certificate application.

All receipts and supporting documentation must be retained in order to verify lawful disposal of materials and are to be made available to Penrith City Council on request.

18 The operating noise level of plant and equipment shall not exceed 5dB(A) above the background noise level when measured at the at the property boundary of nearby residential receivers. The provisions of the Protection of the Environment Operations Act 1997 and the Environmental Protection Authority Industrial Noise Policy also apply to the development, in terms of regulating offensive noise.

19 Only clean and unpolluted water is to be discharged into Penrith City Council's stormwater drainage system. Liquid wastes suitable for discharge to the mains sewer are to be discharged in accordance with Sydney Water requirements.

If mains sewer is not available or if Sydney Water will not allow disposal to the sewer then a licensed waste contractor is to remove the liquid waste from the premises to an appropriate waste facility.

The waste contractor and waste facility are to hold the relevant licenses issued by the NSW Environment Protection Authority.

20 Prior to the issue of a Construction Certificate the following must be submitted to, and approved by, Council:

- An electronic version of the submitted MUSIC modelling;
- Details of the proposed Gross Pollutant Trap, and
- Details of how the bioretention basin will be accessed for maintenance.

BCA Issues

21 Access and sanitary facilities for persons with disabilities are to be provided and maintained in accordance with the requirements of the Building Code of Australia and AS 1428 "Design for Access and Mobility". Details of compliance are to be provided in the relevant plans and specifications accompanying the Construction Certificate application.

22 The owner of a building, to which an essential fire safety measure is applicable, shall provide Penrith City Council with an annual fire safety statement for the building. The annual fire safety statement for a building must:

(a) deal with each essential fire safety measure in the building premises, and

(b) be given:

- within 12 months after the last such statement was given, or
- if no such statement has previously been given, within 12 months after a final fire safety certificate was first issued for the building.

As soon as practicable after the annual fire safety statement is issued, the owner of the building to which the statement relates:

- must also provide a copy of the statement (together with a copy of the current fire safety schedule) to the Commissioner of New South Wales Fire Brigades, and
- prominently display a copy of the statement (together with a copy of the current fire safety schedule) in the building.

23 All aspects of the building design shall comply with the applicable performance requirements of the Building Code of Australia so as to achieve and maintain acceptable standards of structural sufficiency, safety (including fire safety), health and amenity for the on-going benefit of the community. Compliance with the performance requirements can only be achieved by:

(a) complying with the deemed to satisfy provisions, or

(b) formulating an alternative solution which:

- complies with the performance requirements, or
- is shown to be at least equivalent to the deemed to satisfy provision, or

(c) a combination of (a) and (b).

It is the owner's responsibility to place on display, in a prominent position within the building at all times, a copy of the latest fire safety schedule and fire safety certificate/ statement for the building.

Utility Services

24 A Section 73 Compliance Certificate under the Sydney Water Act 1994 shall be obtained from Sydney Water. The application must be made through an authorised Water Servicing Coordinator. Please refer to "Your Business" section of Sydney Water's website at www.sydneywater.com.au then the "e-developer" icon, or telephone 13 20 92.

The Section 73 Compliance Certificate must be submitted to the Principal Certifying Authority prior to the issue of an Occupation Certificate.

25 Prior to the issue of a Construction Certificate, a written clearance is to be obtained from Endeavour Energy stating that electrical services have been made available to the development or that arrangements have been entered into for the provision of services to the development.

In the event that a pad mounted substation is necessary to service the development, Penrith City Council shall be consulted over the proposed location of the substation before the Construction Certificate for the development is issued as the location of the substation may impact on other services and building, driveway or landscape design already approved by Council.

Construction

26 Stamped plans, specifications, a copy of the development consent, the Construction Certificate and any other Certificates to be relied upon shall be available on site at all times during construction.

The following details are to be displayed in a maximum of 2 signs to be erected on the site:

- the name of the Principal Certifying Authority, their address and telephone number,
- the name of the person in charge of the work site and telephone number at which that person may be contacted during work hours,
- that unauthorised entry to the work site is prohibited,
- the designated waste storage area must be covered when the site is unattended, and
- all sediment and erosion control measures shall be fully maintained until completion of the construction phase.

Signage but no more than 2 signs stating the above details are to be erected:

- at the commencement of, and for the full length of the, construction works onsite, and
- in a prominent position on the work site and in a manner that can be easily read by pedestrian traffic.

All construction signage is to be removed when the Occupation Certificate has been issued for the development.

27 Prior to the commencement of construction works:

(a) Toilet facilities at or in the vicinity of the work site shall be provided at the rate of one toilet for every 20 persons or part of 20 persons employed at the site. Each toilet provided must be:

- a standard flushing toilet connected to a public sewer, or
- if that is not practicable, an accredited sewage management facility approved by the council, or
- alternatively, any other sewage management facility approved by council.

(b) All excavations and backfilling associated with the erection or demolition of a building must be executed safely and in accordance with the appropriate professional standards. All excavations associated with the erection or demolition of a building must be properly guarded and protected to prevent them from being dangerous to life or property.

(c) If an excavation associated with the erection or demolition of a building extends below the level of the base of the footings of a building on an adjoining allotment of land, the person causing the excavation to be made:

- must preserve and protect the building from damage, and
- if necessary, must underpin and support the building in an approved manner, and
- must, at least 7 days before excavating below the level of the base of the footings of a building on an adjoining allotment of land, give notice of intention to do so to the owner of the adjoining allotment of land and furnish particulars of the excavation to the owner of the building being erected or demolished. The owner of the adjoining allotment of land is not liable for any part of the cost of work carried out for the purposes of this condition, whether carried out on the allotment of land being excavated or on the adjoining allotment of land, (includes a public road and any other public place).

(d) If the work involved in the erection or demolition of a building is likely to cause pedestrian or vehicular traffic in a public place to be obstructed or rendered inconvenient, or involves the enclosure of a public place, a hoarding or fence must be erected between the work site and the public place:

- if necessary, an awning is to be erected, sufficient to prevent any substance from, or in connection with, the work falling into the public place,
- the work site must be kept lit between sunset and sunrise if it is likely to be hazardous to persons in the public place, and
- any such hoarding, fence or awning is to be removed when the work has been completed.

28 Construction works or subdivision works that are carried out in accordance with an approved consent that involve the use of heavy vehicles, heavy machinery and other equipment likely to cause offence to adjoining properties shall be restricted to the following hours in accordance with the NSW Environment Protection Authority Noise Control Guidelines:

- Mondays to Fridays, 7am to 6pm
- Saturdays, 7am to 1pm, if inaudible on neighbouring residential premises, otherwise 8am to 1pm
- No work is permitted on Sundays and Public Holidays.

Other construction works carried out inside a building/tenancy that do not involve the use of equipment that emits noise are not restricted to the construction hours stated above.

The provisions of the Protection of the Environment Operations Act, 1997 in regulating offensive noise also apply to all construction works.

Roads Act Requirements

- 29 Prior to Construction Certificate, the Certifying Authority shall ensure vehicular access and internal roadways for heavy vehicles has been designed for 26 metre long B-double vehicles in accordance with AS2890.2.

- 30 Prior to a Construction Certificate, the Certifying Authority shall ensure that heavy vehicle exit movements from the western driveway to the car park access isle are separated from the light vehicle car park entry movements by a raised median at least 1 metre wide

Engineering

- 31 An Infrastructure Restoration Bond is to be lodged with Penrith City Council for development involving works around Penrith City Council's Public Infrastructure Assets. The bond is to be lodged with Penrith City Council prior to the issue of any Construction Certificate. The bond and applicable fees are in accordance with Council's adopted Fees and Charges.

An application form together with an information sheet and conditions are available on Council's website.

Contact Penrith City Council's City Works Department on (02) 4732 7777 or visit Penrith City Council's website for more information.

- 32 Prior to the issue of any Construction Certificate a Section 138 Roads Act application/s, including payment of fees shall be lodged with Penrith City Council. Penrith City Council is the Roads Authority for any works required in a public road. These works may include but are not limited to the following:
1. Vehicular crossings (including kerb reinstatement of redundant vehicular crossings)
 2. Concrete footpath or cycleways
 3. Road opening for utilities and stormwater (including stormwater connection to Penrith City Council roads and other Penrith City Council owned drainage)
 4. Road occupancy or road closures
 5. The placement of hoardings, structures, containers, waster skips, signs etc. on the road reserve

All works shall be carried out in accordance with the Roads Act approval, the development consent including the stamped approved plans, and Penrith City Council's specifications, Guidelines and best engineering practice.

Contact Penrith City Council's City Works Department on 4732 7777 or visit Penrith City Council's website for more information.

Note:

1. Where Penrith City Council is the Certifying Authority for the development the Roads Act approval for the above works may be issued concurrently with the Construction Certificate.
2. Separate Approvals may also be required from the Roads and Maritime Service for classified roads.
3. All works associated with the Roads Act approval must be completed prior to the issue of an Occupation Certificate or Subdivision Certificate as applicable.
4. On completion of any awning over the road reserve a certificate from a practising structural engineer certifying to the structural adequacy of the awning is to be submitted to Council before Council will inspect the works and issue its final approval under the Roads Act

- 33 The stormwater management system shall be provided generally in accordance with the concept plan/s lodged for development approval, prepared by Sparks + Partners, reference number 15100 DA4.01 and DA4.02, revision 2, dated 1.04.2016.

Engineering plans and supporting calculations for the stormwater management systems are to be prepared by a suitably qualified person and shall accompany the application for a Construction Certificate.

Prior to the issue of any Construction Certificate the Certifying Authority shall ensure that the stormwater management system has been designed in accordance with Penrith City Council's Stormwater Drainage for Building Developments and Water Sensitive Urban Design (WSUD) Policy.

- 34 Prior to the issue of any Construction Certificate the Certifying Authority shall ensure that vehicular access, circulation, manoeuvring, pedestrian and parking areas associated with the subject development are in accordance with AS 2890.1, AS2890.2, AS2890.6 and Penrith City Council's Development Control Plan.
- 35 Prior to commencement of any works associated with the development a Traffic Control Plan including details for pedestrian management, shall be prepared in accordance with AS1742.3 "Traffic Control Devices for Works on Roads" and the Roads and Maritime Service's publication "Traffic Control at Worksites" and certified by an appropriately accredited Roads and Maritime Services Traffic Controller.

Traffic control measures shall be implemented during the construction phase of the development in

accordance with the certified plan. A copy of the plan shall be available on site at all times.

Note:

1. A copy of the Traffic Control Plan shall accompany the Notice of Commencement to Penrith City Council.

- 36 All earthworks shall be undertaken in accordance with AS 3798 and Penrith City Council's Design Guidelines for Engineering Works for Subdivisions and Developments and Engineering Construction Specification for Civil Works.

The level of testing shall be determined by the Geotechnical Testing Authority/ Superintendent in consultation with the Principal Certifying Authority.

- 37 Upon completion of all works in the road reserve all verge areas fronting and within the development are to be turfed. The turf shall extend from back of kerb to the property boundary with the exception of concrete footpaths, service lids or other infrastructure which is not to be turfed over. Turf laid up to concrete footpaths, service lids or other infrastructure shall finish flush with the edge.
- 38 Prior to the issue of any Occupation Certificate, the Principal Certifying Authority shall ensure that all works associated with a Section 138 Roads Act approval or Section 68 Local Government Act approval have been inspected and signed off by Penrith City Council.
- 39 Prior to the issue of an Occupation Certificate, works-as-executed drawings, final operation and maintenance management plans and any other compliance documentation shall be submitted to the Principal Certifying Authority in accordance with Penrith City Council's Engineering Construction Specification for Civil Works, WSUD Technical Guidelines and Stormwater Drainage for Building Developments.

An original set of Works-As-Executed drawings and copies of the final operation and maintenance management plans and compliance documentation shall also be submitted to Penrith City Council with notification of the issue of the Occupation Certificate where Penrith City Council is not the Principal Certifying Authority.

- 40 Prior to the issue of any Occupation Certificate the Principal Certifying Authority shall ensure that the:

a) Stormwater management systems (including on-site detention and water sensitive urban design)

- Have been satisfactorily completed in accordance with the approved Construction Certificate and the requirements of this consent.
- Have met the design intent with regard to any construction variations to the approved design.
- Any remedial works required to be undertaken have been satisfactorily completed.

Details of the approved and constructed system/s shall be provided as part of the works-as-executed drawings.

- 41 Prior to the issue of an Occupation Certificate directional signage and linemarking shall be installed indicating directional movements and the location of customer parking to the satisfaction of the Principal Certifying Authority.
- 42 The proposed accessible parking spaces are to be designed to conform to AS/NZS 2890.6: 2009 and Council requirements.

- 43 All vehicles are to enter/exit the site in a forward direction.
- 44 Sight distance requirements and driveway widths are to be met in accordance with AS/NZS 2890.1: 2004 and Council requirements.
- 45 The required sight lines around the driveway entrance and exit are not to be compromised by street trees, landscaping, fencing or signposting.
- 46 All car spaces are to be sealed/line marked and dedicated for the parking of vehicles only and not be used for storage of materials/products/waste materials etc.
- 47 Prior to Construction Certificate, the Certifying Authority shall ensure that the car space at the south western end of the car park, adjacent to the car park indent, is replaced with signposted No Stopping Zone with hatched pavement marking that will allow vehicles to manoeuvre to leave the car park in a forward direction if all other car parking spaces are occupied.
- 48 Prior to the issue of an Occupation Certificate, signage which is clearly visible from the public road shall be placed within the development site.

The signage shall indicate that the eastern vehicular access is to be used for heavy vehicle ingress only and appropriately signposted "Heavy Vehicle Entry Only" (or similar wording). The western vehicular access is to be used for egress purposes and for light vehicle ingress and appropriately signposted "Staff and Visitor Car Park Entry Only" (or similar wording).

Landscaping

- 49 All landscape works are to be constructed in accordance with the stamped approved plan, Sections F5 "Planting Techniques", F8 "Quality Assurance Standards" and F9 "Site Management Plan" of Penrith Council's Landscape Development Control Plan.

Landscaping shall be maintained:

- in accordance with the approved plan, and
- in a healthy state, and in perpetuity by the existing or future owners and occupiers of the property.

If any of the vegetation comprising that landscaping dies or is removed, it is to be replaced with vegetation of the same species and, to the greatest extent practicable, the same maturity as the vegetation which died or was removed.

- 50 The approved landscaping for the site must be constructed by a suitably qualified landscape professional.
- 51 The following series of reports relating to landscaping are to be submitted to the nominated consent authority at the appropriate time periods as listed below. These reports shall be prepared by a suitably qualified landscape professional.

- i. Implementation Report

Upon completion of the landscape works associated with the development and prior to the issue of an Occupation Certificate for the development, an Implementation Report must be submitted to the Principal Certifying Authority attesting to the satisfactory completion of the landscaping works for the development. The report is to be prepared by a suitably qualified landscape professional.

An Occupation Certificate should not be issued until such time as a satisfactory Implementation Report has been received. If Penrith City Council is not the Principal Certifying Authority, a copy of the satisfactory Implementation Report is to be submitted to Council together with the Occupation Certificate for the development.

ii. Maintenance Report

On the first anniversary of the date of the Occupation Certificate issued for the development, a Landscape Maintenance Report is to be submitted to Penrith City Council certifying that the landscape works are still in accordance with the development consent and the plant material is alive and thriving.

This report is to be prepared by a suitably qualified landscape professional.

- 52 All plant material associated with the construction of approved landscaping is to be planted in accordance with the Tree Planting Specification prescribed in Penrith Council's Landscape Development Control Plan.
- 53 All landscape works are to meet industry best practice and the following relevant Australian Standards:
- AS 4419 Soils for Landscaping and Garden Use,
 - AS 4454 Composts, Soil Conditioners and Mulches, and
 - AS 4373 Pruning of Amenity Trees.

Certification

- 54 An Occupation Certificate is to be obtained from the Principal Certifying Authority on completion of all works and prior to the occupation of the building/tenancy and commencement of the approved use. The Occupation Certificate shall not be issued if any conditions of this consent, but not the conditions relating to the operation of the development, are outstanding, and the development does not comply with the provisions of the Environmental Planning and Assessment Act and Regulation.

A copy of the Occupation Certificate and all necessary documentation supporting the issue of that Certificate shall be submitted to Penrith City Council, if Council is not the Principal Certifying Authority.

- 55 Prior to the commencement of any earthworks or construction works on site, the proponent is to:
- (a) employ a Principal Certifying Authority to oversee that the said works carried out on the site are in accordance with the development consent and related Construction Certificate issued for the approved development, and with the relevant provisions of the Environmental Planning and Assessment Act and accompanying Regulation, and
 - (b) submit a Notice of Commencement to Penrith City Council.

The Principal Certifying Authority shall submit to Council an "Appointment of Principal Certifying Authority" in accordance with Section 81A of the Environmental Planning and Assessment Act 1979.

Information to accompany the Notice of Commencement

Two (2) days before any earthworks or construction/demolition works are to commence on site (including the clearing site vegetation), the proponent shall submit a "Notice of Commencement" to Council in accordance with Section 81A of the Environmental Planning and Assessment Act 1979.

SIGNATURE

Name:	Mathew Rawson
Signature:	

For the Development Services Manager