# **SHEET INDEX**

## No. NAME

- 01 COVER SHEET
- 02 SITE PLAN
- 03 LOCATION PLAN
- 04 GROUND FLOOR PLAN
- 05 DOOR & WINDOW SCHEDULES
- 06 ELEVATIONS
- 07 ELEVATIONS/ SECTION
- 08 KITCHEN DETAILS
- 09 BUTLER'S PANTRY / LDRY DETAILS
- 10 BATHROOM / PWDR DETAILS
- 11 ENSUITE/ WC DETAILS
- 12 RECYCLED WATER / FLOOR COVERINGS
- 12 SLAB PLAN

**LOCATION MAP** 

13 DRAINAGE PLAN

### BAL 19 BUSHFIRE REQUIREMENTS

MCDONALD JONES HOMES USES MATERIALS THAT HAVE BEEN TESTED TO A\$1530.8.1 IN ACCORDANCE WITH A\$3959-2009 (CLAUSE 3.8)

- PROVIDE FOIL FACED BLANKET INSULATION TO COLORBOND SHEET
- PROVIDE FLYSCREENS WITH CORROSION RESISTANT MESH TO ALL OPERABLE WINDOW SASHES (NO REQUIREMENT TO SCREEN SLIDING/STACKER DOORS)
- PROVIDE BAL 19 RATED ALUMINIUM WINDOWS AND EXTERNAL GLASS SLIDING/STACKER DOORS
- BRADNAMS ALUMINIUM FRENCH DOORS HAVE BEEN TESTED TO AS1530.8.1 WITHOUT SCREENS
- BRADNAMS ALUMINIUM WINDOWS HAVE BEEN TESTED TO AS1530.8.1 WITHOUT SCREENS TO FIXED PANELS
- WITHOUT SCREENS TO FIXED PANELS
   PROVIDE MERBAU DOOR JAMBS TO ALL EXTERNAL TIMBER DOORS
- PROVIDE SPARK ARRESTORS TO EXTERNAL BRICKWORK
- PROVIDE SEAL TO GARAGE DOOR
- EXTERNAL TIMBER POSTS TO BE FIRE RETARDANT

LOT 6218

(SITE LOCATION)

### SUSTAINABILITY COMMITMENTS

### WATER COMMITMENTS

3 STAR (> 7.5 BUT <= 9 L/MIN) SHOWER HEADS 3 STAR TOILET SUITES 3 STAR KITCHEN TAPS 3 STAR BATHROOM TAPS

462.61 m<sup>2</sup> TOTAL ROOF AREA

10000 L WATER TANK(S) MINIMUM CAPACITY 462.61 m<sup>2</sup> MINIMUM ROOF AREA TO TANK(S)

RAINWATER TANK(S) TO BE CONNECTED TO:

- AT LEAST ONE OUTDOOR TAP
- WASHING MACHINE

NO RETICULATED RECYCLED WATER SUPPLY

500 m<sup>2</sup> GARDEN/LAWN AREA

### **ENERGY COMMITMENTS**

### **HOT WATER SYSTEM**

- GAS CONTINUOUS FLOW - 5.5 STAR

### **HEATING SYSTEM**

- 3-PHASE REVERSE CYCLE AIR CONDITIONING EER 3.5 - 4.0

### **COOLING SYSTEM**

- 3-PHASE REVERSE CYCLE AIR CONDITIONING EER 3.0 - 3.5

### **VENTILATION (EXHAUST FANS)**

- NO MECHANICAL VENTILATION TO BATHROOMS
- KITCHEN RANGEHOOD:
- INDIVIDUAL FAN NOT DUCTED, MANUAL SWITCH ON/OFF
- NO MECHANICAL VENTILATION TO LAUNDRY

### PRIMARY FLUORESCENT/LED LIGHTING INCLUDING COVER

- 4 BEDROOMS/STUDY, NON DEDICATED2 LIVING/DINING AREAS, NON DEDICATED
- LAUNDRY, NON DEDICATED

### NATURAL LIGHTING TO

- KITCHEN
- 4 BATHROOM(S)/TOILET(S)

### ALTERNATIVE ENERGY

- N/A

### OTHER

- GAS COOKTOP, ELECTRIC OVEN
- FIXED OUTDOOR CLOTHESLINE BY OWNER

### **BUILDING INFORMATION**

GROUND FLOOR CEILING HEIGHT(S): FRAMES AND TRUSSES: ROOF PITCH (U.N.O.): ELECTRICITY SUPPLY: GAS SUPPLY: 2700mm STEEL 26° 3-PHASE

RETICULATED NATURAL

ROOF MATERIAL: SHEET METAL ROOF COLOUR: DARK ROOF INSULATION: R3.0 BATTS

50mm FOIL FACED BLANKET

WHIRLYBIRDS:

WALL MATERIAL: HEBEL
WALL COLOUR: N/A
WALL INSULATION: R2.0 BATTS

FLOOR INSULATION: N/A

### **ENGINEERING & SITE INFORMATION**

SLAB TO BE 85mm THICK (U.N.O.) WITH REINFORCEMENT TO ENGINEERS SPECIFICATIONS & DETAILS OVER A 200 µm WATERPROOF MEMBRANE ON A BED OF FREE DRAINING COARSE SAND (WHERE SPECIFIED)

PROVIDE BRICK CONTROL JOINTS IN ACCORDANCE WITH N.C.C. & AS 3700

ALL STEEL FRAMING TO BE DESIGNED TO AS 4100-1998 OR AS/NZS 4600-2005

### **DESIGN CRITERIA**

WIND RATING: N2

SITE CLASSIFICATION

SITE CLASSIFICATION IS: H1

SLAB CLASSIFICATION

SLAB CLASSIFICATION IS: H1

### **BASIX AREAS**

CONDITIONED 243.07 UNCONDITIONED 20.73

### TOTAL FLOOR AREAS

ALFRESCO 21.80
GARAGE 55.79
LIVING 292.46
PATIO 40.83
410.88 m<sup>2</sup>

# mcdonald jones

ECIFICATION:

Stuarteverittcollection

ww.mcdonaldioneshomes.com.

© 2016

 DRAWING
 DRAWN

 1
 PRELIMINARY PLANS
 NMA
 2015.10.26

 2
 CONTRACT PLANS
 JCR
 2016.04.05

 3
 ALL REPORTS
 JAO
 2016.07.18

 4
 BASIX CERTIFICATE
 PVA
 2016.07.29

Mr. JAMES AGIUS & Mrs. TENILLE AGIUS			6218
ADDRESS: NINTH AVENUE			DP No: 1211124
SUBURB: JORDAN SPRINGS	POSTCODE: 2747	COUNCIL: PENRITH	SECTION No:

HOUSE DESIGN: BRONTE EXCEUTIVE LODGE	HOUSE CODE: H-BROCLAS13400	
FACADE DESIGN: PAVILLION	FACADE CODE: F-BROPAVI01	
SHEET TITLE: COVER SHEET	SCALES:	SHEET No: 1 / 13

DO NOT SCALE DRAWINGS, USE FIGURED DIMENSIONS ONLY. CHECK AND VERIFY DIMENSIONS AND LEVELS TO TO THE COMMENCEMENT OF ANY WORK. ALL DISCREPANCIES TO BE REPORTED TO THE DRAFTING OFFICE.

THIS PLAN ACCEPTED BY:

SIGNATURE:

DATE:

PLEASE NOTE: NO VARIATIONS WILL BE ACCEPTED ON THIS PLAN AFTER SIGNING

602847

Version: 1, Version Date: 12/09/2016