NSW RURAL FIRE SERVICE GUIDELINES FOR SINGLE DWELLING DEVELOPMENT APPLICATIONS

SECTION TWO - BUSH FIRE ASSESSMENT REPORT (Attach to DA)

-					
PART A	Property Detail	S			
Applicants Name: ED	GEWATER	HOMES			
Contact Phone Number; (H):	(OZ) SEOZ	6111 (M):			
Council: PENRITH	COUPCIL	Council Reference (if	known):		
Lot: 2132 DP:	11689911				
Address to be developed:	MONA (なり		JORDAN	SPOUXS
My property is on Bush Fire P	rone Land: Yes				_
PART B	Type of Propose	al			
Type of Proposal:					
New Building Dual Occupancy Alteration/Additions to an	-	Urban Rural Residentia			
Proposal Description: e.g. two				ret	(5)
House	WITH AT	WOCHES C	ESSACE		* E
Copy of plans attached	Yes				
PART C	Bush Fire Attack	and Level of Const	ruction		
Step 1: Asess the vegetation	about the proposed bu	ilding in all directions a	nd convert from Keith t	o AUSLIG (1990) using	9
CATEGORY	NORTH	EAST	SOUTH	WEST	
Converted vegetation	Forest Woodland Shrubland Scrub Mallee/Mulga Rainforest Tussock Moorland Managed Land	Forest Woodland Shrubland Scrub Mallee/Mulga Rainforest Tussock Moorland Managed Land	Forest Woodland Shrubland Scrub Mallee/Mulga Rainforest Tussock Moorland Managed Land	Forest Woodland Shrubland Scrub Mallee/Mulga Rainforest Tussock Moorland Managed Land	
Copy of any relevant photos at	tached Yes	/NO			
Step 2: Determine the distance	e from the building line	e to the vegetation in ea	ach direction as above		
ASPECT	NORTH	EAST	SOUTH	WEST	1000
	6)	0	0	0	

V
-
7
_
⋖
FAPPLICAT
=
=
7
-
⋖
-
-
-
=
2
α.
С
_
14
>
1
DWELLING DEVELOPMENT APPLICATIONS
·
Z
_
-
111
~
>
ELINES FOR SINGLE DWE
5
0
Z
-
<u>—</u>
0
ŭ.
10
GUIDELINES
=
=
_
ш
an
\rightarrow
G
ICE GI
-
\simeq
>
~
ш
S
111
7
=
щ
-1
4
~
=
SW RURAL FIRE
T
>
ŝ
UI

Step 3: Determine the effective slope that will influence bushfire behaviour in each direction								
CATEGORY	NORTH	EAST	SOUTH	WEST				
Slope under the hazard (over 100m) [in degrees]	upslope/flat >0 to 5 >5 to 10 >10 to 15 >15 to 18	upslope/flat >0 to 5 >5 to 10 >10 to 15 >15 to 18	upslope/flat >0 to 5 >5 to 10 >10 to 15 >15 to 18	upslope/flat >0 to 5 >5 to 10 >10 to 15 >15 to 18				
Step 4: Determine the Fire Danger Index (FDI) that applies to your local government area (see page 9). Circle the relevant FDI below								
FDI	100	80		50				
Step 5: Match the relevant FDI, vegetation, distance and slope to determine the required APZ and Construction level								
FDI	100 (see Table 4. page 1	11) 80 (see Tal	ble 5, page 12)	50 (see Table 6, page 13)				
Identify the bush fire attack level for each direction, select the highest level for the entire building and record below. Note BAL-12.5 is the lowest construction level within the scope of AS3959. Bush Fire Attack Level								
BAL- FZ BAL- 40 BAL- 29	BAL-19 BAL12.5 No requirement							
Does your proposal meet the required construction level YES LNO								
PART D								

Provide details and evidence of an alternative solution.

If you determine your house is located in the flame zone you may wish to seek the advice of a specialist bush fire consultant.

Flame Zone

PART E	ART E Water Supplies							
Does your property have a reticulated (piped) water supply?; If so, please provide details on the distance to the nearest fire hydrant on your site plan.								
Reticulated (piped) w	Reticulated (piped) water supply is available							
Yes No Distance(m) to hydrant from house.								
Do you have or do you plan to have a dedicated water supply for firefighting purposes?								
□ _{Yes} □ _{No}								
Development Type	Strong	Water Requirement	Planned	Existing				
Residential Lots (<1,000m2	2)	5,000 l/lot	29					
Rural-residential Lots (1,00	0–10,000m2)	10,000 I/lot	47	_				
Large Rural/Lifestyle Lots (:	>10,000m2)	20,000 l/lot	77					
Dual Occupancy		2,500 l/unit	40					
Townhouse/Unit Style (e.g.	Flats)	5,000 I/unit up to 20,000I maximum	24					
Do you have or do you plan to have a static water supply (e.g. pool, tank or dam). Include approx. size in litres and also include tank material if using a tank:								
Water supply type	Capacity	Construction material	Planned	Existing				
e.g. pool	50,0001	Above ground rolled steel with plastic liner	AC					
NOTE: Check with your local council concerning their Local Environmental Plan (LEP) or their Development Control Plan (DCP) as this may dictate the type and size of tank.								
PART F Gas Supplies								
GAS Do you have reticulated (piped) or bottled gas?								
TYPE OF GAS Reticulated gas Bottled gas	Yes No							

NOTE: When attaching development plans please ensure they clearly show location and details of electricity and gas (where relevant) on your property.