

# PENRITH CITY COUNCIL

## NOTICE OF DETERMINATION

### DESCRIPTION OF DEVELOPMENT

|                                |                                                                                                                                                                   |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Application number:            | DA20/0475                                                                                                                                                         |
| Description of development:    | Demolition of Existing Structures and Construction of 4 x Two Storey Town Houses pursuant to State Environmental Planning Policy (Affordable Rental Housing) 2009 |
| Classification of development: | Class 1a                                                                                                                                                          |

### DETAILS OF THE LAND TO BE DEVELOPED

|                    |                                 |
|--------------------|---------------------------------|
| Legal description: | Lot 2 DP 38057                  |
| Property address:  | 84 Cox Avenue, PENRITH NSW 2750 |

### DETAILS OF THE APPLICANT

|                 |                                                   |
|-----------------|---------------------------------------------------|
| Name & Address: | Pretech Pty Ltd<br>PO Box 301<br>PENRITH NSW 2751 |
|-----------------|---------------------------------------------------|

### DECISION OF CONSENT AUTHORITY

In accordance with Section 4.18(1) (a) of the Environmental Planning and Assessment Act 1979, consent is granted subject to the conditions listed in attachment 1.

Please note that this consent will lapse on the expiry date unless the development has commenced in that time.

|                                  |                  |
|----------------------------------|------------------|
| Date from which consent operates | 18 December 2020 |
| Date the consent expires         | 18 December 2025 |
| Date of this decision            | 18 December 2020 |

## POINT OF CONTACT

---

If you have any questions regarding this determination you should contact:

|                           |                 |
|---------------------------|-----------------|
| Assessing Officer:        | James Heathcote |
| Contact telephone number: | +61247328378    |

## NOTES

---

### **Reasons**

The conditions in the attached schedule have been imposed in accordance with Section 4.17 of the Environmental Planning and Assessment Act 1979 as amended.

### **Conditions**

Your attention is drawn to the attached conditions of consent in attachment 1.

### **Certification and advisory notes**

You should also check if this type of development requires a construction certificate in addition to this development consent.

It is recommended that you read any Advisory Note enclosed with this notice of determination.

### **Review of determination**

The applicant may request Council to review its determination pursuant to Division 8.2 of the Environmental Planning and Assessment Act 1979 within twelve months of receiving this Notice of Determination.

These provisions do not apply to designated development, complying development or crown development pursuant to Section 8.2(2) of the Environmental Planning and Assessment Act 1979.

### **Appeals in the Land and Environment Court**

The applicant can appeal against this decision in the Land and Environment Court within twelve months of receiving this Notice of Determination.

There is no right of appeal to a decision of the Independent Planning Commission or matters relating to a complying development certificate pursuant to clause 8.6(3) of the Environmental Planning and Assessment Act 1979.

### **Designated development**

If the application was for designated development and a written objection was made in respect to the application, the objector can appeal against this decision to the Land and Environment Court within 56 days after the date of this notice.

If the applicant appeals against this decision, objector(s) will be given a notice of the appeal and the objector(s) can apply to the Land and Environment Court within 56 days after the date of this appeal notice to attend the appeal and make submissions at that appeal.

### **Sydney Western City Planning Panels**

If the application was decided by the Sydney Western City Planning Panel, please refer to Section 2.16 of the Environmental Planning and Assessment Act, 1979 (as amended) for any further regulations.

## ATTACHMENT 1: CONDITIONS OF CONSENT

### General

- 1 The development must be implemented substantially in accordance with the plans stamped approved by Council below, the application form, BASIX Certificate 1117758M and any supporting information received with the application, except as may be amended in red on the attached plans and by the following conditions.

| Description                                        | Plan No.                                              | Revision | Prepared By              | Date     |
|----------------------------------------------------|-------------------------------------------------------|----------|--------------------------|----------|
| Cover Page                                         | Job No. 00391                                         | C        | Pretech Pty Ltd          | 29.09.20 |
| Site, Ground Floor Plan & Development Calculations | Job No. 00391<br>Dwg No. A01                          | C        | Pretech Pty Ltd          | 29.09.20 |
| Site, First Floor Plan & Development Calculations  | Job No. 00391<br>Dwg No. A02                          | C        | Pretech Pty Ltd          | 29.09.20 |
| Elevations & Sections                              | Job No. 00391<br>Dwg No. A03                          | A        | Pretech Pty Ltd          | 01.07.20 |
| Site Analysis Plan                                 | Job No. 00391<br>Dwg No. A04                          | B        | Pretech Pty Ltd          | 29.09.20 |
| Shadow Analysis                                    | Job No. 00391<br>Dwg No. A05                          | B        | Pretech Pty Ltd          | 29.09.20 |
| Stormwater Concept Design<br>Ground Floor Plan     | Proj.No.<br>20200231<br>Dwg No. SW200<br>Sheet 2 of 4 | A        | SGC Engineering<br>Value | 23.10.20 |
| Stormwater Concept Design<br>Ground Floor Plan     | Proj.No.<br>20200231<br>Dwg No. SW300<br>Sheet 3 of 4 | A        | SGC Engineering<br>Value | 23.10.20 |
| Stormwater Concept Design<br>Ground Floor Plan     | Proj.No.<br>20200231<br>Dwg No. SW400<br>Sheet 4 of 4 | A        | SGC Engineering<br>Value | 23.10.20 |

2 **Prior to the issue of any Occupation Certificate**, the Principal Certifying Authority is to be provided with copy of the registered Title for Unit number 1 which notes that:

- A restriction is registered against the title of the property, in accordance with Section 88E of the Conveyancing Act 1919 requiring that Unit number 1 must be used for the purposes of '*affordable housing*' (as defined by State Environmental Planning Policy (Affordable Rental Housing) 2009, and
- That the Unit must be managed by a 'registered community housing provider' (as defined by the Housing Act 2001), for a minimum period of 10 years from the date of the issue of any **Occupation Certificate**. The name of the authority having the power to release, vary or modify the restriction referred to is to be Penrith City Council.
- Prior to the occupation of Unit number 1, details of the 'Registered Community Housing Provider' managing the affordable housing are to be provided to Penrith City Council.

**Advisory notes:**

(i) Under State Environmental Planning Policy (Affordable Rental Housing) 2009 a 'Registered Community Housing Provider' is defined as an entity that provides community housing.

(ii) State Environmental Planning Policy (Affordable Rental Housing) 2009 defines affordable housing as follows:

*Affordable housing means housing for very low income households, low income households or moderate income households, being such households as are prescribed by the regulations or as are provided for in an environmental planning instrument.*

(iii) Evidence that Unit 1 is being utilised for the purposes of affordable housing, in accordance with the above requirements, must be retained by the owner of the property and made available for Council inspection upon request.

3 The work must be carried out in accordance with the requirements of the Building Code of Australia. If the work relates to a residential building and is valued in excess of \$20,000, then a contract of insurance for the residential development shall be in force in accordance with Part 6 of the Home Building Act 1989.

{Note: Residential building includes alterations and additions to a dwelling, and structures associated with a dwelling house/dwelling such as a carport, garage, shed, rural shed, swimming pool and the like}.

4 **The development shall not be used or occupied until an Occupation Certificate has been issued.**

5 A **Construction Certificate** shall be obtained prior to commencement of any building works.

## **Demolition**

6 All demolition works are to be conducted in accordance with AS 2601-2001 The Demolition of Structures.

SafeWork NSW requirements apply to demolition work and compliance with those requirements, including the SafeWork NSW Code of Practice Demolition Work August 2019, is also required.

Prior to demolition, all services shall be suitably disconnected and capped off or sealed to the satisfaction of the relevant service authority requirements.

- 7 Regulatory obligations (including licensing and notification requirements) for the management, control and removal of asbestos are prescribed in the:
- Work Health and Safety Act 2011 ,
  - Work Health and Safety Regulation 2017
  - SafeWork NSW Code of Practice How to Manage and Control Asbestos in the Workplace August 2019, and the
  - SafeWork NSW Code of Practice How to Safely Remove Asbestos August 2019.
  - Australian Standard AS2601
- Compliance with the above legislation is required and reference should be made to SafeWork NSW and to the Asbestos Policy Penrith City Council 2014.

All asbestos laden waste must be disposed of at a waste management facility licensed by the NSW Environment Protection Authority to receive asbestos waste.

## Environmental Matters

- 8 Erosion and sediment control measures shall be installed **prior to the commencement of works on site** including approved clearing of site vegetation. The erosion and sediment control measures are to be maintained in accordance with the approved erosion and sediment control plan(s) for the development and the Department of Housing's "Managing Urban Stormwater: Soils and Construction" 2004.

(Note: To obtain a copy of the publication, you should contact Landcom on (02) 98418600).

- 9 No fill material is to be imported to the site without the prior approval of Penrith City Council in accordance with Sydney Regional Environmental Plan No.20 (Hawkesbury- Nepean River) (No.2-1997). No recycling of material for use as fill material shall be carried out on the site without the prior approval of Council.
- 10 All waste materials stored on-site are to be contained within a designated area such as a waste bay or bin to ensure that no waste materials are allowed to enter the stormwater system or neighbouring properties. The designated waste storage areas shall provide at least two waste bays / bins so as to allow for the separation of wastes, and are to be fully enclosed when the site is unattended.
- 11 All excavated material and other wastes generated as a result of the development are to be re-used, recycled or disposed of in accordance with the approved waste management plan.
- Waste materials not specified in the approved waste management plan are to be disposed of at a lawful waste management facility. Where the disposal location or waste materials have not been identified in the waste management plan, details shall be provided to the Certifying Authority as part of the waste management documentation accompanying the Construction Certificate application.
- All receipts and supporting documentation must be retained in order to verify lawful disposal of materials and are to be made available to Penrith City Council on request.
- 12 Noise levels within the premises shall not exceed the relevant noise criteria detailed in the 'Railway Noise and Vibration Assessment at:- 84 Cox Avenue, Penrith, NSW 2750' prepared by Noise and Sound Services, dated August 2020 (Ref. nss23240 - Final).

The recommendations provided in the above-mentioned acoustic report shall be implemented and

incorporated into the design and construction of the development, and **shall be shown on plans accompanying the Construction Certificate application.**

A certificate is to be obtained from a qualified acoustic consultant certifying that the development has been constructed to meet the noise criteria in accordance with the approved acoustic report. This certificate is to be submitted to the Principal Certifying Authority **prior to the issue of an Occupation Certificate.**

The provisions of the Protection of the Environment Operations Act 1997 apply to the development, in terms of regulating offensive noise.

- 13 The operating noise level of plant and equipment shall not exceed 5dB(A) above the background noise level when measured at the boundaries of the premises. The provisions of the Protection of the Environment Operations Act 1997 apply to the development, in terms of regulating offensive noise.
- 14 Only clean and unpolluted water is to be discharged into Penrith City Council's stormwater drainage system. Liquid wastes suitable for discharge to the mains sewer are to be discharged in accordance with Sydney Water requirements.

If mains sewer is not available or if Sydney Water will not allow disposal to the sewer then a licensed waste contractor is to remove the liquid waste from the premises to an appropriate waste facility.

The waste contractor and waste facility are to hold the relevant licenses issued by the NSW Environment Protection Authority.

- 15 An appropriately qualified person/s shall:
  - Supervise all filling works.
  - (On completion of filling works) carry out an independent review of all documentation relating to the filling of the site, and submit a review findings report to Council and any Principal Certifying Authority. All fill material documentation is to (at minimum):
    - be prepared by an appropriately qualified person with consideration of all relevant guidelines, standards, planning instruments and legislation (e.g. EPA, NEPM, ANZECC, NH&MRC),
    - clearly state the legal property description of the fill material source site and the total amount of fill tested,
    - provide details of the volume of fill material to be used in the filling operations,
    - provide a classification of the fill material to be imported to the site in accordance with the NSW Environment Protection Authority's "Waste Classification Guidelines" 2014, and
    - (based on the fill classification) determine whether the fill material is suitable for its intended purpose and land use and whether the fill material will or will not pose an unacceptable risk to human health or the environment.
  - Certify by way of a Compliance Certificate or other written documentation that fill materials have been placed on the site in accordance with all conditions of this consent and that the site will not pose an unacceptable risk to human health or the environment. A copy of the Compliance Certificate or other documentation shall be submitted to Council and any Principal Certifying Authority.

The contact details of any appropriately qualified person/s engaged for the works shall be provided with the Notice of Commencement.

If the Principal Certifying Authority or Penrith City Council is not satisfied that suitable fill materials have been used on the site, further site investigations or remediation works may be requested. In these circumstances the works shall be carried out prior to any further approved works.

{Note: An appropriately qualified person is defined as "a person who, in the opinion of Council, has a

demonstrated experience, or access to experience in hydrology, environmental chemistry, soil science, ecotoxicology, sampling and analytical procedures, risk evaluation and remediation technologies. In addition, the person will be required to have appropriate professional indemnity and public risk insurance.”}

- 16 Dust suppression techniques are to be employed during all works to reduce any potential nuisances to surrounding properties.
- 17 All demolition and construction works will be restricted to the following hours in accordance with the NSW Environment Protection Authority Noise Control Guidelines:
- Mondays to Fridays, 7am to 6pm
  - Saturdays, 7am to 1pm (if inaudible on neighbouring residential premises), otherwise 8am to 1pm
  - No work is permitted on Sundays and Public Holidays.

In the event that the work does not involve the use of equipment that emits noise, then the works are not restricted to the hours stated above.

The provisions of the Protection of the Environment Operations Act, 1997 in regulating offensive noise also apply to all works.

- 18 Mud and soil from vehicular movements to and from the site must not be deposited on the road.
- 19 Should any "unexpected finds" occur during site excavation and earthworks including, but not limited to, the identification/finding of contaminated soils, buried building materials, asbestos, odour and/or staining, works are to cease immediately and Penrith City Council is to be notified. Any such "unexpected finds" shall be addressed by an appropriately qualified person.

All remediation works within the Penrith Local Government Area are considered to be Category 1 works under State Environmental Planning Policy 55-Remediation of Land. Should any contamination be found during development works and should remediation works be required, development consent is to be sought from Penrith City Council before the remediation works commence.

{Note: An appropriately qualified person is defined as “a person who, in the opinion of Council, has a demonstrated experience, or access to experience in hydrology, environmental chemistry, soil science, ecotoxicology, sampling and analytical procedures, risk evaluation and remediation technologies. In addition, the person will be required to have appropriate professional indemnity and public risk insurance.”}

- 20 **Prior to commencement of demolition works on site**, a Hazardous Building Materials Assessment is to be submitted to Council. The associated investigations are required to be carried out to assess the location, extent and condition of Hazardous Building Materials including but not limited to the following:
- Asbestos
  - Synthetic mineral fibres (SMF)
  - Polychlorinated Biphenyls (PCBs)
  - Lead-containing paint
  - Ozone depleting substances
  - Lead dust in ceiling cavities

The Assessment is to also provide general recommendations for the removal of the hazardous materials, including the preparation of safe work method statements and risk assessments to appropriately address health and safety issues.

During demolition works, the approved Hazardous Building Materials Assessment must be implemented and complied with at all times.

At the completion of the demolition works, the applicant is to submit to Council a report demonstrating that the hazardous building materials identified in the Hazardous Building Materials Assessment have been removed and disposed of at a lawful waste facility.

## BCA Issues

- 21 All aspects of the building design shall comply with the applicable performance requirements of the Building Code of Australia so as to achieve and maintain acceptable standards of structural sufficiency, safety (including fire safety), health and amenity for the on-going benefit of the community. Compliance with the performance requirements can only be achieved by:

(a) complying with the deemed to satisfy provisions, or

(b) formulating an alternative solution which:

- complies with the performance requirements, or
- is shown to be at least equivalent to the deemed to satisfy provision, or
- (c) a combination of (a) and (b).

## Utility Services

- 22 A Section 73 Compliance Certificate under the Sydney Water Act 1994 shall be obtained from Sydney Water. The application must be made through an authorised Water Servicing Coordinator. Please refer to “Your Business” section of Sydney Water’s website at [www.sydneywater.com.au](http://www.sydneywater.com.au) then the “e-developer” icon, or telephone 13 20 92.

The Section 73 Compliance Certificate must be submitted to the Principal Certifying Authority prior to the issue of an Occupation Certificate.

- 23 Prior to the issue of a Construction Certificate, a written clearance is to be obtained from Endeavour Energy stating that electrical services have been made available to the development or that arrangements have been entered into for the provision of services to the development.

In the event that a pad mounted substation is necessary to service the development, Penrith City Council shall be consulted over the proposed location of the substation before the Construction Certificate for the development is issued as the location of the substation may impact on other services and building, driveway or landscape design already approved by Council.

- 24 **Prior to the issue of a Construction Certificate**, the Principal Certifying Authority shall be satisfied that telecommunications infrastructure may be installed to service the premises which complies with the following:
- The requirements of the Telecommunications Act 1997:
  - For a fibre ready facility, the NBN Co’s standard specifications current at the time of installation; and
  - For a line that is to connect a lot to telecommunications infrastructure external to the premises, the line shall be located underground.

Unless otherwise stipulated by telecommunications legislation at the time of construction, the development must be provided with all necessary pits and pipes, and conduits to accommodate the future connection of optic fibre technology telecommunications.

**Prior to the issue of an Occupation Certificate**, written certification from all relevant service providers that the telecommunications infrastructure is installed in accordance with the requirements above and the applicable legislation at the time of construction, must be submitted to the Principal Certifying Authority.

## Construction

25 Stamped plans, specifications, a copy of the development consent, the Construction Certificate and any other Certificates to be relied upon shall be available on site at all times during construction.

The following details are to be displayed in a maximum of 2 signs to be erected on the site:

- the name of the Principal Certifying Authority, their address and telephone number,
- the name of the person in charge of the work site and telephone number at which that person may be contacted during work hours,
- that unauthorised entry to the work site is prohibited,
- the designated waste storage area must be covered when the site is unattended, and
- all sediment and erosion control measures shall be fully maintained until completion of the construction phase.

Signage but no more than 2 signs stating the above details is to be erected:

- at the commencement of, and for the full length of the, construction works onsite, and
- in a prominent position on the work site and in a manner that can be easily read by pedestrian traffic.

All construction signage is to be removed when the Occupation Certificate has been issued for the development.

26 Prior to the commencement of construction works:

(a) Toilet facilities at or in the vicinity of the work site shall be provided at the rate of one toilet for every 20 persons or part of 20 persons employed at the site. Each toilet provided must be:

- a standard flushing toilet connected to a public sewer, or
- if that is not practicable, an accredited sewage management facility approved by the council, or
- alternatively, any other sewage management facility approved by council.

(b) All excavations and backfilling associated with the erection or demolition of a building must be executed safely and in accordance with the appropriate professional standards. All excavations associated with the erection or demolition of a building must be properly guarded and protected to prevent them from being dangerous to life or property.

(c) If an excavation associated with the erection or demolition of a building extends below the level of the base of the footings of a building on an adjoining allotment of land, the person causing the excavation to be made:

- must preserve and protect the building from damage, and
- if necessary, must underpin and support the building in an approved manner, and
- must, at least 7 days before excavating below the level of the base of the footings of a building on an adjoining allotment of land, give notice of intention to do so to the owner of the adjoining allotment of land and furnish particulars of the excavation to the owner of the building being erected or demolished. The owner of the adjoining allotment of land is not liable for any part of the cost of work carried out for the purposes of this condition, whether carried out on the allotment of land being excavated or on the adjoining allotment of land, (includes a public road and any other public place).

(d) If the work involved in the erection or demolition of a building is likely to cause pedestrian or vehicular traffic in a public place to be obstructed or rendered inconvenient, or involves the enclosure of a public place, a hoarding or fence must be erected between the work site and the public place:

- if necessary, an awning is to be erected, sufficient to prevent any substance from, or in connection with, the work falling into the public place,
- the work site must be kept lit between sunset and sunrise if it is likely to be hazardous to persons in the public place, and
- any such hoarding, fence or awning is to be removed when the work has been completed.

27 **Prior to works commencing**, a Construction Waste Management Plan is to be submitted to Council for approval. This Plan is to address all waste materials generated during the demolition and construction phases of the development, including details of the proposed waste volumes, on site storage and management, designated waste contractors and waste facilities.

The Council approved Waste Management Plan must be implemented and adhered to on site, with supporting documentation / receipts retained in order to verify the disposal of materials in accordance with the approved Plan.

28 Prior to the issue of an Occupation Certificate, the building is to be painted internally and externally (as applicable).

29 Prior to the issue of an Occupation Certificate, clothes drying facilities are to be positioned, installed and screened from public view.

30 The rainwater tank(s) is to be:

- erected on a self-supporting base in the approved location on the property in accordance with the

- stamped-approved site plans for the development,
- structurally sound and constructed in accordance with AS/NZS 3500 1.2- 1998: National Plumbing and Drainage - Water Supply - Acceptable Solutions,
- fully enclosed and all openings sealed to prevent access by mosquitoes,
- fitted with a first flush device,
- fitted with a trickle system to top up from mains water,
- provided with an air gap, and
- installed by a licensed plumber in accordance with Sydney Water's "Plumbing requirements Information for rainwater tank suppliers and plumbers April 2003" and the NSW Code of Practice: Plumbing and Drainage.

Additionally, the following are to be provided:

- A back flow prevention device shall be provided at the water meter in accordance with Sydney Water requirements.
- In the event of a power failure, a back up supply of mains water shall be provided to at least one toilet in the dwelling.
- The rainwater tank(s) and associated piping is to be labelled 'Rainwater - Not for Drinking' in accordance with Sydney Water requirements.
- The rainwater tank and pipework is to be painted in colours matching the external finishes of the dwelling and is to be of non-reflective finish.
- The overflow for the rainwater tank is to be connected into the existing stormwater disposal system on the site.

Before a rainwater tank(s) can be used, a certificate or suitable document is to be submitted to the Principal Certifying Authority stating that the rainwater tank has been installed in accordance with:

- the Manufacturer's Specifications, and
- Sydney Water and NSW Health requirements.

This certificate or documentation is to be provided by the licensed plumber who installed the rainwater tank on the property, and is to be submitted prior to the issue of the Occupation Certificate.

- 31 The catchment area (for the rainwater tank) includes the parts of the roof of the dwelling(s) from which water is collected and includes gutters. To ensure a safe supply of water:
  - roof catchment areas must be kept clear of overhanging vegetation,
  - gutters must have sufficient fall to downpipes to prevent pooling of water,
  - overflow, discharge from bleed off pipes from roof mounted appliances such as airconditioners, hot water services and solar heaters must not discharge into the rainwater catchment area,
  - for roofs containing lead based, tar based or asbestos material the tank supply must not be connected to drinking, bathing and gardening tap water outlets,
  - appropriate measures must be installed to prevent foreign materials from contaminating the water which enters the rainwater tank.
- 32 The rainwater tank supply must not be connected to drinking and bathing water tap outlets.
- 33 The rainwater tank pump must not exceed 5dBA above ambient background noise level at the nearest residential property boundary. The provisions of the Protection of the Environment Operations Act 1997 apply to the development, in terms of regulating offensive noise.
- 34 Construction works or subdivision works that are carried out in accordance with an approved consent that involve the use of heavy vehicles, heavy machinery and other equipment likely to cause offence to adjoining properties shall be restricted to the following hours in accordance with the NSW Environment Protection

#### Authority Noise Control Guidelines:

- Mondays to Fridays, 7am to 6pm
- Saturdays, 7am to 1pm (if inaudible on neighbouring residential premises), otherwise 8am to 1pm
- No work is permitted on Sundays and Public Holidays.

Other construction works carried out inside a building/tenancy and do not involve the use of equipment that emits noise are not restricted to the construction hours stated above.

The provisions of the Protection of the Environment Operations Act, 1997 in regulating offensive noise also apply to all construction works.

- 35 Prior to the issue of an Occupation Certificate, the developer is to enter into a formal agreement with Penrith City Council for the utilisation of Council's Waste Collection Service. This is to include Council being provided with indemnity against claims for loss and damage.

**Note:** By entering into an agreement with Council for Waste Collection, the development will be required to operate in full compliance with Penrith City Council's Waste Collection and Processing Contracts for Standard Waste Collection. The provision of Council's waste collection service will not commence until formalisation of the agreement.

Council's waste collection will only be provided for the development upon the construction of the on-site waste collection infrastructure and **on attainment of an Occupation Certificate.**

- 36 The following waste management requirements must be complied with and details of compliance demonstrated prior to the issue of a Construction Certificate:
- The Waste Collection Area and Bulky Storage Bay are to provide wash facilities through the use of a centralised mixing valve and hose cock. Respective drainage and waste proofing is to be installed to support the use of hose facilities.
  - The wall height of the screening surrounding the Waste Collection Area and Bulky Storage Bay is not to exceed 1.4m above natural ground level.
  - The floor of the Waste Collection Area and Bulky Storage Bay is to be graded to a central drainage point connected to the sewer and discharged on site.
  - The floor of the Waste Collection Area and Bulky Storage Bay is to be constructed of concrete to a minimum thickness of 75mm, non-slip and smooth/even surface covered at all intersections.

## Roads Act Requirements

- 37 All car spaces are to be dedicated for the parking of vehicles only and not to be used for storage of material/products/waste material or laundry and the like, including the enclosed garages for Units 1, 2, 3 and 4.

## Engineering

- 38 All roadworks, stormwater drainage works, signage, line marking, associated civil works and dedications required to effect the consented development shall be undertaken by the applicant at no cost to Penrith City Council.

- 39 An Infrastructure Restoration Bond is to be lodged with Penrith City Council for development involving works around Penrith City Council's Public Infrastructure Assets. The bond is to be lodged with Penrith City Council prior to commencement of any works on site or prior to the issue of any Construction Certificate or Subdivision Works Certificate, whichever occurs first. The bond and applicable fees are in accordance with Council's adopted Fees and Charges.

An application form together with an information sheet and conditions are available on Council's website.

Contact Penrith City Council's Asset Management Department on 4732 7777 or visit Penrith City Council's website for more information.

- 40 Prior to the issue of any Construction Certificate, a Section 138 Roads Act application, including payment of application and inspection fees together with any applicable bonds, shall be lodged with and approved by Penrith City Council (being the Roads Authority for any works required in a public road). These works may include but are not limited to the following:

- a) Vehicular crossings (including kerb reinstatement of redundant vehicular crossings). The vehicular crossing shall be a minimum 1m clear of the existing Telstra pit fronting the site.
- b) Concrete footpaths and or cycleways
- c) Road opening for utilities and stormwater (including stormwater connection to Penrith City Council's road drainage system and other Penrith City Council owned drainage)
- d) Road occupancy or road closures
- e) The placement of hoardings, structures, containers, waster skips, signs etc. in the road reserve
- f) Temporary construction access

All works shall be carried out in accordance with the Roads Act approval, the development consent, including the stamped approved plans, and Penrith City Council's specifications, guidelines and best engineering practice.

Contact Penrith City Council's Asset Management Department on 4732 7777 or visit Penrith City Council's website for more information.

Note:

- Where Penrith City Council is the Certifier for the development, the Roads Act approval for the above works may be issued concurrently with the Construction Certificate or Subdivision Works Certificate.
- Separate approval may be required from Transport for NSW for classified roads.
- All works associated with the Roads Act approval must be completed prior to the issue of any Occupation Certificate or Subdivision Certificate as applicable.
- On completion of any awning over the road reserve, a certificate from a practising structural engineer certifying the structural adequacy of the awning is to be submitted to Council before Council will inspect the works and issue its final approval under the Roads Act.

- 41 The stormwater management system shall be provided generally in accordance with the concept plan/s lodged for development approval, prepared by Think Planners, reference number 20200231, revision P3, dated 17 July 2020.

Engineering plans and supporting calculations for the stormwater management systems are to be prepared by a suitably qualified person and shall accompany the application for a Construction Certificate.

**Prior to the issue of a Construction Certificate the Certifying Authority shall ensure that the stormwater management system has been designed in accordance with Council's Stormwater Drainage for Building Developments and Water Sensitive Urban Design Policy.**

- 42 The stormwater management system shall be consistent with plans lodged for development approval, prepared by SGC Consulting Engineers, project number 20200231, drawing number SW100 - SW400, revision A, dated 23/10/2020.

Prior to the issue of any Construction Certificate, the Certifier shall ensure that the stormwater management system has been designed in accordance with Penrith City Council's Stormwater Drainage Specification for Building Developments and Water Sensitive Urban Design (WSUD) Policy.

Engineering plans and supporting calculations for the stormwater management system are to be prepared by a suitably qualified person and shall accompany the application for a Construction Certificate.

- 43 Prior to the issue of any Construction Certificate, the Certifier shall ensure that vehicular access, circulation, manoeuvring, pedestrian and parking areas associated with the subject development are in accordance with AS2890.1, AS2890.2, AS2890.6 and Penrith City Council's Development Control Plan.

- 44 Prior to the commencement of any works on-site (including demolition works) or prior to the issue of any Construction Certificate, whichever occurs first, a Construction Traffic Management Plan (CTMP) shall be submitted to Penrith City Council's Asset Management Department for endorsement. The CTMP shall be prepared by a suitably qualified consultant with appropriate training and certification from Transport for NSW. The CTMP shall include details of any required road closures, work zones, loading zones and the like. Approval of the CTMP may require approval of the Local Traffic Committee. Please contact Council's Asset Management Department on 4732 7777 and refer to Council's website for a copy of the Temporary Road Reserve Occupancy Application Form.

- 45 Prior to commencement of works sediment and erosion control measures shall be installed in accordance with the approved Construction Certificate and to ensure compliance with the Protection of the Environment Operations Act 1997.

The erosion and sediment control measures shall remain in place and be maintained until all disturbed areas have been rehabilitated and stabilised.

- 46 Upon completion of all works in the road reserve, all verge areas fronting and within the development are to be turfed. The turf shall extend from the back of kerb to the property boundary, with the exception of concrete footpaths, service lids or other infrastructure which is not to be turfed over. Turf laid up to concrete footpaths, service lids or other infrastructure shall finish flush with the edge.

- 47 Prior to the issue of any Occupation Certificate, the Principal Certifier shall ensure that all works associated with a S138 Roads Act approval have been inspected and signed off by Penrith City Council.

- 48 Prior to the issue of an Occupation Certificate, works-as-executed drawings, final operation and maintenance management plans and any other compliance documentation shall be submitted to the Principal Certifying Authority in accordance with Penrith City Council's Engineering Construction Specification for Civil Works,

WSUD Technical Guidelines and Stormwater Drainage for Building Developments.

An original set of works-as-executed drawings and copies of the final operation and maintenance management plans and compliance documentation shall also be submitted to Penrith City Council with notification of the issue of the Occupation Certificate where Council is not the Principal Certifying Authority.

49 Prior to the issue of any Occupation Certificate, the Principal Certifying Authority shall ensure that the stormwater management system (including water sensitive urban design measures):

- Have been satisfactorily completed in accordance with the approved Construction Certificate and the requirements of this consent.
- Have met the design intent with regard to any construction variations to the approved design.
- Any remedial works required to be undertaken have been satisfactorily completed.

Details of the approved and constructed system/s shall be provided as part of the works-as-executed drawings.

50 Prior to the issue of any Occupation Certificate, Works As Executed drawings, final operation and maintenance management plans and any other compliance documentation for the stormwater management system shall be submitted to the Principal Certifier in accordance with Penrith City Council's Engineering Construction Specification for Civil Works, Stormwater Drainage Specification for Building Developments and WSUD Technical Guidelines.

An original set of Works As Executed drawings and copies of the final operation and maintenance management plans and compliance documentation shall also be submitted to Penrith City Council with notification of the issue of the Occupation Certificate where Penrith City Council is not the Principal Certifier.

51 Prior to the issue of an Occupation Certificate a restriction as to user and positive covenant relating to the stormwater management systems (including water sensitive urban design measures) shall be registered on the title of the property. The restriction as to user and positive covenant shall be in Penrith City Council's standard wording as detailed in Penrith City Council's Stormwater Drainage Specification for Building Development – Appendix F

52 Prior to the issue of any Occupation Certificate, the Principal Certifier shall ensure that the:

a) Stormwater management systems (including on-site detention)

- have been satisfactorily completed in accordance with the approved Construction Certificate or Subdivision Works Certificate and the requirements of this consent;
- have met the design intent with regard to any construction variations to the approved design, and;
- Any remedial works required to be undertaken have been satisfactorily completed.

Details of the approved and constructed system/s shall be provided as part of the Works As Executed drawings.

53 Prior to the issue of any Occupation Certificate, a restriction on the use of land and positive covenant relating to the:

a) Stormwater management systems (including on-site detention)

shall be registered on the title of the property. The restriction on the use of land and positive covenant shall be in Penrith City Council's standard wording as detailed in Council's Stormwater Specification for Building Developments - Appendix F.

54 The stormwater management system shall continue to be operated and maintained in perpetuity for the life of the development in accordance with the final operation and maintenance management plan.

Regular inspection records are required to be maintained and made available to Penrith City Council on request. All necessary improvements are required to be made immediately upon awareness of any deficiencies in the stormwater management systems.

55 The stormwater management systems shall continue to be operated and maintained in perpetuity to the satisfaction of Council in accordance with the final operation and maintenance management plan. Regular inspection records are required to be maintained and made available to Council upon request. All necessary improvements are required to be made immediately upon awareness of any deficiencies in the treatment measure/s

56 Prior to the issue of any Construction Certificate, the Certifier shall ensure that the driveway hardstand area at the southern end of the site is extended to wholly contain the swept path for the design vehicle for both ingress and egress for the double garage servicing Unit 4 in accordance with AS2890.

## Landscaping

57 All landscape works are to be constructed in accordance with the stamped approved plans and Chapter C6 Landscape Design of Penrith Development Control Plan 2014.

Landscaping shall be maintained:

- in accordance with the approved plan, and
- in a healthy state, and in perpetuity by the existing or future owners and occupiers of the property.

If any of the vegetation comprising that landscaping dies or is removed, it is to be replaced with vegetation of the same species and, to the greatest extent practicable, the same maturity as the vegetation which died or was removed.

58 All landscape works are to meet industry best practice and the following relevant Australian Standards:

- AS 4419 Soils for Landscaping and Garden Use,
- AS 4454 Composts, Soil Conditioners and Mulches, and
- AS 4373 Pruning of Amenity Trees.

59 No trees are to be removed, ringbarked, cut, topped or lopped or wilfully destroyed (other than those within

the proposed building footprint or as shown on the approved plans) without the prior consent of Penrith City Council and in accordance with Council's Tree Preservation Order and Policy.

## Section 94

60 This condition is imposed in accordance with Penrith City Council's Section 7.11 Contributions Plan for Cultural Facilities. Based on the current rates detailed in the accompanying schedule attached to this Notice, \$1,221.00 **is to be paid to Council prior to a Construction Certificate being** issued for this development (the rates are subject to quarterly reviews). If not paid within the current quarterly period, this contribution will be reviewed at the time of payment in accordance with the adopted Section 7.11 Contributions plan. The projected rates of this contribution amount are listed in Council's Fees and Charges Schedule.

Council should be contacted prior to payment to ascertain the rate for the current quarterly period. The S7.11 invoice accompanying this consent should accompany the contribution payment. The Section 7.11 Contributions Plan for Cultural Facilities may be inspected at Council's Civic Centre, 601 High Street, Penrith.

**Note:** The timing of contributions payable may be otherwise affected in accordance with Planning Circular PS20-003 dated 3 July 2020 and the associated NSW Government Ministerial Direction - Infrastructure Contributions.

61 This condition is imposed in accordance with Penrith City Council's Section 7.11 Contributions Plan for District Open Space. Based on the current rates detailed in the accompanying schedule attached to this Notice, \$9,932.00 **is to be paid to Council prior to a Construction Certificate being** issued for this development (the rates are subject to quarterly reviews). If not paid within the current quarterly period, this contribution will be reviewed at the time of payment in accordance with the adopted Section 7.11 Contributions plan. The projected rates of this contribution amount are listed in Council's Fees and Charges Schedule.

Council should be contacted prior to payment to ascertain the rate for the current quarterly period. The S7.11 invoice accompanying this consent should accompany the contribution payment. The Section 7.11 Contributions Plan for District Open Space may be inspected at Council's Civic Centre, 601 High Street, Penrith.

**Note:** The timing of contributions payable may be otherwise affected in accordance with Planning Circular PS20-003 dated 3 July 2020 and the associated NSW Government Ministerial Direction - Infrastructure Contributions.

62 This condition is imposed in accordance with Penrith City Council's Section 7.11 Contributions Plan for Local Open Space. Based on the current rates detailed in the accompanying schedule attached to this Notice, \$3,591.00 **is to be paid to Council prior to a Construction Certificate being** issued for this development (the rates are subject to quarterly reviews). If not paid within the current quarterly period, this contribution will be reviewed at the time of payment in accordance with the adopted Section 7.11 Contributions plan. The projected rates of this contribution amount are listed in Council's Fees and Charges Schedule.

Council should be contacted prior to payment to ascertain the rate for the current quarterly period. The S7.11 invoice accompanying this consent should accompany the contribution payment. The Section 7.11 Contributions Plan for Local Open Space may be inspected at Council's Civic Centre, 601 High Street, Penrith.

**Note:** The timing of contributions payable may be otherwise affected in accordance with Planning Circular PS20-003 dated 3 July 2020 and the associated NSW Government Ministerial Direction - Infrastructure Contributions.

## Certification

63 Prior to the commencement of any earthworks or construction works on site, the proponent is to:

(a) employ a Principal Certifying Authority to oversee that the said works carried out on the site are in accordance with the development consent and related Construction Certificate issued for the approved development, and with the relevant provisions of the Environmental Planning and Assessment Act 1979, and accompanying Regulation, and

(b) submit a Notice of Commencement to Penrith City Council.

The Principal Certifying Authority shall submit to Council an "Appointment of Principal Certifying Authority" in accordance with Section 81A of the Environmental Planning and Assessment Act 1979.

Information to accompany the Notice of Commencement

Two (2) days before any earthworks or construction/demolition works are to commence on site (including the clearing of site vegetation), the proponent shall submit a "Notice of Commencement" to Council in accordance with Section 81A of the Environmental Planning and Assessment Act 1979.

64 An Occupation Certificate is to be obtained from the Principal Certifying Authority on completion of all works and prior to the occupation/use of the dwellings.

The Certificate shall not be issued if any conditions of this consent, but not the conditions relating to the operation of the development, are outstanding.

A copy of the Occupation Certificate and all necessary documentation supporting the issue of the Certificate is to be submitted to Penrith City Council, if Council is not the Principal Certifying Authority.

## SIGNATURE

|            |                 |
|------------|-----------------|
| Name:      | James Heathcote |
| Signature: |                 |

For the Development Services Manager