## **BASIX** Certificate

Building Sustainability Index www.basix.nsw.gov.au

## **Alterations and Additions**

Certificate number: A225746

This certificate confirms that the proposed development will meet the NSW government's requirements for sustainability, if it is built in accordance with the commitments set out below. Terms used in this certificate, or in the commitments, have the meaning given by the document entitled "BASIX Alterations and Additions Definitions" dated 18/09/2014 published by Planning & Infrastructure. This document is available at www.basix.nsw.gov.au

Director-General

Date of issue: Friday, 07, August 2015

To be valid, this certificate must be lodged within 3 months of the date of issue.



## **Project address** Project name Nelson - Xzibit Street address 58 Twin Creeks Drive Luddenham 2745 Penrith City Council Local Government Area Deposited Plan 270417 Plan type and number 282 Lot number 0 Section number Project type Separate dwelling house Dwelling type pti Type of alteration and My renovation work is less than \$50,000, but includes a pool (and/or spa) with a combined addition \_ \_ capacity of 40,000 litres or more.

Certificate Prepared by (please complete before submitting to Council or PCA)

Name / Company Name: Pool Plans By Design

ABN (if applicable): 86375033089

BASIX Certificate number: A225746 page 2 / 3

Pool and Spa	Show on DA Plans	Show on CC/CDC Plans & specs	Certifier Check
Rainwater tank			
The applicant must install a rainwater tank of at least 3204 litres on the site. This rainwater tank must meet, and be installed in accordance with, the requirements of all applicable regulatory authorities.	<b>✓</b>	<b>✓</b>	<b>✓</b>
The applicant must configure the rainwater tank to collect rainwater runoff from at least 215 square metres of roof area.		<b>✓</b>	✓
The applicant must connect the rainwater tank to a tap located within 10 metres of the edge of the pool.		<b>✓</b>	<b>✓</b>
Outdoor swimming pool			
The swimming pool must be outdoors.	<b>√</b>	<b>✓</b>	<b>✓</b>
The swimming pool must not have a capacity greater than 87 kilolitres.	<b>✓</b>	<b>✓</b>	✓
The applicant must install a pool pump timer for the swimming pool.		<b>✓</b>	✓
The applicant must not incorporate any heating system for the swimming pool that is part of this development.		<b>✓</b>	✓

BASIX Certificate number: A225746 page 3 / 3

## Legend

In these commitments, "applicant" means the person carrying out the development.

Commitments identified with a " " in the "Show on DA plans" column must be shown on the plans accompanying the development application for the proposed development (if a development application is to be lodged for the proposed development).

Commitments identified with a "

"in the "Show on CC/CDC plans & specs" column must be shown in the plans and specifications accompanying the application for a construction certificate / complying development certificate for the proposed development.

Commitments identified with a " " in the "Certifier check" column must be certified by a certifying authority as having been fulfilled, before a final occupation certificate for the development may be issued.