

Nationwide House Energy Rating Scheme* — Class 2 summary

Certificate number: 0006704550

Certificate Date: 22 Oct 2021

★ Average Star rating: 7.4



Assessor details


Accreditation number: **HERA10141**
Name: **Kangkang Wang**
Organisation: **SLR Consulting**
Email: **owang@slrconsulting.com**
Phone: **+61 2 9427 8100**
Declaration of interest: **The Assessor has provided design advice to the Applicant**
Software: **BERS Pro v4.3.0.2f (3.13)**

AAO: **HERA**

Dwelling details

Street: **154 -162 Stafford Street**
Suburb: **Penrith**
State: **NSW**
Postcode: **2750**

Scan to access this certificate online and confirm this is valid.



Summary of all dwellings

Certificate Details

Certificate number	Unit number	Heating load	Cooling load	Total load	Star Rating
0006704183	A01	9.7	16.3	26.0	8.9
0006704191	A02	8.8	19.7	28.4	8.8
0006704209	A03	54.4	19.8	74.2	6.7
0006704217	A04	19.6	34.2	53.8	7.6
0006704225	A05	25.7	40.5	66.2	6.9
0006704233	A06	49.4	63.2	112.6	4.9
0006704241	B01	41.5	15.6	57.1	7.4
0006704258	B02	42.2	13.7	55.8	7.4
0006704266	B03	43.0	13.8	56.7	7.4
0006704274	B04	39.4	38.8	78.2	6.4
0006704282	B05	27.2	19.0	46.2	7.9
0006704290	B06	15.7	20.3	36.0	8.4
0006704308	B07	48.4	18.6	67.1	6.9
0006704316	B08	37.2	24.1	61.3	7.3
0006704324	B09	34.3	23.3	57.6	7.4

* Nationwide House Energy Rating Scheme (NatHERS) is an initiative of the Australian, state and territory governments.

For more details see www.nathers.gov.au

Nationwide House Energy Rating Scheme* - Class 2 summary

Certificate number: **0006704550**

Certificate Date:

22 Oct 2021

★ Average Star rating: **7.4**



Summary of all dwellings continued

Certificate Details

Certificate number	Unit number	Heating load	Cooling load	Total load	Star Rating
0006704332	B10	37.9	23.0	60.9	7.3
0006704340	B11	36.8	51.5	88.3	5.9
0006704357	B12	31.6	35.0	66.6	6.9
0006704365	B13	17.9	28.6	46.5	7.9
0006704373	B14	14.2	25.5	39.7	8.3
0006704381	C01	15.7	12.3	28.0	8.8
0006704399	C02	7.2	16.5	23.7	8.9
0006704407	C03	9.1	16.6	25.7	8.9
0006704415	C04	20.9	45.7	66.6	6.9
0006704423	C05	47.3	28.1	75.3	6.6
0006704431	C06	6.5	20.6	27.1	8.9
0006704449	C07	5.8	28.5	34.4	8.4
0006704456	C08	16.6	32.7	49.2	7.8
0006704464	C09	47.1	27.5	74.6	6.7
0006704472	C10	21.6	49.0	70.6	6.8
0006704480	C11	19.7	27.5	47.1	7.9
0006704498	C12	45.6	36.1	81.7	6.3
0006704506	C13	47.7	39.9	87.6	5.9