

PENRITH CITY COUNCIL

NOTICE OF DETERMINATION

DESCRIPTION OF DEVELOPMENT

Application number:	DA15/1105
Description of development:	Demolition of the existing buildings and Subdivision into (2) x Torrens Title Residue Lots
Classification of development:	N/A

DETAILS OF THE LAND TO BE DEVELOPED

Legal description:	Lot 4 DP 27107
Property address:	262 - 268 Caddens Road, CLAREMONT MEADOWS NSW 2747

DETAILS OF THE APPLICANT

Name & Address:	Vince Morgan Surveyors Pty Ltd PO Box 4156 PENRITH PLAZA NSW 2751
-----------------	---

DECISION OF CONSENT AUTHORITY

In accordance with Section 81(1) (a) of the Environmental Planning and Assessment Act 1979, consent is granted subject to the conditions listed in Attachment 1.

Please note that this consent will lapse on the expiry date unless the development has commenced in that time.

Date from which consent operates	23 December 2015
Date the consent expires	23 December 2017
Date of this decision	23 December 2015

POINT OF CONTACT

If you have any questions regarding this determination you should contact:

Assessing Officer:	Belinda Borg
Contact telephone number:	+612 4732 7505

NOTES

Reasons

The conditions in the attached schedule have been imposed in accordance with Section 80A of the Environmental Planning and Assessment Act 1979 as amended.

Conditions

Your attention is drawn to the attached conditions of consent in attachment 1.

Certification and advisory notes

You should also check if this type of development requires a construction certificate in addition to this development consent.

It is recommended that you read any Advisory Note enclosed with this notice of determination.

Review of determination

The applicant may request Council to review its determination pursuant to Section 82A of the Environmental Planning and Assessment Act 1979 within 6 months of receiving this Notice of Determination.

You cannot make this request if the development is Designated Development, Integrated Development or State Significant development or if the application was decided by a Joint Regional Planning Panel.

Appeals in the Land and Environment Court

The applicant can appeal against this decision in the Land and Environment Court within six (6) months of receiving this Notice of Determination.

You cannot appeal if a Commission of Inquiry was held for the subject development application, or if the development is a State Significant Development.

An appeal to the Land and Environment Court is made by lodging an application to the Court in accordance with the Rules of the Court.

Designated development

If the application was for designated development and a written objection was made in respect to the application, the objector can appeal against this decision to the Land and Environment Court within 28 days after the date of this notice. The objector cannot appeal if a Commission of Inquiry was held.

If the applicant appeals against this decision, objector(s) will be given a notice of the appeal and the objector(s) can apply to the Land and Environment Court within 28 days after the date of this appeal notice to attend the appeal and make submissions at that appeal.

Joint Regional Planning Panels

If the application was decided by a Joint Regional Planning Panel, please refer to Section 23H of the Environmental Planning and Assessment Act, 1979 (as amended) for any further regulations.

OTHER APPROVALS

APPROVAL BODIES

APPROVAL BODY NAME	DATE OF GENERAL TERMS OF APPROVAL	REF. NO.	NO. OF PAGES	RELEVANT LEGISLATION
Rural Fire Service	13 October 2015	D15/2990 DA15100698823 MA	2	Rural Fires Act 1997

The approval bodies listed above have provided General Terms of Approval for this development in accordance with the relevant legislation. A copy of these General Terms of Approval is provided with this development consent notice. Compliance with the relevant State Government departments' General Terms of Approval are required in conjunction with the following conditions listed in Attachment 1: Conditions of Consent issued by Penrith City Council.

ATTACHMENT 1: CONDITIONS OF CONSENT

General

- 1 The development must be implemented substantially in accordance with the following stamped approved plans, the application form and any supporting information issued by Penrith City Council, except as may be amended in red on the attached plans and by the following conditions.

Drawing Title	Plan No.	Issue	Prepared By	Date
Plan of Subdivision	19791P		Vince Morgan	27.7.2015
Statement of Environmental Effects	-	-	Cityscape Planning & Projects	August 2015

- 2 The conditions imposed by the NSW Rural Fire Service in the Integrated Development consent and in the Bush Fire Safety authority for the said development are to be completed prior to the issue of an Occupation Certificate or in the case of subdivision, a Subdivision Certificate.
- 3 A **Construction Certificate** shall be obtained prior to commencement of works.
- 4 The development is required to comply with the General Terms of Approval (GTA) dated 19 May 2015, issued by the NSW Rural Fire Service as outlined below:
- At the issue of subdivision certificate and in perpetuity the entire property of Lot 41 shall be managed as an inner protection area (IPA) as outlined within Section 4.1.3 and Appendix 5 of 'Planning for Bushfire Protection 2006' and the NSW Rural Fire Service's document 'Standards for asset protection zones'.

Demolition

- 5 The existing dwelling and ancillary structures are to be demolished as part of the approved work.
- 6 All demolition works are to be conducted in accordance with the provisions of AS 2601-1991 "The Demolition of Structures". **Prior to demolition**, all services shall be suitably disconnected and capped off or sealed to the satisfaction of the relevant service authority requirements.

All demolition and excavated material shall be disposed of at a Council approved site or waste facility. Details of the proposed disposal location(s) of all excavated material from the development site shall be provided to the Principal Certifying Authority **prior to commencement of demolition**.

- 7 You should read Council's Fact Sheet titled "Handling and Disposal of Fibrous Cement Products" **before any demolition works commence on the site**.

Prior to commencement of demolition works on site, a portaloo with appropriate washing facilities shall be located on the site and the Principal Certifying Authority is to be satisfied that:

- Measures are in place so as to comply with the WorkCover Authority's "Short Guide to Working with Asbestos Cement" and

- The person employed to undertake the works is a licensed asbestos removal contractor and is holder of a current WorkCover Asbestos Licence.

Any demolition works involving the removal of all asbestos shall only be carried out by a licensed asbestos removal contractor who has a current WorkCover Asbestos Licence.

All asbestos laden waste, including asbestos cement flat and corrugated sheeting must be disposed of at a tipping facility licensed by the Environmental Protection Authority to receive asbestos wastes.

- 8 Dust suppression techniques are to be employed during demolition to reduce any potential nuisances to surrounding properties.
- 9 Mud and soil from vehicular movements to and from the site must not be deposited on the road.
- 10 Demolition works will be restricted to the following hours in accordance with the NSW Environment Protection Authority Noise Control Guidelines:
 - Mondays to Fridays, 7am to 6pm
 - Saturdays, 7am to 1pm (if inaudible on neighbouring residential premises), otherwise 8am to 1pm
 - No demolition work is permitted on Sundays and Public Holidays.In the event that the demolition relates to works inside the building and do not involve external walls or the roof, and do not involve the use of equipment that emits noise then the demolition works are not restricted to the hours stated above.

The provisions of the Protection of the Environment Operations Act, 1997 in regulating offensive noise also apply to all construction works.

Environmental Matters

- 11 Erosion and sediment control measures shall be installed **prior to the commencement of works on site** including approved clearing of site vegetation. The erosion and sediment control measures are to be maintained in accordance with the approved erosion and sediment control plan(s) for the development and the Department of Housing's "Managing Urban Stormwater: Soils and Construction" 2004.

(Note: To obtain a copy of the publication, you should contact Landcom on (02) 98418600).
- 12 All land that has been disturbed by demolition works is to be spray grassed or similarly treated to establish a grass cover.
- 13 No fill material is to be imported to the site without the prior approval of Penrith City Council in accordance with Sydney Regional Environmental Plan No.20 (Hawkesbury- Nepean River) (No.2-1997). No recycling of material for use as fill material shall be carried out on the site without the prior approval of Council.
- 14 All waste materials stored on-site are to be contained within a designated area such as a waste bay or bin to ensure that no waste materials are allowed to enter the stormwater system or neighbouring properties. The designated waste storage areas shall provide at least two waste bays / bins so as to allow for the separation of wastes, and are to be fully enclosed when the site is unattended.

Utility Services

15 All services (water, sewer, electricity, telephone and gas) are to be installed within the proposed public roads before final inspection of the engineering works.

Prior to the release of the linen plan, the following service authority clearances shall be obtained:

- a Section 73 Compliance Certificate under the Sydney Water Act 1994 shall be obtained from Sydney Water. This is required prior to the issue of the Subdivision Certificate and
- a letter from Integral Energy stating that satisfactory arrangements can/ have been made for electricity supply to all proposed allotments in the subdivision, including any necessary easements; and
- a letter from an approved telecommunications service provider that satisfactory arrangements can/ have been made for underground telephone services to all proposed allotments in the subdivision, including any necessary easements.

These clearances are to be submitted to the Principal Certifying Authority.

Construction

16 Stamped plans, specifications, a copy of the development consent, the Construction Certificate and any other Certificates to be relied upon shall be available on site at all times during construction.

The following details are to be displayed in a maximum of 2 signs to be erected on the site:

- the name of the Principal Certifying Authority, their address and telephone number,
- the name of the person in charge of the work site and telephone number at which that person may be contacted during work hours,
- that unauthorised entry to the work site is prohibited,
- the designated waste storage area must be covered when the site is unattended, and
- all sediment and erosion control measures shall be fully maintained until completion of the construction phase.

Signage but no more than 2 signs stating the above details is to be erected:

- at the commencement of, and for the full length of the, construction works onsite, and
- in a prominent position on the work site and in a manner that can be easily read by pedestrian traffic.

All construction signage is to be removed when the Subdivision Certificate has been issued for the development.

- 17 A completed waste management plan shall be submitted to Penrith City Council for consideration and approval. Council must approve the plan before works can commence on site.

The waste management plan shall be prepared in accordance with the Penrith Development Control Plan (2014), and shall address all waste materials likely to result from the proposed development, with details of the estimated waste volumes, onsite storage and management, proposed re-use of materials, designated waste contractors, recycling outlet and / or landfill site.

The approved waste management plan must be implemented on-site and adhered to throughout the demolition works, with supporting documentation / receipts retained in order to verify the recycling and disposal of materials in accordance with the approved plan.

- 18 Construction works or subdivision works that are carried out in accordance with an approved consent that involve the use of heavy vehicles, heavy machinery and other equipment likely to cause offence to adjoining properties shall be restricted to the following hours in accordance with the NSW Environment Protection Authority Noise Control Guidelines:

- Mondays to Fridays, 7am to 6pm
- Saturdays, 7am to 1pm (if inaudible on neighbouring residential premises), otherwise 8am to 1pm
- No work is permitted on Sundays and Public Holidays.

Other construction works carried out inside a building/tenancy and do not involve the use of equipment that emits noise are not restricted to the construction hours stated above.

The provisions of the Protection of the Environment Operations Act, 1997 in regulating offensive noise also apply to all construction works.

Engineering

- 19 All roadwork, stormwater, associated civil works and dedications, required to effect the consented development shall be undertaken at no cost to Penrith City Council.

Landscaping

- 20 No trees are to be removed, ringbarked, cut, topped or lopped or wilfully destroyed (other than those within the proposed building footprint or as shown on the approved plans) without the prior consent of Penrith City Council and in accordance with Council's Tree Preservation Order and Policy.

Subdivision

21 Work on the subdivision is not to commence until:

- a Construction Certificate has been issued,
- a Principal Certifying Authority has been appointed for the project, and
- any other matters prescribed in the development consent for the subdivision and the Environmental Planning and Assessment Act and Regulation have been complied with.

Penrith City Council is to be notified 48 hours prior to commencement of engineering works or clearing associated with the subdivision.

22 Prior to the issue of a Subdivision Certificate, submission of the original Linen Plan and ten (10) copies shall be made.

All drainage easements, rights of way, restrictions and covenants are to be included on the linen plan.

All dedications of roads/drainage are to be undertaken at no cost to Penrith City Council.

The following information is to be shown on one (1) copy of the plan.

- The location of all buildings and/or other permanent improvements shall comply with any statutory boundary clearances or setbacks as defined by the Building Code of Australia and Council's resolutions.
- All existing services are wholly contained within the lot served and/or covered by an appropriate easement.

23 The linen plan of subdivision is to be supported by an 88B instrument creating a Restriction as to User or easement regarding the following:

- a) Stage 1 Preliminary Site Investigation will be required to support any further subdivision of Lot 41; and
- b) Residue Allotment - no development or building shall be allowed or be permitted to remain on Lot 41 unless satisfactory arrangements have been made with Penrith City Council for services (water, sewer, electricity and telephone) or any outstanding contributions to be paid.

Council shall be nominated as the only authority permitted to modify, vary or rescind such restriction as to user.

Certification

- 24 Prior to the commencement of any earthworks or construction works on site, the proponent is to:
- (a) employ a Principal Certifying Authority to oversee that the said works carried out on the site are in accordance with the development consent and related Construction Certificate issued for the approved development, and with the relevant provisions of the Environmental Planning and Assessment Act and accompanying Regulation, and
 - (b) submit a Notice of Commencement to Penrith City Council.

The Principal Certifying Authority shall submit to Council an "Appointment of Principal Certifying Authority" in accordance with Section 81A of the Environmental Planning and Assessment Act 1979.

Information to accompany the Notice of Commencement

Two (2) days before any earthworks or construction/demolition works are to commence on site (including the clearing site vegetation), the proponent shall submit a "Notice of Commencement" to Council in accordance with Section 81A of the Environmental Planning and Assessment Act 1979.

Operation of OSSM

- 25 The contents of the existing septic tank are to be removed by a licensed waste contractor and deposited to an approved waste facility. The disconnected tank shall be removed, demolished or filled with clean soil and garden lime. Documentation of the collection and disposal of waste are to be retained and provided to Council on request.

SIGNATURE

Name:	Belinda Borg
Signature:	

For the Development Services Manager