

PENRITH CITY COUNCIL

NOTICE OF DETERMINATION

DESCRIPTION OF DEVELOPMENT

Application number:	DA20/0142
Description of development:	Alterations & Additions to St Marys Rugby Leagues Club Including the Provision of Shade Structures and Internal Layout Amendments
Classification of development:	Class 9b , Class 10a

DETAILS OF THE LAND TO BE DEVELOPED

Legal description:	Lot 11 DP 1192443
Property address:	Boronia Road, NORTH ST MARYS NSW 2760

DETAILS OF THE APPLICANT

Name & Address:	Stimson & Baker Planning PO Box 1912 PENRITH NSW 2751
-----------------	---

DECISION OF CONSENT AUTHORITY

In accordance with Section 4.18(1) (a) of the Environmental Planning and Assessment Act 1979, consent is granted subject to the conditions listed in attachment 1.

Please note that this consent will lapse on the expiry date unless the development has commenced in that time.

Date from which consent operates	21 July 2020
Date the consent expires	21 July 2025
Date of this decision	17 July 2020

POINT OF CONTACT

If you have any questions regarding this determination you should contact:

Assessing Officer:	Pukar Pradhan
Contact telephone number:	+612 4732 7726

NOTES

Reasons

The conditions in the attached schedule have been imposed in accordance with Section 4.17 of the Environmental Planning and Assessment Act 1979 as amended.

Conditions

Your attention is drawn to the attached conditions of consent in attachment 1.

Certification and advisory notes

You should also check if this type of development requires a construction certificate in addition to this development consent.

It is recommended that you read any Advisory Note enclosed with this notice of determination.

Review of determination

The applicant may request Council to review its determination pursuant to Division 8.2 of the Environmental Planning and Assessment Act 1979 within twelve months of receiving this Notice of Determination.

These provisions do not apply to designated development, complying development or crown development pursuant to Section 8.2(2) of the Environmental Planning and Assessment Act 1979.

Appeals in the Land and Environment Court

The applicant can appeal against this decision in the Land and Environment Court within twelve months of receiving this Notice of Determination.

There is no right of appeal to a decision of the Independent Planning Commission or matters relating to a complying development certificate pursuant to clause 8.6(3) of the Environmental Planning and Assessment Act 1979.

Designated development

If the application was for designated development and a written objection was made in respect to the application, the objector can appeal against this decision to the Land and Environment Court within 56 days after the date of this notice.

If the applicant appeals against this decision, objector(s) will be given a notice of the appeal and the objector(s) can apply to the Land and Environment Court within 56 days after the date of this appeal notice to attend the appeal and make submissions at that appeal.

Sydney Western City Planning Panels

If the application was decided by the Sydney Western City Planning Panel, please refer to Section 2.16 of the Environmental Planning and Assessment Act, 1979 (as amended) for any further regulations.

OTHER APPROVALS

APPROVAL BODIES(Delete this section if not applicable)

Section 100B of the Rural Fires Act 1997

APPROVAL BODY NAME	DATE OF GENERAL TERMS OF APPROVAL	REF. NO.	NO. OF PAGES	RELEVANT LEGISLATION
NSW Rural Fire Services	1 July 2020	DA20200417001341-CL55-1	3	Section 100B of the Rural Fires Act 1997

The approval bodies listed above have provided General Terms of Approval for this development in accordance with the relevant legislation. A copy of these General Terms of Approval is provided with this development consent notice. Compliance with the relevant State Government departments' General Terms of Approval are required in conjunction with the following conditions listed in Attachment 1: Conditions of Consent issued by Penrith City Council.

ATTACHMENT 1: CONDITIONS OF CONSENT

General

- 1 The development must be consistent with the following plans stamped approved by Council, the application form and any supporting information received with the application, except as may be amended in red on the attached plans and by the following conditions.

Description	Drawing numbers	Designed by	date
Site Plan	DA – 01/AC	Robertson - Mark	28/05/2020
Floor Plan	DA – 02/B	Robertson - Mark	28/05/2020
Elevations	DA – 03/B	Robertson - Mark	28/05/2020
Sections	DA – 04/B	Robertson - Mark	28/05/2020
External Finishes	DA – 05/B	Robertson - Mark	28/05/2020

2 A copy of the General Terms of Approval approval (GTA) issued by the Rural Fire Services under the Rural Fires Act 1997 shall be submitted to the Principal Certifying Authority, before the Construction Certificate can be issued for the same development. A copy of the approval shall be submitted to Penrith City Council with the copy of the Construction Certificate, if Council is not the Principal Certifying Authority. The following three matters has been listed in the GTA:

a) *From the start of building works, the property around the building must be managed as an inner protection area (IPA) for a distance of 42 metres on the eastern and southeastern aspects in accordance with the requirements of Appendix 4 of Planning for Bush Fire Protection 2019. When establishing and maintaining an IPA the following requirements apply:*

- *tree canopy cover should be less than 15% at maturity;*
- *trees at maturity should not touch or overhang the building;*
- *lower limbs should be removed up to a height of 2 metres above the ground;*
- *tree canopies should be separated by 2 to 5 metres;*
- *preference should be given to smooth barked and evergreen trees;*
- *large discontinuities or gaps in vegetation should be provided to slow down or break the progress of fire towards buildings;*
- *shrubs should not be located under trees;*
- *shrubs should not form more than 10% ground cover; clumps of shrubs should be separated from exposed windows and doors by a distance of at least twice the height of the vegetation.*
- *grass should be kept mown (as a guide grass should be kept to no more than 100 mm in height); and*
- *leaves and vegetation debris should be removed.*

b) *New construction must comply with Sections 3 and 5 (BAL 12.5) Australian Standard AS3959-2018 Construction of buildings in bush fire-prone areas or NASH Standard (1.7.14 updated) National Standard Steel Framed Construction in Bushfire Areas – 2014 as appropriate and Section 7.5 of Planning for Bush Fire Protection 2019.*

c) *The Bush Fire Emergency Management and Evacuation Plan shall be updated to include the childcare facility, and prepared consistent with Development Planning- A Guide to Developing a Bush Fire Emergency Management and Evacuation Plan December 2014.*

3 The work must be carried out in accordance with the requirements of the Building Code of Australia. If the work relates to a residential building and is valued in excess of \$20,000, then a contract of insurance for the residential development shall be in force in accordance with Part 6 of the Home Building Act 1989.

{Note: Residential building includes alterations and additions to a dwelling, and structures associated with a dwelling house/dwelling such as a carport, garage, shed, rural shed, swimming pool and the like}.

4 **The development shall not be used or occupied until an Occupation Certificate has been issued.**

5 A **Construction Certificate** shall be obtained prior to commencement of any building works.

6 **This consent is limited to building works only. No approval is granted or implied for any changes to the approved use of the site under DA06/1840 and DA08/1245, as modified. This consent does not change the existing functions or operations of the broader St Marys Leagues Club site.**

7 **Prior to the issue of an Occupation Certificate**, the development must comply with the requirements of *Planning for Bush Fire Protection Nov 2019*, including:

- *Boundary fences for properties determined to be BAL 12.5 or BAL 19 may be constructed using hardwood where there is a minimum 1 metre separation from a dwelling. Where there is less than 1 metre separation or for properties determined to be BAL 29, BAL 40 or BAL FZ, non-combustible materials shall be used. No brushwood fencing shall be used.*
- *Unobstructed pedestrian access should be provided to the rear of the property to aid in fire fighting activities.*
- *The existing portions of the building shall be upgraded for ember protection, if it does not comply with BAL-12.5. This can be done by enclosing all openings (excluding roof tile spaces) or covering openings with a non-corrosive metal screen mesh with a maximum aperture of 2mm. Where applicable, this includes any sub floor areas, openable windows, vents, weepholes and eaves. External doors are to be fitted with draft excluders.*

Demolition

- 8 All demolition works are to be conducted in accordance with the provisions of AS 2601-1991 "The Demolition of Structures". **Prior to demolition**, all services shall be suitably disconnected and capped off or sealed to the satisfaction of the relevant service authority requirements.

All demolition and excavated material shall be disposed of at a Council approved site or waste facility. Details of the proposed disposal location(s) of all excavated material from the development site shall be provided to the Principal Certifying Authority **prior to commencement of demolition**.

- 9 Mud and soil from vehicular movements to and from the site must not be deposited on the road.

- 10 Demolition works will be restricted to the following hours in accordance with the NSW Environment Protection Authority Noise Control Guidelines:

- Mondays to Fridays, 7am to 6pm
- Saturdays, 7am to 1pm if inaudible on neighbouring residential premises, otherwise 8am to 1pm
- No demolition work is permitted on Sundays and Public Holidays.

In the event that the demolition relates to works inside the building and do not involve external walls or the roof, and do not involve the use of equipment that emits noise then the demolition works are not restricted to the hours stated above.

The provisions of the Protection of the Environment Operations Act, 1997 in regulating offensive noise also apply to all construction works.

Environmental Matters

- 11 Erosion and sediment control measures shall be installed **prior to the commencement of works on site** including approved clearing of site vegetation. The erosion and sediment control measures are to be maintained in accordance with the approved erosion and sediment control plan(s) for the development and the Department of Housing's "Managing Urban Stormwater: Soils and Construction" 2004.

(Note: To obtain a copy of the publication, you should contact Landcom on (02) 98418600).

The approved sediment and erosion control measures are to be installed prior to and maintained throughout the construction phase of the development.

- 12 All waste materials stored onsite are to be contained within a designated area such as a waste bay or bin to ensure that no waste materials are allowed to enter the stormwater system or neighbouring properties. The designated waste storage areas shall provide at least two waste bays / bins so as to allow for the separation of wastes, and the areas are to be fully enclosed when the site is unattended.
- 13 All excavated material and other wastes generated as a result of the development are to be re-used, recycled or disposed of in accordance with the approved waste management plan.

Waste materials not specified in the approved waste management plan are to be disposed of at a lawful waste management facility. Where the disposal location or waste materials have not been identified in the waste management plan, details shall be provided to the Certifying Authority as part of the waste management documentation accompanying the Construction Certificate application.

All receipts and supporting documentation must be retained in order to verify lawful disposal of materials and are to be made available to Penrith City Council on request.

BCA Issues

- 14 A fire safety list of essential fire or other safety measures shall be submitted to Penrith City Council prior to the issue of the Construction Certificate. The fire safety list shall specify all measures (both current and proposed) that are required for the building so as to ensure the safety of persons in the building in the event of fire. The fire safety list must distinguish between:
- the measures that are currently implemented in the building premises,
 - and the measures that are to be proposed to be implemented in the building premises, and must specify the minimum standard of performance for each measure.

- 15 All aspects of the building design shall comply with the applicable performance requirements of the Building Code of Australia so as to achieve and maintain acceptable standards of structural sufficiency, safety (including fire safety), health and amenity for the on-going benefit of the community. Compliance with the performance requirements can only be achieved by:
- (a) complying with the deemed to satisfy provisions, or
 - (b) formulating an alternative solution which:
 - complies with the performance requirements, or
 - is shown to be at least equivalent to the deemed to satisfy provision, or
 - (c) a combination of (a) and (b).

It is the owner's responsibility to place on display, in a prominent position within the building at all times, a copy of the latest fire safety schedule and fire safety certificate/ statement for the building.

Construction

- 16 Stamped plans, specifications, a copy of the development consent, the Construction Certificate and any other Certificates to be relied upon shall be available on site at all times during construction.

The following details are to be displayed in a maximum of 2 signs to be erected on the site:

- the name of the Principal Certifying Authority, their address and telephone number,
- the name of the person in charge of the work site and telephone number at which that person may be contacted during work hours,
- that unauthorised entry to the work site is prohibited,
- the designated waste storage area must be covered when the site is unattended, and
- all sediment and erosion control measures shall be fully maintained until completion of the construction phase.

Signage but no more than 2 signs stating the above details are to be erected:

- at the commencement of, and for the full length of the, construction works onsite, and
- in a prominent position on the work site and in a manner that can be easily read by pedestrian traffic.

All construction signage is to be removed when the Occupation Certificate has been issued for the development.

17 Prior to the commencement of construction works:

(a) Toilet facilities at or in the vicinity of the work site shall be provided at the rate of one toilet for every 20 persons or part of 20 persons employed at the site. Each toilet provided must be:

- a standard flushing toilet connected to a public sewer, or
- if that is not practicable, an accredited sewage management facility approved by the council, or
- alternatively, any other sewage management facility approved by council.

(b) All excavations and backfilling associated with the erection or demolition of a building must be executed safely and in accordance with the appropriate professional standards. All excavations associated with the erection or demolition of a building must be properly guarded and protected to prevent them from being dangerous to life or property.

(c) If an excavation associated with the erection or demolition of a building extends below the level of the base of the footings of a building on an adjoining allotment of land, the person causing the excavation to be made:

- must preserve and protect the building from damage, and
- if necessary, must underpin and support the building in an approved manner, and
- must, at least 7 days before excavating below the level of the base of the footings of a building on an adjoining allotment of land, give notice of intention to do so to the owner of the adjoining allotment of land and furnish particulars of the excavation to the owner of the building being erected or demolished. The owner of the adjoining allotment of land is not liable for any part of the cost of work carried out for the purposes of this condition, whether carried out on the allotment of land being excavated or on the adjoining allotment of land, (includes a public road and any other public place).

(d) If the work involved in the erection or demolition of a building is likely to cause pedestrian or vehicular traffic in a public place to be obstructed or rendered inconvenient, or involves the enclosure of a public place, a hoarding or fence must be erected between the work site and the public place:

- if necessary, an awning is to be erected, sufficient to prevent any substance from, or in connection with, the work falling into the public place,
- the work site must be kept lit between sunset and sunrise if it is likely to be hazardous to persons in the public place, and
- any such hoarding, fence or awning is to be removed when the work has been completed.

18 Construction works or subdivision works that are carried out in accordance with an approved consent that involve the use of heavy vehicles, heavy machinery and other equipment likely to cause offence to adjoining properties shall be restricted to the following hours in accordance with the NSW Environment Protection Authority Noise Control Guidelines:

- Mondays to Fridays, 7am to 6pm
- Saturdays, 7am to 1pm (if inaudible on neighbouring residential premises), otherwise 8am to 1pm
- No work is permitted on Sundays and Public Holidays.

Other construction works carried out inside a building/tenancy and do not involve the use of equipment that emits noise are not restricted to the construction hours stated above.

The provisions of the Protection of the Environment Operations Act, 1997 in regulating offensive noise also apply to all construction works.

Engineering

- 19 An Infrastructure Restoration Bond is to be lodged with Penrith City Council for development involving works around Penrith City Council's Public Infrastructure Assets. The bond is to be lodged with Penrith City Council prior to commencement of any works on site or prior to the issue of any Construction Certificate, whichever occurs first. The bond and applicable fees are in accordance with Council's adopted Fees and Charges.

An application form together with an information sheet and conditions are available on Council's website.

Contact Penrith City Council's City Works Department on (02) 4732 7777 or visit Penrith City Council's website for more information.

- 20 Any new stormwater drainage from the development shall be connected to the existing drainage system.

The proposed development and stormwater drainage system shall be designed to ensure no adverse impact on adjoining properties by the diversion, damming or concentration of stormwater flows.

The proposed method of stormwater discharge shall be detailed in the Construction Certificate issued by the Certifying Authority.

Landscaping

- 21 Existing landscaping is to be retained and maintained at all times.

Certification

- 22 Prior to the commencement of any earthworks or construction works on site, the proponent is to:
- (a) employ a Principal Certifying Authority to oversee that the said works carried out on the site are in accordance with the development consent and related Construction Certificate issued for the approved development, and with the relevant provisions of the Environmental Planning and Assessment Act and accompanying Regulation, and
 - (b) submit a Notice of Commencement to Penrith City Council.

The Principal Certifying Authority shall submit to Council an "Appointment of Principal Certifying Authority" in accordance with Section 81A of the Environmental Planning and Assessment Act 1979.

Information to accompany the Notice of Commencement

Two (2) days before any earthworks or construction/demolition works are to commence on site (including the clearing site vegetation), the proponent shall submit a "Notice of Commencement" to Council in accordance with Section 81A of the Environmental Planning and Assessment Act 1979.

23 **An Occupation Certificate is to be obtained from the Principal Certifying Authority** on completion of all works and prior to the occupation of the premises.

The Certificate shall not be issued if any conditions of this consent, but not the conditions relating to the operation of the development, are outstanding.

A copy of the Occupation Certificate and all necessary documentation supporting the issue of the Certificate is to be submitted to Penrith City Council, if Council is not the Principal Certifying Authority.

SIGNATURE

Name:	Pukar Pradhan
Signature:	

For the Development Services Manager