## NSW RURAL FIRE SERVICE GUIDELINES FOR SINGLE DWELLING DEVELOPMENT APPLICATIONS

## SECTION TWO - BUSH FIRE ASSESSMENT REPORT (Attach to DA)

PART A  Applicants Name:	02,8602 COWCIL 168993 ELIMATTA	HOMES 6111 (M):	known):			
PART B  Type of Proposal:  New Building Dual Occupancy Alteration/Additions to an order		Urban Rural Residential				
Proposal Description: e.g. two s						
PART C Bush Fire Attack and Level of Construction  Step 1: Assess the vegetation about the proposed building in all directions and convert from Keith to AUSLIG (1990) using Table 1						
CATEGORY	NORTH	EAST	SOUTH	WEST		
Converted vegetation	Forest Woodland Shrubland Scrub Mallee/Mulga Rainforest Tussock Moorland Managed Land	Forest Woodland Shrubland Scrub Mallee/Mulga Rainforest Tussock Moorland Managed Land	Forest Woodland Shrubland Scrub Mallee/Mulga Rainforest Tussock Moorland Managed Land	Forest Woodland Shrubland Scrub Mallee/Mulga Rainforest Tussock Moorland Managed Land		
Copy of any relevant photos attached Yes						
Step 2: Determine the distance				WEST		
ASPECT	NORTH	EAST 200	SOUTH O	WEST		

Step 3: Determine the effective slope that will influence bushfire behaviour in each direction

CATEGORY	NORTH	EAST	SOUTH	WEST				
Slope under the hazard (over 100m) [in degrees]	upslope/flat >0 to 5 >5 to 10 >10 to 15 >15 to 18	upslope/flat >0 to 5 >5 to 10 >10 to 15 >15 to 18	upslope/flat >0 to 5 >5 to 10 >10 to 15 >15 to 18	upslope/flat >0 to 5 >5 to 10 >10 to 15 >15 to 18				
Step 4: Determine the Fire Danger Index (FDI) that applies to your local government area (see page 9). Circle the relevant FDI below								
FDI	100	80		] <sub>50</sub>				
Step 5: Match the relevant FDI, vegetation, distance and slope to determine the required APZ and Construction level								
FDI	100 (see Table 4, page 1	1) 80 (see Tab	le 5. page 12)	50 (see Table 6, page 13)				
Identify the bush fire attack level BAL-12.5 is the lowest constructi Bush Fire Attack Level	for each direction, sele on level within the scop	ct the highest level for						
Identify the bush fire attack level BAL-12.5 is the lowest constructi	for each direction, sele	ct the highest level for						
Identify the bush fire attack level BAL-12.5 is the lowest constructi Bush Fire Attack Level  BAL- FZ BAL- 40	for each direction, sele on level within the scop BAL- 19 BAL12.5 No requirement	ct the highest level for be of AS3959.						

If you determine your house is located in the flame zone you may wish to seek the advice of a specialist bush fire consultant.

Water Supplies

Does your property have a reticulated (piped) water supply?; If so, please provide details on the distance

10
9
~
$_{\odot}$
=
X
U
d
0
K
-
7
ш
5
0
$\overline{}$
$\subseteq$
ш
DEVELO
ш
(7
×
=
Ē
>
=
ED
<u></u>
$\underline{\circ}$
2
S
~
$\overline{\Box}$
$\overline{H}$
-
ш
=
=
<b>=</b>
JIDEI
$\supseteq$
G
ĕ
U
5
œ
ш
S
ш
$\propto$
正
⋖
œ
$\supset$
œ
>
5
<u> </u>
2

**PARTE** 

to the nearest fire hydrant on your site plan.

Reticulated (piped)	) water supply is av	vailable		
Yes $\square$ No	Distance 100	(m) to hydrant from house.		
Do you have or do	you plan to have a	dedicated water supply for firefighting purpose	es?	
□ <sub>Yes</sub> □ <sub>No</sub>				
Development Type		Water Requirement	Planned	Existing
Residential Lots (<1,000m2)		5,000 l/lot	NA	
Rural-residential Lots (1,000–10,000m2)		10,000 I/lot	A-A-	
Large Rural/Lifestyle Lots (>10,000m2)		20,000 I/lot	NA	_
Dual Occupancy		2,500 l/unit	79	
Townhouse/Unit Style (	e.g. Flats)	5,000 l/unit up to 20,000l maximum	NA	
litres and also includ		static water supply (e.g. pool, tank or dam). Inclusing a tank:  Construction material	Planned	Existing
e.g. pool	50,0001	Above ground rolled steel with plastic-liner	- Allined	Chisting
e.g. poor	30,0001	Above ground rolled steel with plastic-lines		
			- Pi	
		oncerning their Local Environmental Plan (LEP) on the type and size of tank.	or their Development	
PARTF	Gas	Supplies		
GAS Do you have reticula	ted (piped) or bott	iled gas?		
TYPE OF GAS Reticulated gas Bottled gas	Yes No			
NOTE: When				

electricity and gas (where relevant) on your property.