THERMAL PERFORMANCE SPECIFICATIONS PROJECT: LOT 53, 27 KENT ROAD ADDRESS: 5 GULSHAN AVENUE CLAREMONT MEADOWS NSW 2		747	PLAN OF: DP1241192 REVISION: A – 26/11/2021 SHEETS: A-01 – A-06
Floors		Added Insulation	
Ground floor – Concrete Waffle Slab		N/A	
External Walls			
AAC		R2.5 wall batts plus wall wrap	
AAC - Garage		No added insulation	
FC Sheet		R2.5 wall batts plus wall wrap	
Internal Walls			
Internal walls between Garage and Dwelling		R2.5 wall batts	
Internal perimeter walls of WC & Bath		R2.5 wall batts	
Internal walls adjacent to a roof space		R2.5 wall batts	
Other internal walls plasterboard on studs		No added insulation	
Roof & Ceilings			
Flat Framed Roofs		R5.0 plus sarking under roof sheeting	
Ceiling under roof space		R5.0 plus sarking under roof sheeting	
Glazing Table			
Window ID	System Code		System values (Default Windows)
All Awning Windows and Glazed Hinged Doors	ALM-001-04 A		Uval 5.60 SHGC 0.36
All Sliding & Fixed Windows and Glazed Sliding Doors	ALM-002-04 A		Uval 5.60 SHGC 0.41

Allowable window values: 5%+/- tolerance to the nominated SHGC window values shown can be used with this rating. This tolerance ONLY applies to SHGC, the U-value can always be lower but not higher than the values stated.

BASIX Commitments:

- 2000L or > Rainwater tank for all toilets and at least 1 garden tap
- Hot Water System: Gas instantaneous 4 star
- Install windows and/or skylight in the kitchen, for natural light.
- Install windows and/or skylight in bedrooms and toilets, for natural light.
- Development must be constructed with floors and walls in accordance with the specifications set out in the table

Please refer to BASIX Report 1279646S for detailed commitment requirements

Other Requirements:

- · Weather strip all external windows and doors.
- All reflective foil where fitted to be installed in accordance with the manufacturer's specifications, covering all framing from bottom to top with a minimum overlap of 150mm
- All exhaust fans are to be self-closing/sealing.
- Not Rated with Downlights.

The above information is for overview purposes only. The specifications listed on the NatHERS report take precedence over all other notations for the construction of this building.

Assessor Name: Tim Brewin
Assessor Accreditation: DMN/14/1667
Software Version: Fire Rate5 - 5.3.1a







Document Set ID: 9942237 Version: 1, Version Date: 11/03/2022