
LOCATION MAP



GENERAL NOTES

THESE NOTES ARE APPLICABLE TO ALL DOCUMENTS IN THIS CONTRACT

THESE DRAWINGS HAVE BEEN PREPARED USING SURVEY & SITE INFORMATION PROVIDED BY CLIENT.

ALL EXISTING SITE FACILITIES ARE TO REMAIN UNCHANGED

ROOF WATER & SUB-SOIL STORMWATER DRAINAGE FOR PROPOSED WORKS I TO BE CONNECTED TO EXISTING LINES, UNLESS DIRECTED OTHERWISE BY LOCAL COLINCIL.

DO NOT SCALE FROM THESE DRAWINGS, ALL DIMENSIONS TO BE CHECKED & CONFIRMED ON SITE DURING THE SETTING OUT OF THE WORKS, PRIOR TO CONFETURIZION OF THE WORKS, PRIOR TO

ALL DIMENSIONS THAT RELATE TO SITE BOUNDARIES & EASEMENTS AF SUBJECT TO VERIFICATION BY A SITE SURVEY.

THESE DRAWINGS ARE NOT TO BE USED FOR ANY OTHER PURPOSE OTHER THAN ISSUED, WITHOUT THE WRITTEN CONSENT OF THE ARCHITECT.

ALL WORKS TO BE CARRIED OUT IN STRICT ACCORDANCE WITH THE BUILDING CODE OF AUSTRALIA, LOCAL BUILDING REGULATIONS AND OTHER STATUTORY RODIES REQUIREMENTS

PROVIDE PROTECTION / TEMPORARY STORAGE FOR ALL EXISTING ITEMS FINISHES & FEATURES TO BE RETAINED. REPAIR & MAKE GOOD ANY SUCH FINISHES & FEATURES DAMAGED BY THE PROPOSED WORKS.

ALL GLASS THICKNESSES ARE TO BE SIZED, DESIGNED AND INSTALLED IN ACCORDANCE WITH THE RELEVANT AUSTRALIAN STANDARDS.

REFER TO ENGINEER'S DOCUMENTATION FOR ALL SERVICES WORKS. AL STRUCTURAL DESIGN AND DEMOLITION WORKS ARE TO BE VERIFIED BY STRUCTURAL ENGINEER.

ANY ITEMS NOT SHOWN IN EITHER DRAWINGS OR SPECIFICATIONS BUT IS NECESSARY FOR PROPER BUILDING CONSTRUCTION AND/OR FINISH SHALL BE REGARDED AS PART OF THIS CONTRACT AND CARRIED OUT BY RELEVANT CONTRACTORS.

ALL EXISTING CONDITIONS INCLUDING STRUCTURE AND BUILDING SERVICES TO BE CONFIRMED ON SITE PRIOR TO ANY SHOP DRAWINGS, FABRICATION OR CONSTRUCTION

APPROVAL TO BE OBTAINED FROM BUILDING OWNERS FOR EXACT HEIGHT/LOCATION FOR CAR PARK DIRECTIONAL SIGNAGE

ALL POWER TO SIGNAGE TO BE TAKEN FROM TENANCY SWITCHBOARD



GLENMORE PARK, NSW

FINISHES SCHEDULE

NOTE: CONTRACTOR TO PROVIDE SAMPLES FOR APPROVAL PRIOR TO CONSTRUCTION.

CODE	ITEM	FINISH	CONTACT
PT1	PAINT FINISH WALLS	DULUX WEATHERSHIELD COLOUR: DRIVE TIME FINISH: LOW SHEEN CODE: PG1A6	DULUX www.dulux.com.au
PT2	COLUMN FINISH	COLUMNS PAINTED IN "PT1" FINISH WITH STENCIL PAINTED "STAR CASH WASH" LOGO / BRANDING TO AISLE SIDE, AS INDICATED ON DRAWINGS.	DULUX www.dulux.com.au
PT3	PAINT FINISH INTERNAL - WAITING & CASHIER	DULUX WASH & WEAR PLUS COLOUR: ANTIQUE WHITE USA FINISH: LOW SHEEN CODE: PN1D1	DULUX www.dulux.com.au
PT4	PAINT FINISH TRIM	DULUX WEATHERSHIELD COLOUR: BLACK CAVIAR FINISH: LOW SHEEN CODE: PN2A8	DULUX www.dulux.com.au
PT5	PAINT FINISH TRIM / SIGNAGE	DULUX WEATHERSHIELD COLOUR: "HOT LIPS" FINISH: MATT CODE: P05H9	DULUX www.dulux.com.au
PT6	PAINT FINISH WALLS FEATURE STRIPE	DULUX WEATHERSHIELD COLOUR: "HOT LIPS" FINISH: GLOSS CODE: P05H9	DULUX www.dulux.com.au
PCR	POWDERCOAT FINISH	POWDERCOAT ALUMINIUM FINISH TO MATCH "DULUX - HOT LIPS" (P05H9)	

CODE	ITEM	FINISH	CONTACT
SK1	SKIRTING (TO "MCC" CLADDING)	VITRACORE G2 ALUMINIUM PANEL AS SKIRTING COLOUR: "JET BLACK" HIGH GLOSS NOTE: PROVIDE HMR BOARD BACKING	VITRACORE GE ALLMINIUMNI MPANEL AS SKIRTING BBBBIA COLOUR "VET BLACK" HIGH
мсе	WALL CLADDING	VITRACORE G2 ALUMINIUM PANEL AS WALL CLADDING COLOUR: "METALLIC SUNRISE SILVER -(600" NOTE: 10mm SHADOWLINE TO PANEL JOINTS	VITRACORE GZ ALUMINIUMM MPANEL AS SKIRTING BEBBI SOLOUR SET BLACK HIGH
SS	STAINLESS STEEL	304 GRADE STAINLESS STEEL	
EE1	CARPET FLOOR TILES (WAITING & CASHIER)	SIMILAR OR EQUAL TO: TRETFORD CARPET TILES COLOUR: CHARCOAL 620	GIBBON GROUP Ph: 07 3881 1777 www.gibbongroup.com.au
SK2	INTERNAL SKIRTING (WAITING & CASHIER)	ALUMINIUM SKIRTING SIMILAR OR EQUAL TO: "ALU SKIRTING" - CONCEALED SKIRTING WITH SCREW CONCEALED COVER STRIP & CORNERING COVERS. SIZE: 100mm (CODE: 11 PCA 100)	ALU SKIRTING CONTACT: THEO POTERI Ph: 0413 319 408 www.aluskirting.com.au
S1	WAITING CHAIR	CUSTOMER WAITING AREA CHAIR SIMILAR OR EQUAL TO SAMPLE IMAGE. SPECIFICATION TO BE CONFIRMED. COLOUR: RED	твс

THIS PROJECT IS RELOCATION OF EXISTING AND LIKE-FOR LIKE REPLACEMENT AS AGREED THESE PLANS ARE BASED ON THE ORIGINAL SET OF APPROVED PLANS GENERAL NOTES AND FINISHES SCHEDULE REFER TO ORIGINAL WORKS WITH MINOR UPDATES ON REPLACEMENT SKIRTING AND CLADDING MATERIALS

FOR APPROVAL 15.11.21

NOT FOR CONSTRUCTION

Paul Brodrick 0419 899 307 Registered Bulding Practitioner DP-AD 1855 Bulding Designes Association Viction Member 85 Housing Industry Association Member 52740





abn: 83 007 269 936

Rowville, Victoria. 31

Project No. Last Edited Scale @ A3 15/11/2021 17:05:29 As Shown

Glenmore Park Shopping Centre

Proposed Relocation of Star Car Wash POS/Waiting Room & Car Spaces

Cover Page & Schedules

O SCW-A00

Revision

Issue

Document Set ID: 9813300 Version: 1, Version Date: 19/11/2021

GENERALLY

THESE NOTES AND DETAIL DRAWINGS APPLY TO THE NOMINATED BUILDER AND ANY SUBCONTRACTORS EMPLOYED BY THE SAME, AND THE CONTRACTORS SPECIFICALLY NOMINATED BY THE CLIENT.

FIGURED DIMENSIONS ARE TO BE TAKEN IN PREFERENCE TO SCALE. ALL DIMENSIONS ARE TO BE VERIFIED BY THE BUILDER AND ANY ERRORS OR DISCREPANCIES ARE TO BE CLARIFIED BY THE BUILDER TOGETHER WITH THE CLIENT AND/OR DESIGNER BEFORE WORK COMMENCES, MANUFACTURE OR INSTALLATION.

APPROVED DRAWINGS

ALL WORKS MUST BE CARRIED OUT IN STRICT ACCORDANCE WITH THE LESSOR'S APPROVED DESIGNS, AURORA DESIGN PTY. LTD. PLANS AND ANY RELEVANT PROVIDED CONSULTING ENGINEER'S PLANS, DETAILS & SPECIFICATION, THE LESSOR'S AND COUNCIL REQUIREMENTS

A COMPLETE SET OF LESSOR'S APPROVED DRAWINGS SHALL BE KEPT ON SITE AT ALL TIMES.

REGULATORY REQUIREMENTS

THE BUILDER SHALL CONFORM WITH ALL THE REQUIREMENTS OF THE CURRENT BUILDING CODE OF AUSTRALIA, RELEVANT AUSTRALIAN STANDARDS AND THE LOCAL COUNCIL REQUIREMENTS. THESE STANDARDS SUPERSEDE ALL DETAILS AND NOTES ON THE DRAWINGS WHERE APPLICABLE

INSTALL GLAZING IN ACCORDANCE WITH THE BUILDING CODE OF AUSTRALIA AND AUSTRALIAN STANDARDS AS1288 & AS2047

TENDERING

THE TENDERERS SHALL VISIT THE SITE TO DETERMINE THE EXTENT OF DEMOLITION REQUIRED FOR THE NEW WORK, REQUIRED TEMPORARY STRUCTURES, NEW SUPPORTING ELEMENTS ETC. AS REQUIRED BY THE SPECIFIED WORKS.

ALL TENDERERS MUST VISIT THE SITE AND ASCERTAIN FOR THEMSELVES THE NATURE AND EXTENT OF THE WORK AND FACILITIES FOR THE CARRYING OUT THE SAME. THEY SHALL SATISFY THEMSELVES AS TO THE CONDITIONS, ALLOWED WORKING HOURS, DIMENSIONS, POSITION OF SERVICES AND THE LIKE. THEY SHALL FAMILIARISE THEMSELVES WITH THE SPECIFIC REQUIREMENTS OF THE LESSOR, INCLUDING BUT NOT LIMITED TO INSURANCES, ACCESS, MATERIAL DELIVERY AND STORAGE, RUBBISH REMOVAL AND THE LIKE. TENDERERS WILL NOT BE ABLE TO CLAIM EXTRAS UNFORESEEN THROUGH LACK OF HAVING TAKEN THESE PRECAUTIONS.

HOARDING AND PROTECTION OF THE SITE

THE BUILDER SHALL PROVIDE A HOARDING TO THE SITE WHEN DIRECTED BY THE CLIENT AND / OR LESSOR. THE HOARDING SHALL BE TO THE SPECIFICATION OF THE LESSOR.

THE BUILDER SHALL BE RESPONSIBLE FOR THE PROTECTION OF ALL AREAS NOT INVOLVED IN THE CONSTRUCTION WORK AND ALL CARE SHALL BE TAKEN TO MINIMISE DUST AND DIRT TO THE SITE AND ADJOINING SITE, MALL AREAS AND THE LIKE. THE BUILDER IS RESPONSIBLE TO RECTIFY IMMEDIATELY ANY DAMAGES THAT OCCUR TO THE PROPERTY AND SURROUNDING AREA.

WORKMANSHIP GENERALLY

THE BUILDER SHALL LIAISE WITH THE LESSOR AS TO WHEN AND WHERE BUILDING DELIVERIES CAN TAKE PLACE AND WHERE THEY CAN BE POSITIONED IN RELATION TO THE SITE.

ALL WORK IS TO BE CARRIED OUT IN STRICT ACCORDANCE WITH THE PLANS, ANY CHANGES TO THE APPROVED PLANS ARE TO BE VERIFIED BY THE DESIGNER IN WRITING PRIOR TO MANUFACTURE, CONSTRUCTION AND/OR INSTALLATION.

IF THERE IS ANY DISCREPANCY BETWEEN THE PLANS AND SITE CONDITIONS THE BUILDER SHALL CONFIRM ANY REQUIRED CHANGES TO THE DESIGN WITH THE DESIGNER PRIOR TO MANUFACTURE, CONSTRUCTION AND/OR INSTALLATION.

ALL WORK IS TO BE CARRIED OUT BY LICENSED TRADES PEOPLE.

ANY PORTION OF THE WORK NOT SHOWN ON DRAWINGS BUT WHICH IS NECESSARY FOR THE COMPLETION OF THE ENTIRE CONTRACTUALLY AGREED WORK. SHALL BE UNDERSTOOD AS INCLUDED.

ALL MATERIALS ARE TO BE OF NEW AND BEST QUALITY AND TO THE SPECIFICATION SHOWN ON THE PLANS UNLESS AGREED UPON BY THE CLIENT/DESIGNER IN WRITING.

ALL WORK SHALL BE UNDERTAKEN AND CARRIED OUT IN A WORKMANSHIP LIKE MANNER IN ACCORDANCE WITH GOOD BUILDING PRACTICES.

IT IS THE RESPONSIBILITY OF THE CONTRACTOR/S TO ENSURE THAT ALL SPECIFIED EQUIPMENT, FITTINGS ETC. (WHETHER SUPPLIED BY THE CONTRACTOR OR THE CLIENT) WILL FIT THE REQUIRED SPACE AND TO REFER ANY DISCREPANCIES TO THE DESIGNER / CLIENT PRIOR TO MANUFACTURE, CONSTRUCTION AND / OR INSTALLATION.

WORKMANSHIP SPECIFICALLY

JOINERY GENERALLY

JOINERY SHALL BE OF THE HIGHEST QUALITY AND FINISH. CORNERS SHALL BE MITERED TO VISIBLE BULKHEADS, SHOP FRONT PORTALS ETC.

THE FITTINGS AND FIXTURES SHALL BE INSTALLED AS SPECIFIED ON THE PLANS

BUILD ALL COMPONENTS SQUARE AND INSTALL PLUMB. USE MATERIALS IN SINGLE LENGTHS WHERE POSSIBLE. IF JOINTS ARE NECESSARY, MAKE THEM OVER SUPPORTS.

WHERE 2 PAC FINISHES ARE SPECIFIED TO LARGE PANEL SIZES THE JOINTS ARE TO BE EXPRESSED IN THE FORM OF A 'V' GROOVE JOINT OR OTHER AS SPECIFIED ON THE DRAWINGS, ALL JOINTS ARE TO BE EQUALLY SPACED UNLESS NOTED OTHERWISE.

USE FASTENERS TO TRANSMIT THE LOADS IMPOSED AND TO ENSURE THE RIGIDITY OF THE ASSEMBLY WITHOUT SPLITTING OR OTHERWISE DAMAGING THE SHEETS.

DO NOT USE VISIBLE FIXINGS, EXCEPT INSIDE NON GLAZED CUPBOARDS AND DRAWER UNITS (IN WHICH CASE USE PROPRIETARY CAPS TO CONCEAL FIXINGS), UNLESS NOTED OTHERWISE.

USE ADHESIVES TO TRANSMIT THE LOADS IMPOSED AND TO ENSURE THE RIGIDITY OF THE ASSEMBLY, WITHOUT CAUSING DISCOLORATION OF THE FINISHED SURFACES.

SCRIBE BENCH TOPS, SPLASH BACKS, ENDS OF CUPBOARDS, KICKBOARDS AND RETURNS TO FOLLOW THE LINE OF THE STRUCTURE & MALL

FINISH ALL EXPOSED EDGES OF SHEETS AS CONFIRMED BY DESIGNER

CUPBOARD SHELF AND DRAWER UNITS ARE TO BE CONSTRUCTED OUT OF THE SPECIFIED MELAMINE COLOUR BOARD. SCRIBE TO FLOOR AND SECURE TO WALL TO PROVIDE A LEVEL FINISH.

SUPPORT ADJUSTABLE SHELVES ON PROPRIETARY PINS IN HOLES BORED AT 32mm CENTRES VERTICALLY.

PROVIDE ADJUSTABLE CONCEALED METAL HINGES AND METAL RUNNERS AS SPECIFIED.

STRUCTURAL DESIGN AND CERTIFICATION

THE BUILDER SHALL ENSURE THAT ALL ITEMS DETAILED, SPECIFIED AND INSTALLED ARE SUITABLE FOR THE PURPOSE THEY ARE INTENDED FOR AND STRUCTURALLY ADEQUATE TO SUPPORT THE USAGE & LOADS.

ALL STRUCTURAL ELEMENTS, BULKHEADS, GLAZING SUPPORTS AND THE LIKE SHALL BE DESIGNED TO SUPPORT THEIR OWN WEIGHT AND THE LOADS IMPOSED. ON COMPLETION THE BUILDER SHALL PROVIDE A STRUCTURAL ENGINEERING CERTIFICATE FOR THESE ELEMENTS.

RUBBISH REMOVAL

THE BUILDER SHALL PERIODICALLY CLEAN UP THE PROPERTY AND REMOVE DEBRIS FROM THE SITE. ALL RUBBISH SKIPS AND THE LIKE ARE TO BE POSITIONED IN ACCORDANCE WITH THE LESSOR AND/OR COUNCIL'S REQUIREMENTS. RUBBISH SHALL NOT INTERFERE WITH THE AMENITY OF ADJOINING PROPERTIES.

COMPLETION

ON COMPLETION OF THE WORK, THE BUILDER SHALL CARRY OUT A FINAL CLEAN UP TO THE SATISFACTION OF THE CLIENT. ALL DEBRIS SHALL BE STORED ON THE SITE AND DISPOSED OF AS SOON AS POSSIBLE. THE BUILDER IS TO CHECK ALL NEWLY INSTALLED DOORS FOR SAFE AND EASY HANDLING. THE GLASS IS TO BE CLEANED AND THE SEALS CHECKED. AT THE COMPLETION OF THE WORK THE WHOLE SITE, INCLUDING AREAS NOT INVOLVED IN THE WORK ARE TO BE COMPLETELY CLEANED, DAMAGED PAINT WORK TO BE RE-DONE OR TOUCHED UP USING PAINT FROM THE SAME BATCH AS THE ORIGINAL WORK.

ALL RELEVANT CERTIFICATES FOR STRUCTURAL ELEMENTS, BULKHEADS, WATERPROOFING, PLUMBING, ESSENTIAL AND EMERGENCY SERVICES ETC. SHALL BE SUPPLIED TO THE CLIENT AT HANDOVER OF THE COMPLETED SHOP.

THE BUILDER SHALL ENSURE THAT THE RELEVANT CERTIFYING AUTHORITY IS NOTIFIED OF THE COMPLETION AND ARRANGE FOR THE FINAL INSPECTION AT LEAST TWO DAYS PRIOR TO PRACTICAL COMPLETION. THE BUILDER SHALL RECTIFY IMMEDIATELY ANY DEFECTS NOTED BY THE INSPECTOR WHICH PREVENT THE ISSUE OF AN OCCUPATIONAL CERTIFICATE.

THE BUILDER SHALL INFORM THE DESIGNER OF THE PRACTICAL COMPLETION OF THE PROJECT AT LEAST TWO DAYS PRIOR. ON COMPLETION A DEFECTS INSPECTION WILL BE UNDERTAKEN BY THE CLIENT AND/OR THE CLIENT'S REPRESENTATIVE AND ALL DEFECTS SHALL BE RECTIFIED PRIOR TO THE FINAL PAYMENT BEING RELEASED.

THE BUILDER SHALL PROVIDE COPIES OF CERTIFICATES, WARRANTIES, GUARANTEES, MANUALS ETC. FOR ITEMS INSTALLED ON THE SITE.

THE BUILDER SHALL PROVIDE TO THE CLIENT KEYS OF ALL LOCKABLE DOORS, CUPBOARDS AND THE LIKE

THIS IS THE ORIGINAL SPECIFICATION PROVIDED FOR INFORMATION PURPOSES

FOR APPROVAL

15.11.21

NOT FOR CONSTRUCTION

Paul Brodrick
0419 899 307
Registered Buking Procitioner DP-AD1855
Bulding Designers Association Victoria Member 89
Housing inclusity Association Namber 527940

REGISTERED
Bulding Practitioner



Building
phone: 03 9753 2568
email: info@esdp.com.au

u VISIONS E abn: 83 007 269 936 owville, Victoria. 317

56 Eildon Parade, Rowville, Victoria. 3178
oject No. Last Edited Scale @ A3

15/11/2021 17:05:34

Glenmore Park Shopping Centre

Proposed Relocation of Star Car Wash POS/Waiting Room & Car Spaces

Specification


© SCW-A0

Revision


Issue

As Shown


Document Set ID: 9813300 Version: 1. Version Date: 19/11/2021




Version: 1, Version Date: 19/11/2021



Version: 1, Version Date: 19/11/2021





P.O.S./WAITING TYP. SECTION

DOOR D/01 HARDWARE

NATURAL ANODISED ALUMINIUM FRAMED CLEAR GLASS DOOR & SIDELIGHTS TO COMPLY WITH AS1288. HARDWARE SPECIFICATION TO BE CONFIRMED BY CLIENT.

DOOR D/02 HARDWARE


NATURAL ANODISED ALUMINIUM FRAMED CLEAR GLASS DOOR TO COMPLY WITH AS1288. HARDWARE SIMILAR OR EQUAL TO: GAINSBOROUGH ARCHITECTURAL RANGE: 7000W SERIES CRESCENT LEVER WITH EXTERIOR PLATE CYLINDER HOLE & LEVER. CODE:7145W SC


GLAZING FRAME SPECIFICATION

ALUMINIUM PERIMETER FRAMED FIXED CLEAR
GLASS TO COMPLY WITH AS1288, WITH SILICONE
BUTT JOINTS BETWEEN GLASS PANELS (WHERE
APPLICABLE). EQUAL OR APPROVED EQUIVALENT
TO:

MANUFACTURER: CAPRAL RANGE: NARROWLINE 400 SIZE: 101.6 x 28mm FINISH: AS INDICATED ON DRAWINGS.

EXISTING DOOR SPECS. PROVIDED FOR INFORMATION ONLY





P.O.S./WAITING ELEVATION 02





56 Eildon Parade, Rowville, Victoria. 3178 Project No. Scale @ A3


Last Edited 15/11/2021 17:06:07 As Shown

Glenmore Park Shopping Centre

Proposed Relocation of Star Car Wash POS/Waiting Room & Car Spaces

P.O.S. & Waiting Room Plan, Elevations & Section

Drawing No. ©SCW-A05 Revision Date Issue 01 P.O.S./WAITING ELEVATION 03
SCALE 1:50




P.O.S./WAITING ELEVATION 04
SCALE 1:50




Document Set ID: 9813300 Version: 1, Version Date: 19/11/2021


Enlarged Signage Detail



SCW Directional Arrow Sign








ORIGINAL DETAIL SHOWN FOR INFORMATION ONLY


- AS BUILT CONSTRUCTION MAY VARY

- LIKE FOR LIKE REPLACEMENT ONLY



TYPICAL "MCC" **EXPRESSED** JOINT DETAIL

ORIGINAL DETAIL SHOWN FOR INFORMATION ONLY - AS BUILT CONSTRUCTION MAY VARY LIKE FOR LIKE REPLACEMENT ONLY





TYP. PARTITION DETAIL SECTION DETAIL

ORIGINAL DETAIL SHOWN FOR INFORMATION ONLY - AS BUILT CONSTRUCTION MAY VARY - LIKE FOR LIKE REPLACEMENT ONLY

Star | HAND CAR WASH

Enlarged Signage Detail






WINDOW SILL/SKIRTING

SECTION DETAIL ORIGINAL DETAIL SHOWN FOR INFORMATION ONLY

 AS BUILT CONSTRUCTION MAY VARY - LIKE FOR LIKE REPLACEMENT ONLY WAITING



P.O.S. CASHIER COUNTER SECTION

ORIGINAL DETAIL SHOWN FOR INFORMATION ONLY
- AS BUILT CONSTRUCTION MAY VARY - RELOCATION OF EXISTING ONLY

FOR APPROVAL 15.11.2 NOT FOR CONSTRUCTION



56 Eildon Parade, Rowville, Victoria. 3178 Last Edited Scale @ A3

15/11/2021 17:06:16

Glenmore Park Shopping Centre

Proposed Relocation of Star Car Wash POS/Waiting Room & Car Spaces

Signage and Typical Details

Drawing No. ©SCW-A07

Revision Date

Issue

As Shown

Document Set ID: 9813300 Version: 1, Version Date: 19/11/2021