BASI Certificate

Building Sustainability Index www.basix.nsw.gov.au

Single Dwelling

Certificate number: 861027S

This certificate confirms that the proposed development will meet the NSW government's requirements for sustainability, if it is built in accordance with the commitments set out below. Terms used in this certificate, or in the commitments, have the meaning given by the document entitled "BASIX Definitions" dated 29/06/2009 published by the Department. This document is available at www.basix.nsw.gov.au

Secretary

Date of issue: Monday, 25 September 2017 To be valid, this certificate must be lodged within 3 months of the date of issue.



Project summary				
Project name	48-54 Clark Road, Londonderry			
Street address	48-54 Clark Road Londonderry 2753			
Local Government Area	Penrith City Council			
Plan type and plan number	deposited 25020			
Lot no.	6			
Section no.	-			
Project type	separate dwelling house			
No. of bedrooms	3			
Project score				
Water	✓ 40 Target 40			
Thermal Comfort	V Pass Target Pass			
Energy	✓ 51 Target 50			

Certificate Prep	
Name / Company Nan	
ABN (if applicable): 95	164564210

Planning & Environment www.basix.nsw.gov.au

Version: 3.0 / DARWINIA_3_4_1

Certificate No.: 861027S

page 1/7

Secondary of prepare

Project address

Project name	48-54 Clark Road, Londonderry
Street address	48-54 Clark Road Londonderry 2753
Local Government Area	Penrith City Council
Plan type and plan number	Deposited Plan 25020
Lot no.	6
Section no.	-
Project type	
Project type	separate dwelling house
No. of bedrooms	3
Site details	
Site area (m²)	16000
Roof area (m ²)	178
Conditioned floor area (m2)	93.8
Unconditioned floor area (m2)	10.6
Total area of garden and lawn (m2)	100

Assessor details and thermal loads 100765 Assessor number Certificate number 0001923697-04 Climate zone 28 37 Area adjusted cooling load (MJ/m².year) Area adjusted heating load (MJ/m².year) 61 **Project score** Water 40 Target 40 Thermal Comfort Pass Target Pass V. Energy 51 Target 50

Certificate No.: 861027S

Schedule of BASIX commitments

The commitments set out below regulate how the proposed development is to be carried out. It is a condition of any development consent granted, or complying development certificate issued, for the proposed development, that BASIX commitments be complied with.

Fixtures The applicant must install showerheads with a minimum rating of 3 star (> 4.5 but <= 6 L/min) in all showers in the development. The applicant must install a toilet flushing system with a minimum rating of 4 star in each toilet in the development. The applicant must install taps with a minimum rating of 4 star in the kitchen in the development. The applicant must install taps with a minimum rating of 4 star in each bathroom in the development. The applicant must install basin taps with a minimum rating of 4 star in each bathroom in the development. Alternative water Rainwater tank The applicant must install a rainwater tank of at least 1500 litres on the site. This rainwater tank must meet, and be installed in accordance with, the requirements of all applicable regulatory authorities. The applicant must configure the rainwater tank to collect rain runoff from at least 178 square metres of the roof area of the		×
The applicant must install a toilet flushing system with a minimum rating of 4 star in each toilet in the development. The applicant must install taps with a minimum rating of 4 star in the kitchen in the development. The applicant must install basin taps with a minimum rating of 4 star in each bathroom in the development. Alternative water Rainwater tank The applicant must install a rainwater tank of at least 1500 litres on the site. This rainwater tank must meet, and be installed in accordance with, the requirements of all applicable regulatory authorities. The applicant must configure the rainwater tank to collect rain runoff from at least 178 square metres of the roof area of the	¥	V V
The applicant must install taps with a minimum rating of 4 star in the kitchen in the development. The applicant must install basin taps with a minimum rating of 4 star in each bathroom in the development. Alternative water Rainwater tank The applicant must install a rainwater tank of at least 1500 litres on the site. This rainwater tank must meet, and be installed in accordance with, the requirements of all applicable regulatory authorities. The applicant must configure the rainwater tank to collect rain runoff from at least 178 square metres of the roof area of the	¥	V
The applicant must install basin taps with a minimum rating of 4 star in each bathroom in the development. Alternative water Rainwater tank The applicant must install a rainwater tank of at least 1500 litres on the site. This rainwater tank must meet, and be installed in accordance with, the requirements of all applicable regulatory authorities. The applicant must configure the rainwater tank to collect rain runoff from at least 178 square metres of the roof area of the	V V	
Alternative water Rainwater tank The applicant must install a rainwater tank of at least 1500 litres on the site. This rainwater tank must meet, and be installed in accordance with, the requirements of all applicable regulatory authorities. The applicant must configure the rainwater tank to collect rain runoff from at least 178 square metres of the roof area of the	V	1
Rainwater tank The applicant must install a rainwater tank of at least 1500 litres on the site. This rainwater tank must meet, and be installed in accordance with, the requirements of all applicable regulatory authorities. The applicant must configure the rainwater tank to collect rain runoff from at least 178 square metres of the roof area of the		
The applicant must install a rainwater tank of at least 1500 litres on the site. This rainwater tank must meet, and be installed in accordance with, the requirements of all applicable regulatory authorities. The applicant must configure the rainwater tank to collect rain runoff from at least 178 square metres of the roof area of the		
accordance with, the requirements of all applicable regulatory authorities.		
	V	V
development (excluding the area of the roof which drains to any stormwater tank or private dam).	V	V
The applicant must connect the rainwater tank to:		
all toilets in the development	V	V4
 at least one outdoor tap in the development (Note: NSW Health does not recommend that rainwater be used for human consumption in areas with potable water supply.) 	V	

Thermal Comfort Commitments	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
Simulation Method			
The applicant must attach the certificate referred to under "Assessor Details" on the front page of this BASIX certificate (the "Assessor Certificate") to the development application and construction certificate application for the proposed development (or, if the applicant is applying for a complying development certificate for the proposed development, to that application). The applicant must also attach the Assessor Certificate to the application for an occupation certificate for the proposed development.			
The Assessor Certificate must have been issued by an Accredited Assessor in accordance with the Thermal Comfort Protocol.			
The details of the proposed development on the Assessor Certificate must be consistent with the details shown in this BASIX certificate, including the Cooling and Heating loads shown on the front page of this certificate.			
The applicant must show on the plans accompanying the development application for the proposed development, all matters which the Assessor Certificate requires to be shown on those plans. Those plans must bear a stamp of endorsement from the Accredited Assessor to certify that this is the case. The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all thermal performance specifications set out in the Assessor Certificate, and all aspects of the proposed development which were used to calculate those specifications.			
The applicant must construct the development in accordance with all thermal performance specifications set out in the Assessor Certificate, and in accordance with those aspects of the development application or application for a complying development certificate which were used to calculate those specifications.		V	V
The applicant must construct the floors and walls of the dwelling in accordance with the specifications listed in the table below.		V	

Floor and wall construction	Area
floor - suspended floor/open subfloor	All or part of floor area square metres

www.basix.nsw.gov.au

Planning & Environment

BASIX

Document Set ID: 7892291

Version: 1, Version Date: 24/10/2017

Certificate No.: 861027S

Energy Commitments	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
Hot water			
The applicant must install the following hot water system in the development, or a system with a higher energy rating: electric heat pump with a performance of 36 to 40 STCs or better.	V	V	V
Cooling system			
The applicant must install the following cooling system, or a system with a higher energy rating, in at least 1 living area: 1-phase irconditioning; Energy rating: 3 Star		V	V
The bedrooms must not incorporate any cooling system, or any ducting which is designed to accommodate a cooling system.			V
Heating system		<u>'</u>	
The applicant must install the following heating system, or a system with a higher energy rating, in at least 1 living area: 1-phase airconditioning; Energy rating: 3 Star		V	¥
The bedrooms must not incorporate any heating system, or any ducting which is designed to accommodate a heating system.		V	MA.
Ventilation		1	
The applicant must install the following exhaust systems in the development:			
At least 1 Bathroom: individual fan, not ducted; Operation control: manual switch on/off		V	V
Kitchen: individual fan, not ducted; Operation control: manual switch on/off		V	V
Laundry: natural ventilation only, or no laundry; Operation control: n/a		V	×
Artificial lighting		<u> </u>	
The applicant must ensure that the "primary type of artificial lighting" is fluorescent or light emitting diode (LED) lighting in each of the following rooms, and where the word "dedicated" appears, the fittings for those lights must only be capable of accepting fluorescent or ight emitting diode (LED) lamps:			
 at least 1 of the living / dining rooms; 			
• the kitchen;			
Natural lighting		*	

Energy Commitments	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
The applicant must install a window and/or skylight in the kitchen of the dwelling for natural lighting.	~	~	V
The applicant must install a window and/or skylight in 2 bathroom(s)/toilet(s) in the development for natural lighting.	V	V	V
Other			
The applicant must construct each refrigerator space in the development so that it is "well ventilated", as defined in the BASIX definitions.		V	
The applicant must install a fixed outdoor clothes drying line as part of the development.		V	

Legend

In these commitments, "applicant" means the person carrying out the development.

Commitments identified with a vin the "Show on DA plans" column must be shown on the plans accompanying the development application for the proposed development (if a development application is to be lodged for the proposed development).

Commitments identified with a vin the "Show on CC/CDC plans and specs" column must be shown in the plans and specifications accompanying the application for a construction certificate / complying development certificate for the proposed development.

Commitments identified with a vin the "Certifier check" column must be certified by a certifying authority as having been fulfilled, before a final occupation certificate(either interim or final) for the development may be issued.