


PENRITH CITY COUNCIL

Serving Our Community

DETERMINATION OF DEVELOPMENT APPLICATION

P E N R I T H C I T Y C O U N C I L



DESCRIPTION OF DEVELOPMENT

DA No. DA13/0233

Description of development Multi-Dwelling Housing x 3 Dwellings & Strata Title Subdivision x 3 Lots

Classification of development The classification of the building(s) forming part of this consent is as follows:

- Class 2
- Class 10a

DETAILS OF THE APPLICANT

Name & Address Rawson Homes
PO Box 3094
NORTH STRATHFIELD NSW 2137

NOTES

- Your attention is drawn to the attached conditions of consent in Attachment 1.
- You should also check if this type of development requires a Construction Certificate in addition to this development consent.
- It is recommended that you read the Advisory Note enclosed with this consent.

DETAILS OF THE LAND TO BE DEVELOPED

Legal Description: Lot 1161 DP 1171491
Property Address: 18 Sydney Smith Drive, PENRITH NSW 2750

DECISION OF CONSENT AUTHORITY

In accordance with Section 81(1)(a) of the Environmental Planning and Assessment Act 1979, consent is granted subject to implementation of the conditions in Attachment 1.

Date from which consent operates 19 June 2013
Date consent expires 19 June 2015
Date of decision 29 May 2013

Please note that this consent will lapse on the expiry date unless the development has commenced in that time.

REVIEW OF DETERMINATION & RIGHTS OF APPEAL

1. The applicant may request Council to review its determination pursuant to Section 82A of the Environmental Planning and Assessment Act 1979 within six (6) months of receiving this Notice of Determination.

You cannot make this request if the development is Designated Development, Integrated Development or State Significant Development.

2. The applicant can appeal against this decision in the Land and Environment Court within six (6) months of receiving this Notice of Determination.

You cannot appeal if a Commission of Inquiry was held for the subject Development Application or if the development is a State Significant Development.

3. If a written objection was made in respect to an application for Designated Development, the objector can appeal against Council's decision to the Land and Environment Court within 28 days after the date of this Notice. The objector cannot appeal if a Commission of Inquiry was held.

If the applicant appeals against Council's decision, the objector(s) will be given a notice of the appeal and the objector(s) can apply to the Land and Environment Court within 28 days after the date of this appeal notice to attend the appeal and make submissions at that appeal.

REASONS

The conditions in the attached schedule have been imposed for the following reasons:

- To ensure compliance with the terms of the relevant Planning Instrument.
- To ensure that no injury is caused to the existing and likely future amenity of the neighbourhood.
- Due to the circumstances of the case and the public interest.
- To ensure the structural integrity of the development.
- To ensure the protection of the health and safety of the occupants of the development.

POINT OF CONTACT

If you have any questions regarding this consent you should contact:

Assessing officer	Kate Smith Graduate Environmental Planner
Contact telephone number	(02) 4732 7705

SIGNATURE

Name	Robert Craig Principal Planner
------	-----------------------------------

Signature



For the Development Services Manager

ATTACHMENT 1: CONDITIONS OF CONSENT

GENERAL

- 1 The development must be implemented substantially in accordance with the following plans stamped approved by Council, the application form, the BASIX Certificate and any supporting information received with the application, except as may be amended in red on the attached plans and by the following conditions.

Drawing Title	Plan/Sheet No.	Revision	Prepared By	Dated
Site Plan	A18839/1 of 7	E	Rawson Homes	6/5/2013
Ground Floor Plan	A18839/2 of 7	E	Rawson Homes	6/5/2013
First Floor Plan	A18839/3 of 7	E	Rawson Homes	6/5/2013
Elevations	A18839/4 of 7	E	Rawson Homes	6/5/2013
Elevations	A18839/5 of 7	E	Rawson Homes	6/5/2013
Sections	A18839/6 of 7	E	Rawson Homes	6/5/2013
Stormwater Plan	SW12426-S1	A	ALW design	19/12/2012
Landscape Plan	L01-L04	G	Ecodesign	14/01/2013
Strata Plan	1 of 3	-	Graham John Hall	-
Strata Plan	2 of 3	-	Graham John Hall	-
Strata Plan	3 of 3	-	Graham John Hall	-
Basix Certificate	462544M	-	Energy Ratings Australia Pty Ltd	20/12/2012
External Colour Schedule	-	-	Rawson Homes	17/12/2012
Waste Management Plan	-	-	Rawson Homes	-

- 2 The work must be carried out in accordance with the requirements of the Building Code of Australia. If the work relates to a residential building and is valued in excess of \$20,000, then a contract of insurance for the residential development shall be in force in accordance with Part 6 of the Home Building Act 1989.

{Note: Residential building includes alterations and additions to a dwelling, and structures associated with a dwelling house/dwelling such as a carport, garage, shed, rural shed, swimming pool and the like}.

- 3 All construction works shall be in accordance with Penrith Development Control Plan- Residential Construction Works.
- 4 **The development shall not be used or occupied until an Occupation Certificate has been issued.**
- 5 **Prior to the issue of an Occupation Certificate**, a lighting system shall be installed for the development to provide uniform lighting across common areas and driveways. Exterior lighting shall be located and directed in such a manner so as not to create a nuisance to surrounding land uses. The lighting shall be the minimum level of illumination necessary for safe operation. The lighting shall be in accordance with AS 4282 "Control of the obtrusive effects of outdoor lighting" (1997).
- 6 The finishes of all structures and buildings are to be maintained at all times and any graffiti or vandalism immediately removed/repaired.
- 7 A **Construction Certificate** shall be obtained prior to commencement of any building works.

- 8 To improve the external appearance of the south-east elevation and to assist in minimising privacy impacts from Unit 2, an awning/ pergola shall be constructed over the ground floor glass sliding door with a minimum depth of 2m.
- 9 No earthworks including cut and fill or building works including retaining walls, garden sheds or other structures are to be positioned within any easements unless permitted otherwise by an 888 instrument.

ENVIRONMENTAL MATTERS

- 10 Erosion and sediment control measures shall be installed **prior to the commencement of works on site** including approved clearing of site vegetation. The erosion and sediment control measures are to be maintained in accordance with the approved erosion and sediment control plan(s) for the development and the Department of Housing's "Managing Urban Stormwater: Soils and Construction" 2004.

(Note: To obtain a copy of the publication, you should contact Landcom on (02) 9841 8600).

The approved sediment and erosion control measures are to be installed **prior to and maintained throughout the construction phase of the development until the landscaping, driveway and on-site parking areas has been completed for the development and the land, that was subject to the works, has been stabilised and grass cover established.** These measures shall ensure that mud and soil from vehicular movements to and from the site does not occur during the construction of the development.

- 11 Cut and fill operations on the property are only permitted in conjunction with the building works as detailed on the approved plans and specifications, and shall not extend more than 2 metres past the defined building footprint.

Before any fill material is imported to site, a validation certificate issued by an appropriately qualified person is to be provided to the Principal Certifying Authority. The validation certificate must demonstrate that the fill material is free from contaminants and weeds, that it is suitable for its intended purpose and land use, and that it will not pose an unacceptable risk to human health or the environment.

If Penrith City Council is not the Principal Certifying Authority, a copy of the validation certificate is to be submitted to Council for their reference.

{Note: Penrith Contaminated Land Development Control Plan defines an appropriately qualified person as "a person who, in the opinion of Council, has a demonstrated experience, or access to experience in hydrology, environmental chemistry, soil science, eco-toxicology, sampling and analytical procedures, risk evaluation and remediation technologies. In addition, the person will be required to have appropriate professional indemnity and public risk insurance."}

- 12 All waste materials stored on-site are to be contained within a designated area such as a waste bay or bin to ensure that no waste materials are allowed to enter the stormwater system or neighbouring properties. The designated waste storage areas shall provide at least two waste bays / bins so as to allow for the separation of wastes, and are to be fully enclosed when the site is unattended.
- 13 All excavated material and other wastes generated as a result of the development are to be re-used, recycled or disposed of in accordance with the approved waste management plan.

Waste materials not specified in the approved waste management plan are to be disposed of at a lawful waste management facility. Where the disposal location or waste materials have not been identified in the waste management plan, details shall be provided to the Certifying Authority as part of the waste management documentation accompanying the Construction Certificate application.

All receipts and supporting documentation must be retained in order to verify lawful disposal of materials and are to be made available to Penrith City Council on request.

- 14 **Prior to the issue of a Construction Certificate**, an acoustic report shall be submitted demonstrating that the proposed dwellings will achieve the following internal noise levels:

- 35 dB(A) LA eq in the sleeping areas, and
- 40 dB(A) LA eq in the living areas.

The recommendations provided in the acoustic report shall be implemented and incorporated into the design and construction of the development, and shall be shown on plans accompanying the Construction Certificate application.

A certificate is to be obtained from a qualified acoustic consultant certifying that the dwellings have been constructed to meet the noise criteria in accordance with the approved acoustic report. This certificate is to be submitted to the Principal Certifying Authority **prior to the issue of an Occupation Certificate**.

The provisions of the Protection of the Environment Operations Act 1997 apply to the development, in terms of regulating offensive noise.

BCA ISSUES

- 15 The smoke alarms shall be interconnected so that the sounding of the alarm in one detector activates the alarm in all detectors.
- 16 A fire safety list of essential fire or other safety measures shall be submitted to Penrith City Council **prior to the issue of the Construction Certificate**. The fire safety list shall specify all measures (both current and proposed) that are required for the building so as to ensure the safety of persons in the building in the event of fire. The fire safety list must distinguish between:
- the measures that are currently implemented in the building premises, and
 - the measures that are to be proposed to be implemented in the building premises, and must specify the minimum standard of performance for each measure.
- 17 The owner of a building, to which an essential fire safety measure is applicable, shall provide Penrith City Council with an annual fire safety statement for the building. The annual fire safety statement for a building must:
- a) deal with each essential fire safety measure in the building premises, and
 - b) be given:
 - within 12 months after the last such statement was given, or
 - if no such statement has previously been given, within 12 months after a final fire safety certificate was first issued for the building.

As soon as practicable after the annual fire safety statement is issued, the owner of the building to which the statement relates:

- must also provide a copy of the statement (together with a copy of the current fire safety schedule) to the Commissioner of New South Wales Fire Brigades, and
- prominently display a copy of the statement (together with a copy of the current fire safety schedule) in the building.

- 18 All aspects of the building design shall comply with the applicable performance requirements of the Building Code of Australia so as to achieve and maintain acceptable standards of structural sufficiency, safety (including fire safety), health and amenity for the on-going benefit of the community. Compliance with the performance requirements can only be achieved by:
- a) complying with the deemed to satisfy provisions, or
 - b) formulating an alternative solution which:
 - complies with the performance requirements, or
 - is shown to be at least equivalent to the deemed to satisfy provision, or
 - c) a combination of (a) and (b).

It is the owner's responsibility to place on display, in a prominent position within the building at all times, a copy of the latest fire safety schedule and fire safety certificate/ statement for the building.

HEALTH MATTERS

- 19 The rainwater tank must be maintained so as not to create a nuisance and it must be protected against mosquito infestation.

UTILITY SERVICES

- 20 A Section 73 Compliance Certificate under the Sydney Water Act 1994 shall be obtained from Sydney Water. The application must be made through an authorised Water Servicing Coordinator. Please refer to "Your Business" section of Sydney Water's website at www.sydneywater.com.au then the "e-developer" icon, or telephone 13 20 92.

The Section 73 Compliance Certificate must be submitted to the Principal Certifying Authority **prior to the issue of an Occupation Certificate.**

- 21 **Prior to the issue of a Construction Certificate**, a written clearance is to be obtained from Integral Energy stating that electrical services have been made available to the development or that arrangements have been entered into for the provision of services to the development.
- 22 A completed *Permit Application for Plumbing and Drainage Work* is to be submitted to Sydney Water **at least two working days before the rainwater tank is installed and associated plumbing work is started on the site.**

CONSTRUCTION

- 23 Stamped plans, specifications, a copy of the development consent, the Construction Certificate and any other Certificates to be relied upon shall be available on site at all times during construction.

The following details are to be displayed in a maximum of 2 signs to be erected on the site:

- the name of the Principal Certifying Authority, their address and telephone number,
- the name of the person in charge of the work site and telephone number at which that person may be contacted during work hours,
- that unauthorised entry to the work site is prohibited,
- the designated waste storage area must be covered when the site is unattended, and
- all sediment and erosion control measures shall be fully maintained until completion of the construction phase.

Signage but no more than 2 signs stating the above details is to be erected:

- at the commencement of, and for the full length of the, construction works onsite, and
- in a prominent position on the work site and in a manner that can be easily read by pedestrian traffic.

All construction signage is to be removed **when the Occupation Certificate has been issued for the development.**

24 **Prior to the commencement of construction works:**

- a) Toilet facilities at or in the vicinity of the work site shall be provided at the rate of one toilet for every 20 persons or part of 20 persons employed at the site. Each toilet provided must be:
 - a standard flushing toilet connected to a public sewer, or
 - if that is not practicable, an accredited sewage management facility approved by Council, or
 - alternatively, any other sewage management facility approved by Council.
- b) All excavations and backfilling associated with the erection or demolition of a building must be executed safely and in accordance with the appropriate professional standards. All excavations associated with the erection or demolition of a building must be properly guarded and protected to prevent them from being dangerous to life or property.
- c) If an excavation associated with the erection or demolition of a building extends below the level of the base of the footings of a building on an adjoining allotment of land, the person causing the excavation to be made:
 - must preserve and protect the building from damage, and
 - if necessary, must underpin and support the building in an approved manner, and
 - must, at least 7 days before excavating below the level of the base of the footings of a building on an adjoining allotment of land, give notice of intention to do so to the adjoining allotment of land and furnish particulars of the excavation to the owner of the building being erected or demolished. The owner of the adjoining allotment of land is not liable for any part of the cost of work carried out for the purposes of this condition, whether carried out on the allotment of land being excavated or on the adjoining allotment of land (includes a public road and any other public place).

25 The building shall be set out by a registered surveyor. A Survey Certificate shall be undertaken and submitted to the Principal Certifying Authority when the building is constructed to ground floor slab level and at frame stage with eaves and gutters are installed.

26 The building is to be painted internally and externally **prior to the issue of an Occupation Certificate** in accordance with the approved External Colour Schedule.

27 Clothes drying facilities shall be provided for each dwelling and are to be positioned and screened from public view **prior to the issue of an Occupation Certificate.**

28 The rainwater tank(s) is to be:

- erected on a self-supporting base in the approved location on the property in accordance with the stamped-approved site plans for the development,

- structurally sound and constructed in accordance with AS/NZS 3500.1.2-1998: *National Plumbing and Drainage - Water Supply - Acceptable Solutions*,
- fully enclosed and all openings sealed to prevent access by mosquitoes,
- fitted with a first flush device,
- fitted with a trickle system to top up from mains water,
- provided with an air gap, and
- installed by a licensed plumber in accordance with Sydney Water's "*Plumbing requirements Information for rainwater tank suppliers and plumbers April 2003*" and the *NSW Code of Practice: Plumbing and Drainage*.

Additionally, the following are to be provided:

- Back flow prevention device shall be provided at the water meter in accordance with Sydney Water requirements.
- In the event of a power failure, a back up supply of mains water shall be provided to at least one toilet in the dwelling.
- The rainwater tank(s) and associated piping is to be labelled 'Rainwater - Not for Drinking' in accordance with Sydney Water requirements.
- The rainwater tank and pipework is to be painted in colours matching the external finishes of the dwelling and is to be of non-reflective finish.
- The overflow for the rainwater tank is to be connected into the existing stormwater disposal system on the site.

Before a rainwater tank(s) can be used, a certificate or suitable document is to be submitted to the Principal Certifying Authority stating that the rainwater tank has been installed in accordance with:

- The manufacturer's specifications, and
- Sydney Water and NSW Health requirements.

This certificate or documentation is to be provided by the licensed plumber who installed the rainwater tank on the property, and is to be submitted **prior to the issue of the Occupation Certificate**.

- 29 The catchment area (for the rainwater tank) includes the parts of the roof of the dwelling(s) from which water is collected and includes gutters. To ensure a safe supply of water:
- roof catchment areas must be kept clear of overhanging vegetation,
 - gutters must have sufficient fall to downpipes to prevent pooling of water,
 - overflow, discharge from bleed off pipes from roof mounted appliances such as air conditioners, hot water services and solar heaters must not discharge into the rainwater catchment area,
 - for roofs containing lead based, tar based or asbestos material the tank supply must not be connected to drinking, bathing and gardening tap water outlets,
 - gutter guard must be installed in roof gutters to prevent foreign materials from contaminating the water which enters the rainwater tank.
- 30 The rainwater tank supply must not be connected to drinking and bathing water tap outlets.
- 31 The rainwater tank pump must not exceed 5dBA above ambient background noise level at the nearest residential property boundary. The provisions of the Protection of the Environment Operations Act 1997 apply to the development, in terms of regulating offensive noise.
- 32 Construction works or subdivision works that are carried out in accordance with an approved consent that involve the use of heavy vehicles, heavy machinery and other equipment likely to cause offence to adjoining properties shall be restricted to the

following hours in accordance with the NSW Environment Protection Authority Noise Control Guidelines:

- Mondays to Fridays, 7am to 6pm
- Saturdays, 7am to 1pm if inaudible on neighbouring residential premises, otherwise 8am to 1pm
- No work is permitted on Sundays and Public Holidays.

Other construction works carried out inside a building/tenancy and that do not involve the use of equipment that emits noise are not restricted to the construction hours stated above.

The provisions of the Protection of the Environment Operations Act, 1997 in regulating offensive noise also apply to all construction works.

ENGINEERING

- 33 An Infrastructure Restoration Bond is to be lodged with Penrith City Council for development involving works around Council's Public Infrastructure Assets. The bond is to be lodged with Council **prior to the issue of a Construction Certificate**. The bond is based upon the estimated value of the works with a bond of \$2,592 payable for the subject development.

The bond is refundable once a final inspection has been carried out by Council's Works Department and the works have been completed to Council's satisfaction. The bond may be used to repair or reinstate any damage that occurs to Council's Public Infrastructure Assets as a result of the development works.

Contact Council's City Works Department on 4732 7777 or visit Council's website to obtain the form and request for final inspection.

- 34 **Prior to the issue of a Construction Certificate**, a Roads Act application including payment of application and inspection fees shall be lodged with Penrith City Council, as the Roads Authority, for the following works:

- a) Provision of a vehicular crossing/s.
- b) Opening the road reserve for the provision of services including stormwater.

All works within the road reserve shall be carried out in accordance with Penrith City Council's Design Guidelines and Construction Specification for Civil Works.

Penrith City Council (being the Roads Authority under the Roads Act) shall approve the works completed on or over the road reserve. Contact Council's **City Works Department** on (02) 4732 7777 to arrange an inspection of the works (and payment of inspection fees, if required).

- 35 Stormwater drainage from the site shall be discharged to:

- a) The street drainage system.

The proposed development and stormwater drainage system shall be designed to ensure no adverse impact on adjoining properties by the diversion, damming or concentration of stormwater flows.

The proposed method of stormwater discharge shall be detailed in the Construction Certificate issued by the Certifying Authority.

- 36 **Prior to the issue of a Construction Certificate**, the Certifying Authority shall ensure that vehicular access, circulation, manoeuvring, pedestrian and parking areas associated with the subject development are in accordance with AS 2890.1, AS 2890.2, AS 2890.6 and Penrith City Council's Development Control Plan.
- 37 **Prior to the issue of an Occupation Certificate**, the Principal Certifying Authority shall ensure that all works within the road reserve have been inspected and approved by Penrith City Council.

LANDSCAPING

- 38 All landscape works are to be constructed in accordance with the stamped-approved plans L01-L04, prepared by Ecodesign, dated 14/01/2013 and Sections F5 "Planting Techniques", F8 "Quality Assurance Standards" and F9 "Site Management Plan" of Penrith Council's Landscape Development Control Plan.

Landscaping shall be maintained:

- in accordance with the approved plan, and
- in a healthy state, and in perpetuity by the existing or future owners and occupiers of the property.

If any of the vegetation comprising that landscaping dies or is removed, it is to be replaced with vegetation of the same species and, to the greatest extent practicable, the same maturity as the vegetation which died or was removed.

- 39 The approved landscaping for the site must be constructed by a landscape professional listed in Council's Approved Landscape Consultants Register as suitable to construct category 2 landscape works.
- 40 The following series of reports relating to landscaping are to be submitted to the nominated consent authority at the appropriate time periods as listed below. These reports shall be prepared by a landscape professional listed in Council's Approved Landscape Consultants Register as suitable to design category 2 landscape works.

i. Implementation Report

- Upon completion of the landscape works associated with the development and prior to the issue of an Occupation Certificate for the development, an Implementation Report must be submitted to the Principal Certifying Authority attesting to the satisfactory completion of the landscaping works for the development. The report is to be prepared by a landscape professional listed in Council's Approved Landscape Consultants Register as suitable to design category 2 landscape works.
- An Occupation Certificate should not be issued until such time as a satisfactory Implementation Report has been received. If Penrith City Council is not the Principal Certifying Authority, a copy of the satisfactory Implementation Report is to be submitted to Council together with the Occupation Certificate for the development.

ii. Maintenance Report

- On the first anniversary of the date of the Occupation Certificate issued for the development, a Landscape Maintenance Report is to be submitted to Penrith City Council certifying that the landscape works are still in accordance with the development consent and the plant material is alive and thriving.

- This report is to be prepared by a landscape professional listed in Council's Approved Landscape Consultants Register as suitable to design category 2 landscape works.
- 41 All plant material associated with the construction of approved landscaping is to be planted in accordance with the Tree Planting Specification prescribed in Penrith Council's Landscape Development Control Plan.
- 42 All landscape works are to meet industry best practice and the following relevant Australian Standards:
- AS 4419 Soils for Landscaping and Garden Use,
 - AS 4454 Composts, Soil Conditioners and Mulches, and
 - AS 4373 Pruning of Amenity Trees.

SUBDIVISION (GENERAL)

- 43 The proposed subdivision shall not encroach on any statutory boundary clearances or setbacks. A plan prepared by a registered surveyor showing the relative position of all buildings to the proposed boundaries shall be submitted to the Principal Certifying Authority.
- 44 **Prior to the issue of a Strata Subdivision Certificate**, submission of the original Linen Plan and ten (10) copies shall be made.

The following information is to be shown on one (1) copy of the plan.

- The location of all buildings and/or other permanent improvements shall comply with any statutory boundary clearances or setbacks as defined by the Building Code of Australia and Council's resolutions.
 - All existing services are wholly contained within the lot served and/or covered by an appropriate easement.
- 45 A Surveyor's Certificate is to be lodged with the application for a Subdivision Certificate that certifies that all pipes and services are located wholly within the property or within appropriate easements and that no services encroach boundaries.

SECTION 94

- 46 This condition is imposed in accordance with Penrith City Council's Section 94 Contributions Plan(s) for District Open Space. Based on the current rates detailed in the accompanying schedule attached to this Notice, \$5,049 is to be paid by Urban Growth NSW to Council **prior to a Construction Certificate being issued for this development** (the rates are subject to quarterly reviews). If not paid within the current quarterly period, this contribution will be reviewed at the time of payment in accordance with the adopted Section 94 plan. The projected rates of this contribution amount are listed in Council's Fees and Charges Schedule.

Council should be contacted prior to payment to ascertain the rate for the current quarterly period. The S94 invoice accompanying this consent should accompany the contribution payment.

The Section 94 Contributions Plan may be inspected at Council's Civic Centre, 601 High Street, Penrith.

PAYMENT OF FEES

- 47 All roadworks, dedications and drainage works are to be carried out at the applicant's cost.

- 48 **Prior to the commencement of any works on site**, all fees associated with Penrith City Council-owned land and infrastructure shall be paid to Council. These fees include Road Opening fees and Infrastructure Restoration fees.

CERTIFICATION

- 49 A Strata Certificate shall be obtained prior to lodgement of the strata plan with the Land and Property Information division of the Department of Lands. The Strata Certificate will not be issued if any of the conditions in this consent are outstanding.
- 50 The commitments listed in the BASIX Certificate for the dwellings, and forming part of the development consent, are to be maintained during the life of the dwelling. Where the commitments require replacement, the replacement must be identical to or is at a higher star rating to that listed in the BASIX Certificate.
- 51 **Prior to the commencement of any earthworks or construction works on site**, the proponent is to:
- a) employ a Principal Certifying Authority to oversee that the said works carried out on the site are in accordance with the development consent and related Construction Certificate issued for the approved development, and with the relevant provisions of the Environmental Planning and Assessment Act and accompanying Regulation, and
 - b) submit a Notice of Commencement to Penrith City Council.

The Principal Certifying Authority shall submit to Council an "Appointment of Principal Certifying Authority" in accordance with Section 81A of the Environmental Planning and Assessment Act 1979.

Information to accompany the Notice of Commencement

Two (2) days before any earthworks or construction/demolition works are to commence on site (including the clearing site vegetation), the proponent shall submit a "Notice of Commencement" to Council in accordance with Section 81A of the Environmental Planning and Assessment Act 1979.

- 52 An Occupation Certificate is to be obtained from the Principal Certifying Authority on completion of all works and prior to the occupation of the dwellings.

The Certificate shall not be issued if any conditions of this consent, but not the conditions relating to the operation of the development, are outstanding.

A copy of the Occupation Certificate and all necessary documentation supporting the issue of the Certificate is to be submitted to Penrith City Council, if Council is not the Principal Certifying Authority.

Robert Craig

Signature



For the Development Services Manager

PENRITH CITY COUNCIL

ADVISORY NOTES FOR COMMERCIAL / INDUSTRIAL DEVELOPMENT

I N F O R M A T I O N

These advisory notes have been developed for your information and should be read in conjunction with Penrith City Council's Notice of Determination issued for the development.

1. A Construction Certificate must be issued before you can commence any construction works on the site. You can apply to Penrith City Council or an appropriately accredited certifier for a Construction Certificate. The application for a Construction Certificate should include detailed plans, specifications and any other documentation that may have been specified in the Notice of Determination.
2. To undertake construction of your development as approved, you will need to appoint a Principal Certifying Authority (PCA). A PCA may either be Penrith City Council or a private certifier. The critical mandatory inspections are listed in the documentation for the Construction Certificate. Failure to request a critical mandatory inspection will prevent the PCA from issuing an Occupation Certificate for the development. An Occupation Certificate needs to be obtained before you can occupy/use the new building works.
3. If Penrith City Council is required to undertake the critical mandatory inspection, you are requested to contact Council's Development Services Administration on 02 4732 7991, by phone before 4.00pm on the weekday before the inspection is required.
4. Damage to major utilities such as underground cables, pipe work, and other utility services can be a serious problem. Damage to the utilities can be avoided by contacting the "Dial before you Dig Service." You can obtain the information from the web page at www.1100.com.au or by phoning 1100. Individuals and companies who do not follow this procedure may be required to pay for any damage caused to a major utility. Consideration should also be given to other non member utility providers who do not participate in the "Dial before you Dig Service."
5. Prior to any work commencing on the site for development you are required to liaise and gain approval from Sydney Water for the approved development plans. Other utility providers that may require consultation include Integral Energy, AGL Gas, Telstra, Australia Post, WorkCover and other State or Federal Government departments.
6. For developments including an on – site detention system (OSD), you are advised that OSD levels are critical. They should be carefully checked prior to and during construction of the system to ensure that the OSD system is constructed in accordance with the approved plans to provide the required volume for storage.
7. A Fire Safety Certificate will need to be issued for the building/use before you can request the Principal Certifying Authority to issue the applicant with an Occupation Certificate. The Occupation Certificate is required to be issued before you can occupy and operate in the new building (work). Failure to obtain the Occupation Certificate is an offence and is subject to a penalty under the Environmental Planning & Assessment Act 1979.
8. For developments involving a food shop, Penrith City Council's Environmental Health Department must be contacted on 02 4732 7991 to arrange a final inspection of the food shop. The final inspection is required to assess compliance with Australian Standard 4674 Design, Construction and fit out of Food Premises, the Food Act 2003, and associated regulations. The business shall not operate until a satisfactory inspection of the food shop has been completed.