

PENRITH CITY COUNCIL

NOTICE OF DETERMINATION

DESCRIPTION OF DEVELOPMENT

Application number:	DA19/0657
Description of development:	Change of Use to Recreation Facility (Indoor) including Cafe in Tenancy 310
Classification of development:	Class 6

DETAILS OF THE LAND TO BE DEVELOPED

Legal description:	Lot 10 DP 1046110
Property address:	13 - 23 Pattys Place, JAMISONTOWN NSW 2750

DETAILS OF THE APPLICANT

Name & Address:	Hamptons Property Services Suite 404 203-233 New South Head Road EDGECLIFF NSW 2027
-----------------	---

DECISION OF CONSENT AUTHORITY

In accordance with Section 4.18(1) (a) of the Environmental Planning and Assessment Act 1979, consent is granted subject to the conditions listed in attachment 1.

Please note that this consent will lapse on the expiry date unless the development has commenced in that time.

Date from which consent operates	15 November 2019
Date the consent expires	15 November 2024
Date of this decision	15 November 2019

POINT OF CONTACT

If you have any questions regarding this determination you should contact:

Assessing Officer:	Sufyan Nguyen
Contact telephone number:	+612 4732 8568

NOTES

Reasons

The conditions in the attached schedule have been imposed in accordance with Section 4.17 of the Environmental Planning and Assessment Act 1979 as amended.

Conditions

Your attention is drawn to the attached conditions of consent in attachment 1.

Certification and advisory notes

You should also check if this type of development requires a construction certificate in addition to this development consent.

It is recommended that you read any Advisory Note enclosed with this notice of determination.

Review of determination

The applicant may request Council to review its determination pursuant to Division 8.2 of the Environmental Planning and Assessment Act 1979 within six months of receiving this Notice of Determination.

These provisions do not apply to designated development, complying development or crown development pursuant to Section 8.2(2) of the Environmental Planning and Assessment Act 1979.

Appeals in the Land and Environment Court

The applicant can appeal against this decision in the Land and Environment Court within six months of receiving this Notice of Determination.

There is no right of appeal to a decision of the Independent Planning Commission or matters relating to a complying development certificate pursuant to clause 8.6(3) of the Environmental Planning and Assessment Act 1979.

Designated development

If the application was for designated development and a written objection was made in respect to the application, the objector can appeal against this decision to the Land and Environment Court within 28 days after the date of this notice.

If the applicant appeals against this decision, objector(s) will be given a notice of the appeal and the objector(s) can apply to the Land and Environment Court within 28 days after the date of this appeal notice to attend the appeal and make submissions at that appeal.

Sydney Western City Planning Panels

If the application was decided by the Sydney Western City Planning Panel, please refer to Section 2.16 of the Environmental Planning and Assessment Act, 1979 (as amended) for any further regulations.

ATTACHMENT 1: CONDITIONS OF CONSENT

General

- 1 The development must be implemented substantially in accordance with the following plans and documents stamped approved by Council, the application form and any supporting information received with the application, except as may be amended in red on the stamped approved plans and by the following conditions.

Drawing Title	Prepared By	DWG No.	Dated	Issue
Tenancy Shop 310 Floor Plan, RCP, Elevations & Section	Leffler Simes Architects	(Project No. 3131) TP_310	26/08/19	P5
Floor Plan	Studio P	A_SP_A01_03	31/10/19	03
Kiosk Detail	Studio P	A_SP_A01A_01	31/10/19	01
Kiosk Equipment Schedule	Studio P	A_SP_A01B_01	31/10/19	01
Kiosk Detail	Studio P	A_SP_A01A_02	05/11/19	02
Signage	--	--	--	--

- 2 The proprietor of the food business shall ensure that the requirements of the *NSW Food Act 2003*, *NSW Food Regulation 2010* and the Australian and New Zealand Food Standards Code are met at all times.

- 3 **The development shall not be used or occupied until an Occupation Certificate has been issued.**

A satisfactory inspection from an authorised officer of Council's Environmental Health Department is required prior to the issue of the Occupation Certificate. The occupier is to contact the Environmental Health Department to organise an appointment at least 72 hours prior to the requested inspection time.

- 4 The business is to be registered with Penrith City Council by completing the "Registration of Premises" form. This form is to be returned to Council prior to the issuing of the Occupation Certificate and operation of the business.
- 5 The approved operating hours are from Monday to Wednesday & Fridays, 9am - 5:30pm, Thursdays, 9am - 9pm, Saturdays, 9am - 5pm and Sundays, 10am to 4pm. Delivery and service vehicles generated by the development are limited to the approved operating hours.
- 6 All materials and goods associated with the use shall be contained within the building at all times.
- 7 The finishes of all structures and the premises are to be maintained at all times and any graffiti or vandalism immediately removed/repaired.
- 8 A **Construction Certificate** shall be obtained prior to commencement of any building works.

Demolition

- 9 The nominated structures is to be demolished as part of the approved work.

- 10 All demolition works are to be conducted in accordance with the provisions of AS 2601-1991 "The Demolition of Structures". **Prior to demolition**, all services shall be suitably disconnected and capped off or sealed to the satisfaction of the relevant service authority requirements.

All demolition material shall be disposed of at a Council approved site or waste facility. Details of the proposed disposal location(s) of all material from the development site shall be provided to the Principal Certifying Authority **prior to commencement of demolition**.

- 11 Dust suppression techniques are to be employed during demolition and construction to reduce any potential nuisances to surrounding tenancies.

Environmental Matters

- 12 All waste generated as a result of the development are to be re-used, recycled or disposed of in accordance with an approved waste management plan.

Waste materials not specified in the approved waste management plan are to be disposed of at a lawful waste management facility. Where the disposal location or waste materials have not been identified in the waste management plan, details shall be provided to the Certifying Authority as part of the waste management documentation accompanying the Construction Certificate application.

All receipts and supporting documentation must be retained in order to verify lawful disposal of materials and are to be made available to Penrith City Council on request.

- 13 The operating noise level of plant and equipment shall not exceed 5dB(A) above the background noise level when measured at the boundaries of the premises. The provisions of the *Protection of the Environment Operations Act 1997* apply to the development, in terms of regulating offensive noise.
- 14 In the event of ongoing noise complaints relating to the development being received by Council, the owner and/or occupier of the development may be required by Council to obtain the services of a suitably qualified acoustic consultant to undertake a noise impact assessment on the development to address the concerns of the community.
- 15 A public contact number is to be displayed on the front entrance and this phone line must be operational during business hours. A complaint register is to be maintained and must include complaint details and any action taken to address those complaints. A copy of the complaint register is to be provided to Council upon request.

BCA Issues

16 All aspects of the building design shall comply with the applicable performance requirements of the Building Code of Australia so as to achieve and maintain acceptable standards of structural sufficiency, safety (including fire safety), health and amenity for the ongoing benefit of the community. Compliance with the performance requirements can only be achieved by:

(a) complying with the deemed to satisfy provisions, or

(b) formulating an alternative solution which:

- complies with the performance requirements, or
- is shown to be at least equivalent to the deemed to satisfy provision, or

(c) a combination of (a) and (b).

It is the owner's responsibility to place on display, in a prominent position within the building at all times, a copy of the latest fire safety schedule and fire safety certificate/ statement for the building.

Health Matters and OSSM installations

17 The construction, fit-out and finishes of the food premises must comply with Standard 3.2.3 of the Australian and New Zealand Food Standards Code, and AS 4674-2004 *Design, Construction and Fit-out of Food Premises*.

18 Cooking appliances which exceed a total maximum power input of 8kw for electrical, or a total gas input of 29MJ/h for a gas appliance are required to have a kitchen exhaust system installed in accordance with Clause F4.12 of the Building Code of Australia and AS 1668 Parts 1 & 2.

Detailed plans together with calculations for the system must be provided as part of the development application or as part of the Construction Certificate application.

The exhaust hood must completely cover the equipment to be ventilation and extended at least 200mm beyond the perimeter of the equipment. The exhaust hood must be provided with a condensation gutter around its base. The gutter must be at least 50mm wide by 25mm deep. Where abutting walls are located the hood must be constructed so as to finish flat against the wall surface.

The low edge of a canopy type exhaust hood must be at least 2000mm above floor level.

Prior to the issue of an Occupation Certificate and operation of the business, the exhaust system shall be certified by an appropriately qualified person to comply with the Building Code of Australia and AS 1668 Parts 1 & 2. A copy of the certification and supporting documentation must be provided to Council's Environmental Health Department if Council is not the Principal Certifying Authority.

19 A Food Safety Supervisor, with a current Food Safety Supervisor Certificate recognised by the NSW Food Authority, must be appointed by the business prior to commencement of the business.

20 Hand basins in the kitchen and staff toilets must be serviced with hot and cold water through a single outlet, able to be mixed at a temperature of at least 40°C and fitted with a handsfree operation. Where sensor taps are installed the basin must not be more than 6 metres from the hot water system. Disposable paper hand

towels and soap must be provided and serviced from a dispenser adjacent to each hand basin.

- 21 The floor of the food premises must be finished in an approved non-absorbent material, evenly laid, or graded and drained to a trapped floor waste. All floor wastes in the food preparation, service and scullery area must be fitted with a sump removable basket and grate, a minimum 200mm in diameter, and finished in all stainless steel.
- 22 Service pipes, electrical conduits and refrigeration condensate pipes shall be enclosed or chased into walls, floors or plinths. Where it can be demonstrated that this is not feasible, pipes and conduits fixed on brackets, providing a minimum of 25mm clearance from the adjacent wall and 100mm from the floor or adjacent horizontal surface, can be used. All openings in walls, floors and ceilings, through which service pipes and conduits pass, must be vermin proof.
- 23 Appliances used to store potentially hazardous food must have a capacity to keep foods hotter than 60°C, refrigerated foods less than 5°C, and frozen foods less than 18°C and be provided with a digital thermometer, accurate to 1°C that can be easily observed from outside the appliance.
- 24 Details of the dishwashing/glass washing machines must be submitted to Council and approved prior to installation. All utensils and equipment must undergo a washing, sanitising and rinsing cycle. The sanitising rinse cycle must achieve a water temperature of 80°C for 2 minutes or 75°C for 10 minutes.
- 25 All wash sinks and food preparation sinks must be serviced with hot and cold water through a single outlet. Wash sinks must be supplied with water at a temperature of not less than 54°C for washing.
- 26 All fixtures, fittings and equipment must be provided with smooth and impervious surfaces, free from cracks and crevices to enable easy cleaning.

All fittings and fixtures must be built into the wall and floor so as to be free from joints, gaps and cavities to enable easy cleaning or alternatively supported on one of the following:

a) Plinths – plinths must be an integral part of the floor, constructed of solid materials similar to the floor at least 75mm in height and coved at the intersection with the floor. All plinths must have a smooth and impervious finish. All fittings and fixtures must be properly sealed to the plinth so to be free from gaps, cracks and cavities.

b) Wheels or castors – fittings and fixtures can be supported on wheels or castors. The wheels and castors must be capable of supporting and easily moving a full loaded fitting. All wheels and castors must be provided with a restraining device.

c) Legs – fittings and fixtures can be supported on legs but must be constructed of a non-corrosive, smooth metal or moulded plastic. All legs must be free from cracks and crevices. All legs must have a clearance space between the floor and the underside of the fitting of at least 200mm.

Note: False bottoms under fittings are not permitted (AS 4674-2004 – Sections 4.2 and 4.3).

- 27 All garbage must be stored in accordance with the requirements of the Food Safety Standards of the Australian and New Zealand Food Standards Code and the *Protection of the Environment Operations Act 1997* to prevent the harbourage of vermin or generation of odours.

Utility Services

28 A Section 73 Compliance Certificate under the *Sydney Water Act 1994* shall be obtained from Sydney Water. The application must be made through an authorised Water Servicing Coordinator. Please refer to “Your Business” section of Sydney Water’s website at www.sydneywater.com.au then the “e-developer” icon, or telephone 13 20 92.

The Section 73 Compliance Certificate must be submitted to the Principal Certifying Authority **prior to the issue of an Occupation Certificate.**

Construction

29 Stamped plans, specifications, a copy of the development consent, the Construction Certificate and any other Certificates to be relied upon shall be available on site at all times during construction.

The following details are to be displayed in a maximum of 2 signs to be erected on-site:

- the name of the Principal Certifying Authority, their address and telephone number,
- the name of the person in charge of the work site and telephone number at which that person may be contacted during work hours,
- that unauthorised entry to the work site is prohibited,
- the designated waste storage area must be covered when the site is unattended, and
- all sediment and erosion control measures shall be fully maintained until completion of the construction phase.

Signage but no more than 2 signs stating the above details are to be erected:

- at the commencement of, and for the full length of the, construction works on-site, and
- in a prominent position on the work site and in a manner that can be easily read by pedestrian traffic.

All construction signage is to be removed when the Occupation Certificate has been issued for the development.

30 Prior to the commencement of construction works:

(a) Toilet facilities at or in the vicinity of the work site shall be provided at the rate of one toilet for every 20 persons or part of 20 persons employed at the site. Each toilet provided must be:

- a standard flushing toilet connected to a public sewer, or
- if that is not practicable, an accredited sewage management facility approved by Penrith City Council, or
- alternatively, any other sewage management facility approved by Penrith City Council.

(b) If the work involved in the erection or demolition of a building is likely to cause pedestrian or vehicular traffic in a public place to be obstructed or rendered inconvenient, or involves the enclosure of a public place, a hoarding or fence must be erected between the work site and the public place:

- if necessary, an awning is to be erected, sufficient to prevent any substance from, or in connection with, the work falling into the public place,
- the work site must be kept lit between sunset and sunrise if it is likely to be hazardous to persons in the public place, and
- any such hoarding, fence or awning is to be removed when the work has been completed.

31 A completed waste management plan shall be submitted to Penrith City Council for consideration and approval. Council must approve the plan before a Construction Certificate/works can commence on site can be issued for the approved development.

The waste management plan shall be prepared in accordance with the *Penrith Development Control Plan 2014*, and shall address all waste materials likely to result from the proposed development, with details of the estimated waste volumes, onsite storage and management, proposed re-use of materials, designated waste contractors, recycling outlet and/or landfill site.

The approved waste management plan must be implemented on-site and adhered to throughout all stages of the development including demolition, with supporting documentation / receipts retained in order to verify the recycling and disposal of materials in accordance with the approved plan.

32 Construction works that are carried out in accordance with an approved consent that involve the use of heavy vehicles, heavy machinery and other equipment likely to cause offence to adjoining tenancies shall be restricted to the following hours in accordance with the NSW Environment Protection Authority Noise Control Guidelines:

- Mondays to Fridays, 7am to 6pm
- Saturdays, 7am to 1pm if inaudible on neighbouring residential premises, otherwise 8am to 1pm
- No work is permitted on Sundays and Public Holidays.

Other construction works carried out inside a building/tenancy that do not involve the use of equipment that emits noise are not restricted to the construction hours stated above.

The provisions of the *Protection of the Environment Operations Act 1997* in regulating offensive noise also apply to all construction works.

Certification

- 33 An Occupation Certificate is to be obtained from the Principal Certifying Authority on completion of all works and prior to the occupation of the building/tenancy and commencement of the approved use. The Occupation Certificate shall not be issued if any conditions of this consent, but not the conditions relating to the operation of the development, are outstanding, and the development does not comply with the provisions of the Environmental Planning and Assessment Act and Regulation.

Before the Occupation Certificate can be issued for the development, Fire Safety Certificates issued for the building are to be submitted to Penrith City Council and the New South Wales Fire Brigades.

A copy of the Occupation Certificate and all necessary documentation supporting the issue of that Certificate including the above mentioned documents shall be submitted to Penrith City Council, if Council is not the Principal Certifying Authority.

- 34 Prior to the commencement of any construction works on-site, the proponent is to:
- (a) employ a Principal Certifying Authority to oversee that the said works carried out on the site are in accordance with the development consent and related Construction Certificate issued for the approved development, and with the relevant provisions of the Environmental Planning and Assessment Act and accompanying Regulation, and
 - (b) submit a Notice of Commencement to Penrith City Council.

The Principal Certifying Authority shall submit to Council an "Appointment of Principal Certifying Authority" in accordance with Section 6.6 of the *Environmental Planning and Assessment Act 1979*.

Information to accompany the Notice of Commencement

Two days before any earthworks or construction/demolition works are to commence on site (including the clearing site vegetation), the proponent shall submit a "Notice of Commencement" to Council in accordance with Section 6.6 of the *Environmental Planning and Assessment Act 1979*.

SIGNATURE

Name:	Sufyan Nguyen
Signature:	

For the Development Services Manager