

PENRITH CITY COUNCIL

FAST LIGHT ASSESSMENT REPORT

Application number:	DA21/0745
Proposed development:	Single storey dwelling and OSSM
Property address:	1048 - 1058 Castlereagh Road, CASTLEREAGH NSW 2749
Property description:	Lot 381 DP 574654
Date received:	12 October 2021
Assessing officer	Luke Caruana
Zoning:	RU1 Primary Production - LEP 2010
Class of building:	Class 1a
Recommendation:	Approve

Executive Summary

Council is in receipt of a development application for the subject development on the subject site and the proposal is a permissible land use with Council consent.

Site & Surrounds

The subject site is situated at the west side of Castlereagh Road. It is 2Ha in area, slopes down toward the rear and is oriented to the east.

An inspection of the site was undertaken on the 29/10/21 and the site is currently vacant.

The surrounding area is characterised by rural residential development.

Proposal

The proposed development involves the construction of a single dwelling and OSSM system including parking, landscaping and associated drainage works.

Plans that apply

BUSHFIRE PRONE LAND (ENTIRELY)
1996 CENSUS COLLECTORS DISTRICT
PENRITH DCP 2014
GENERAL LIST
CONSENTS - SEC. 92 OF ENVIRONMENTAL PLANNING AND A
MISC - AGRICULTURAL ACTIVITIES WITHIN RURAL AREAS
LEP 2010/ DCP 2014 - Scenic and Landscape Values
DCP 2014 - Tree Preservation Controls
LEP 2010 - Dual Occupancy and Secondary Dwellings
DCP 2014 - General Information
PLAN INST - SREP NO 9 EXT IND (NO 2-1995) AA
PLAN INST - SREP NO 20 HAW NEP RIV (NO2-1997) AA
FLOOD RELATED DEVELOPMENT CONTROLS
Local Environmental Plan 2010
Asbestos Policy
PRECINCT 2010
SEC 94 CONTRIB PLAN - CULTURAL FACILITIES
SEC 94 CONTRIB PLAN - LOCAL OPEN SPACE 2007
SEC 94 CONTRIB PLAN - DISTRICT OPEN SPACE FACILS
SEC 7.12 CONTRIB PLAN - PENRITH CITYWIDE
STATE ENV PLANNING POLICIES - GENERAL LIST
NORTH WARD
RU1 Primary Production - LEP 2010
LEP 2010 - Clause 4.2 Rural Subdivision
LEP 2010 - Clause 4.2A Res Devel and Subdn Prohib
LEP 2010 - Additional Land Use Notes

Planning Assessment

• Section 4.14 - Bushfire prone land assessment

The development has been assessed in accordance with the matters for consideration under Section 4.14 (Consultation and development consent—certain bush fire prone land) of the Environmental Planning and Assessment Act 1979, and having regard to those matters, the following points are made:

- The lot is identified as being entirely bushfire prone land
- A Bushfire Risk Assessment Report prepared by Craig Hardy of Local Group (reference 902) was provided with the application and identifies the lot as being subject to BAL-LOW
- The lot is surrounded by private residential lots considered managed land to the north, east and south for a distance of 140m
- Grassland to the west at a distance of over 50m
- The development is subject to BAL-LOW
- No construction requirements apply under AS3959

• Section 4.15 - Evaluation

The development has been assessed in accordance with the matters for consideration under Section 4.15 of the Environmental Planning and Assessment Act 1979.

Section 4.15(1)(a)(i) The provisions of any environmental planning instrument

Is the development permissible in the zone?

Complies

Is the development consistent with any requirements of environmental planning instruments relevant to this proposal (including any applicable SEPP's, SREP's and LEP's)?

Complies

Section 4.15(1)(a)(ii) The provisions of any draft environmental planning instrument

Is the development consistent with any draft planning instruments relevant to this proposal

N/A

Section 4.15(1)(a)(iii) Any development control plan

Is the development consistent with the provisions of any development control plan relevant to this proposal?

Does not comply - See discussion

Section 4.15(1)(a)(iv) Any applicable regulations

Is the development consistent the provisions of any regulations relevant to this proposal?

Complies

Section 4.15(1)(b) The likely impacts of the development

Context and setting

Is the development consistent with the bulk, scale colour and design of other development in the locality?	Complies
Will the development have only a minor impact of the amenity of the area and the streetscape?	Complies
Is the development compatible with surrounding and adjacent land uses	Complies
Will the development have no or minimal impact on the amenity of the area in terms of:	
Sunlight (overshadowing):	Complies
Visual and acoustic privacy:	Complies
Views or vista:	Complies

Access and Transport

Will the development have no or minimal impact on the local road system	Complies
Is the existing and any proposed access arrangements and car parking on site adequate for the development?	Complies

Heritage

The property is not subject to any heritage order or is identified as heritage under a planning instrument.	N/A
---	------------

Soil

The development will have minimal impact on soil erosion and sedimentation	Complies
--	-----------------

Natural and Technological Hazards

The development is not subject to flooding, subsidence or slip	Complies
Land is not considered to be contaminated:	Complies
Bushfire requirements provided for the development	Complies
Acoustic requirements provided for the development	N/A

Site design

The development is sensitive to environmental conditions and site attributes.	Complies
Does the development safe guard the health and safety of the occupants	Complies

Section 4.15(1)(c) The suitability of the site for development

Was the site inspected?	Yes
Does the proposal fit locality?	Yes
Are the site attributes conducive to development?	Yes
Will the proposal have minimal social and economic impacts on the locality?	Yes
Has any applicable 88b instrument been considered?	Yes
Does the development propose the removal of trees?	No
Have the plans been checked by any relevant developer groups?	N/A
Has a BASIX certificate been provided?	Yes

Section 4.15(1)(d) Any submissions made in accordance with the EPA Act and Regulations?

Was the application required to be publicly notified?	Yes
Were any submissions received during the public notification period?	No

Section 4.15(1)(e)Public Interest

The application will have minimal impacts on public interest	Complies - See discussion
--	----------------------------------

Conclusion/Summary

In assessing this application against the relevant environmental planning policies, the proposal satisfies the aims, objectives and provisions of these policies.

The proposed design is site responsive, complies with key development standards and is in the public interest.

The site is suitable for the proposed development, the proposal is in the public interest, and there is unlikely to be negative impacts arising from the proposed development.

Therefore, the application is worthy of support, subject to recommended conditions.

Recommendation

1. That DA21/0745 for a single dwelling and OSSM system at Lot 381 DP574654 No. 1048-1058 Castlereagh Road, be approved subject to the attached conditions (Development Assessment Report Part B).

General

1 [A001 - Approved plans that are architecturally drawn](#)

The development must be implemented substantially in accordance with the plans prepared by McDonald Jonez Homes, sheets 1-16 inclusive, issue 7, dated 2021.11.03 and stamped approved by Council, the application form, the BASIX Certificate and any supporting information received with the application, except as may be amended in red on the attached plans and by the following conditions.

2 [A008 - Works to BCA requirements \(Always apply to building works\)](#)

The work must be carried out in accordance with the requirements of the Building Code of Australia. If the work relates to a residential building and is valued in excess of \$20,000, then a contract of insurance for the residential development shall be in force in accordance with Part 6 of the Home Building Act 1989.

{Note: Residential building includes alterations and additions to a dwelling, and structures associated with a dwelling house/dwelling such as a carport, garage, shed, rural shed, swimming pool and the like}.

3 [A019 - OCCUPATION CERTIFICATE \(ALWAYS APPLY\)](#)

The development shall not be used or occupied until an Occupation Certificate has been issued.

4 [A046 - Obtain Construction Certificate before commencement of works](#)

A **Construction Certificate** shall be obtained prior to commencement of any building works.

Demolition

5 [B001 - Demolition of existing structures](#)

Prior to the issue of an Occupation Certificate the existing dwelling on site shall be demolished in full.

6 [B002 - AS FOR DEMOLITION AND DISPOSAL TO APPROVED LANDFILL SITE](#)

All demolition works are to be conducted in accordance with the provisions of AS 2601-1991 "The Demolition of Structures". **Prior to demolition**, all services shall be suitably disconnected and capped off or sealed to the satisfaction of the relevant service authority requirements.

All demolition and excavated material shall be disposed of at a Council approved site or waste facility. Details of the proposed disposal location(s) of all excavated material from the development site shall be provided to the Principal Certifying Authority **prior to commencement of demolition**.

7 [B003 - ASBESTOS \(as amended from Council's adopted condition\)](#)

Prior to commencement of demolition works on site, a portaloo with appropriate washing facilities shall be located on the site and the Principal Certifying Authority is to be satisfied that:

- Measures are in place so as to comply with the WorkCover Authority's "Short Guide to Working with Asbestos Cement" and
- The person employed to undertake the works is a licensed asbestos removal contractor and is holder of a current WorkCover Asbestos Licence.

Any demolition works involving the removal of all asbestos shall only be carried out by a licensed asbestos removal contractor who has a current WorkCover Asbestos Licence.

All asbestos laden waste, including asbestos cement flat and corrugated sheeting must be disposed of at a tipping facility licensed by the Environmental Protection Authority to receive asbestos wastes.

8 [B004 - Dust](#)

Dust suppression techniques are to be employed during demolition to reduce any potential nuisances to surrounding properties.

9 [B005 - Mud/Soil](#)

Mud and soil from vehicular movements to and from the site must not be deposited on the road.

10 B006 - Hours of work

Demolition works will be restricted to the following hours in accordance with the NSW Environment Protection Authority Noise Control Guidelines:

- Mondays to Fridays, 7am to 6pm
- Saturdays, 7am to 1pm (if inaudible on neighbouring residential premises), otherwise 8am to 1pm
- No demolition work is permitted on Sundays and Public Holidays.

In the event that the demolition relates to works inside the building and do not involve external walls or the roof, and do not involve the use of equipment that emits noise then the demolition works are not restricted to the hours stated above.

The provisions of the Protection of the Environment Operations Act, 1997 in regulating offensive noise also apply to all construction works.

Environmental Matters

11 D001 - Implement approved sediment& erosion control measures

Erosion and sediment control measures shall be installed prior to the commencement of works on site, including approved clearing of site vegetation. The erosion and sediment control measures are to be installed and maintained in accordance with "Managing Urban Stormwater: Soils and Construction" (2004).

{Note: Visit <https://www.environment.nsw.gov.au/research-and-publications/publications-search/managing-urban-stormwater-soils-and-construction-volume-1-4th-edition> to obtain a copy of the publication.}

The erosion and sediment control measures are to be maintained until all development works have been completed and the site is stabilised.

Mud and soil from vehicular movements to and from the site must not be deposited on the road.

12 D002 - Spraygrass

All land that has been disturbed by earthworks is to be spray grassed or similarly treated to establish a grass cover.

13 D006 - No filling without prior approval (Use always, except for bulk earthworks/ major fill operations)

No fill material shall be imported to the site until such time as a certificate demonstrating that the material is suitable has been submitted to, considered and approved by Council. This certificate may be in the form of a validation certificate, waste classification, or appropriate resource recovery order/exemption. A copy of a report forming the basis for the validation is also to be provided. The certification shall:

- be prepared by an appropriately qualified person with consideration of all relevant guidelines, standards, planning instruments and legislation (e.g. EPA, NEPM, ANZECC, NH&MRC),
- clearly state the legal property description of the fill material source site and the total amount of fill tested,
- provide details of the volume of fill material to be used in the filling operations,
- provide a classification of the fill material to be imported to the site in accordance with the NSW Environment Protection Authority's "Waste Classification Guidelines" 2014, and
- (based on the fill classification) determine whether the fill material is suitable for its intended purpose and land use and whether the fill material will or will not pose an unacceptable risk to human health or the environment

If the Principal Certifying Authority or Penrith City Council is not satisfied that suitable fill materials have been used on the site, further site investigations or remediation work may be requested. In these circumstances the works shall be carried out prior to any further approved works.

{Note: An appropriately qualified person is defined as "a person who, in the opinion of Council, has a demonstrated experience, or access to experience in hydrology, environmental chemistry, soil science, ecotoxicology, sampling and analytical procedures, risk evaluation and remediation technologies. In addition, the person will be required to have appropriate professional indemnity and public risk insurance."}.

14 **D007 - Cut and fill of land requiring Validation Certificate –limited to footprint**

Cut and fill operations on the property are only permitted in conjunction with the building works as detailed on the approved plans and specifications, and shall not extend more than 2 metres past the defined building footprint.

Before any fill material is imported to site, a validation certificate issued by an appropriately qualified person is to be provided to the Principal Certifying Authority. The validation certificate must demonstrate that the fill material is free from contaminants and weeds, that it is suitable for its intended purpose and land use, and that it will not pose an unacceptable risk to human health or the environment.

If Penrith City Council is not the Principal Certifying Authority, a copy of the validation certificate is to be submitted to Council for their reference.

{Note: Penrith Contaminated Land Development Control Plan defines an appropriately qualified person as “a person who, in the opinion of Council, has a demonstrated experience, or access to experience in hydrology, environmental chemistry, soil science, eco-toxicology, sampling and analytical procedures, risk evaluation and remediation technologies. In addition, the person will be required to have appropriate professional indemnity and public risk insurance.”}

15 **D009 - Covering of waste storage area**

All *construction* waste materials stored on-site are to be contained within a designated area such as a waste bay or bin to ensure that no waste materials are allowed to enter the stormwater system or neighbouring properties. The designated waste storage areas are to be fully enclosed when the site is unattended.

16 **D010 – Appropriate disposal of excavated or other waste**

Waste materials associated with the development are to be classified and disposed of at a lawful waste facility, or, if suitable, re-used or recycled *in accordance with the approved Waste Management Plan. Where the disposal location or waste materials have not been identified in the waste management plan, details shall be provided to the Certifying Authority as part of the waste management documentation accompanying the Construction Certificate application.*

Waste is to be stored in a designated storage area prior to removal for disposal or recycling. Where possible, the waste storage area is to be located so that it is not visible to the occupiers of adjoining properties. The waste storage area is *[to be located a minimum of 40 metres from a waterway and is]* to be undercover, or is to be provided with a weatherproof cover, when it is unattended or not in use. The waste storage area is to be maintained to ensure that no waste materials are allowed to enter the stormwater system or neighbouring properties.

All receipts and supporting documentation must be retained in order to verify lawful disposal of materials and are to be made available to Penrith City Council on request.

17 **D014 - Plant and equipment noise**

The operating noise level of plant and equipment shall not exceed 5dB(A) above the background noise level when measured at the boundaries of the premises. The provisions of the Protection of the Environment Operations Act 1997 apply to the development, in terms of regulating offensive noise.

BCA Issues

18 **E001 - BCA compliance**

All aspects of the building design shall comply with the applicable performance requirements of the Building Code of Australia so as to achieve and maintain acceptable standards of structural sufficiency, safety (including fire safety), health and amenity for the on-going benefit of the community. Compliance with the performance requirements can only be achieved by:

- (a) complying with the deemed to satisfy provisions, or
- (b) formulating an alternative solution which:
 - complies with the performance requirements, or
 - is shown to be at least equivalent to the deemed to satisfy provision, or
- (c) a combination of (a) and (b).

Health Matters and OSSM installations

19 F006 - Water tank & nuisance

The rainwater tank must be maintained so as not to create a nuisance and it must be protected against mosquito infestation.

Construction

20 H001 - Stamped plans and erection of site notice

Stamped plans, specifications, a copy of the development consent, the Construction Certificate and any other Certificates to be relied upon shall be available on site at all times during construction.

The following details are to be displayed in a maximum of 2 signs to be erected on the site:

- the name of the Principal Certifying Authority, their address and telephone number,
- the name of the person in charge of the work site and telephone number at which that person may be contacted during work hours,
- that unauthorised entry to the work site is prohibited,
- the designated waste storage area must be covered when the site is unattended, and
- all sediment and erosion control measures shall be fully maintained until completion of the construction phase.

Signage but no more than 2 signs stating the above details is to be erected:

- at the commencement of, and for the full length of the, construction works onsite, and
- in a prominent position on the work site and in a manner that can be easily read by pedestrian traffic.

All construction signage is to be removed when the Occupation Certificate has been issued for the development.

21 H002 - All forms of construction

Prior to the commencement of construction works:

(a) Toilet facilities at or in the vicinity of the work site shall be provided at the rate of one toilet for every 20 persons or part of 20 persons employed at the site. Each toilet provided must be:

- a standard flushing toilet connected to a public sewer, or
- if that is not practicable, an accredited sewage management facility approved by the council, or
- alternatively, any other sewage management facility approved by council.

(b) All excavations and backfilling associated with the erection or demolition of a building must be executed safely and in accordance with the appropriate professional standards. All excavations associated with the erection or demolition of a building must be properly guarded and protected to prevent them from being dangerous to life or property.

(c) If an excavation associated with the erection or demolition of a building extends below the level of the base of the footings of a building on an adjoining allotment of land, the person causing the excavation to be made:

- must preserve and protect the building from damage, and
- if necessary, must underpin and support the building in an approved manner, and
- must, at least 7 days before excavating below the level of the base of the footings of a building on an adjoining allotment of land, give notice of intention to do so to the owner of the adjoining allotment of land and furnish particulars of the excavation to the owner of the building being erected or demolished. The owner of the adjoining allotment of land is not liable for any part of the cost of work carried out for the purposes of this condition, whether carried out on the allotment of land being excavated or on the adjoining allotment of land, (includes a public road and any other public place).

22 H022 - Survey (as amended)

The building shall be set out by a registered surveyor. A Survey Certificate shall be undertaken and submitted to the Principal Certifying Authority when the building is constructed.

23 H030 – Roof finishes (rural property)

The roof of the structure is to be a dull, non-reflective surface and colour. The external finishes of the dwelling are to compliment and blend with the established streetscape and amenity of the area.

24 **H036 - Rainwater Tank (Also impose H037, H038, H039, G005 & Q010)**

The rainwater tank(s) is to be:

- erected on a self-supporting base in the approved location on the property in accordance with the stamped-approved site plans for the development,
- structurally sound and constructed in accordance with AS/NZS 3500 1.2- 1998: National Plumbing and Drainage - Water Supply - Acceptable Solutions,
- fully enclosed and all openings sealed to prevent access by mosquitoes,
- fitted with a first flush device,
- fitted with a trickle system to top up from mains water,
- provided with an air gap, and
- installed by a licensed plumber in accordance with Sydney Water's "Plumbing requirements Information for rainwater tank suppliers and plumbers April 2003" and the NSW Code of Practice: Plumbing and Drainage.

Additionally, the following are to be provided:

- A back flow prevention device shall be provided at the water meter in accordance with Sydney Water requirements.
- In the event of a power failure, a back up supply of mains water shall be provided to at least one toilet in the dwelling.
- The rainwater tank(s) and associated piping is to be labelled 'Rainwater - Not for Drinking' in accordance with Sydney Water requirements.
- The rainwater tank and pipework is to be painted in colours matching the external finishes of the dwelling and is to be of non-reflective finish.
- The overflow for the rainwater tank is to be connected into the existing stormwater disposal system on the site.

Before a rainwater tank(s) can be used, a certificate or suitable document is to be submitted to the Principal Certifying Authority stating that the rainwater tank has been installed in accordance with:

- the manufacturer's specifications, and
- Sydney Water and NSW Health requirements

This certificate or documentation is to be provided by the licensed plumber who installed the rainwater tank on the property, and is to be submitted prior to the issue of the Occupation Certificate.

25 **H037 - Safe supply of water from catchment areas (Also impose H036, H038 & H039)**

The catchment area (for the rainwater tank) includes the parts of the roof of the dwelling(s) from which water is collected and includes gutters. To ensure a safe supply of water:

- roof catchment areas must be kept clear of overhanging vegetation,
- gutters must have sufficient fall to downpipes to prevent pooling of water,
- overflow, discharge from bleed off pipes from roof mounted appliances such as airconditioners, hot water services and solar heaters must not discharge into the rainwater catchment area,
- for roofs containing lead based, tar based or asbestos material the tank supply must not be connected to drinking, bathing and gardening tap water outlets,
- appropriate measures must be installed to prevent foreign materials from contaminating the water which enters the rainwater tank.

26 **H038 - Connection of rainwater tank supply (Also impose H036, H037 & H039)**

The rainwater tank supply must not be connected to drinking and bathing water tap outlets.

27 **H039 - Rainwater tank pumps (Also impose H036, H037 & H038)**

The pump must not exceed 5dBA above ambient background noise level at the nearest residential property boundary. The provisions of the Protection of the Environment Operations Act 1997 apply to the development, in terms of regulating offensive noise.

28 **H041 - Hours of work (other devt)**

Construction works or subdivision works that are carried out in accordance with an approved consent that involve the use of heavy vehicles, heavy machinery and other equipment likely to cause offence to adjoining properties shall be restricted to the following hours in accordance with the NSW Environment Protection Authority Noise Control Guidelines:

- Mondays to Fridays, 7am to 6pm
- Saturdays, 7am to 1pm (if inaudible on neighbouring residential premises), otherwise 8am to 1pm
- No work is permitted on Sundays and Public Holidays.

Other construction works carried out inside a building/tenancy and do not involve the use of equipment that emits noise are not restricted to the construction hours stated above.

The provisions of the Protection of the Environment Operations Act, 1997 in regulating offensive noise also apply to all construction works.

Engineering

29 **K026 - Stabilised access**

All land required for vehicular access within the site is to be stabilised.

30 **K201 - Infrastructure Bond**

An Infrastructure Restoration Bond is to be lodged with Penrith City Council for development involving works around Penrith City Council's Public Infrastructure Assets. The bond is to be lodged with Penrith City Council prior to commencement of any works on site or prior to the issue of any Construction Certificate, whichever occurs first. The bond and applicable fees are in accordance with Council's adopted Fees and Charges.

An application form together with an information sheet and conditions are available on Council's website.

Contact Penrith City Council's Asset Management Department on 4732 7777 or visit Penrith City Council's website for more information.

31 **K202 - S138 Roads Act - Minor Works in the Public Road**

Prior to the issue of any Construction Certificate, a Section 138 Roads Act application, including payment of application and inspection fees together with any applicable bonds, shall be lodged with and approved by Penrith City Council (being the Roads Authority for any works required in a public road). These works may include but are not limited to the following:

- a) Construction of a rural vehicular crossover for the development, in accordance with Penrith City Council's Engineering Construction Specification for Civil Works.
- b) Road opening for utilities

All works shall be carried out in accordance with the Roads Act approval, the development consent, including the stamped approved plans, and Penrith City Council's specifications, guidelines and best engineering practice.

Contact Penrith City Council's Asset Management Department on 4732 7777 or visit Penrith City Council's website for more information.

Note:

- Where Penrith City Council is the Certifier for the development, the Roads Act approval for the above works may be issued concurrently with the Construction Certificate.
- Separate approval may be required from Transport for NSW for classified roads.
- All works associated with the Roads Act approval must be completed prior to the issue of any Occupation Certificate.

32 **K204 - S138 Roads Act - TfNSW**

Prior to the issue of any Construction Certificate, the Certifier shall ensure that any applicable application, including the payment of application and inspection fees, has been lodged with and approved by Transport for NSW (TfNSW) for any works within the Castlereagh Road, Castlereagh road reserve.

A copy of TfNSW approval shall be submitted to Penrith City Council prior to Penrith City Council issuing any Roads Act approval.

33 **K209 - Stormwater Discharge - Minor Development**

Stormwater drainage from the site shall be discharged to:

- a) A suitably designed level spreader or absorption system.

The stormwater drainage system shall be designed in accordance with Penrith City Council's Stormwater Drainage Specification for Building Developments. The design shall ensure that the development has no adverse impact on adjoining properties by the diversion, damming or concentration of stormwater flows.

The proposed method of stormwater discharge shall be detailed in the Construction Certificate issued by the Certifier.

34 **K223 - Access, Car Parking and Manoeuvring - Minor Development**

Prior to the issue of any Construction Certificate, the Certifier shall ensure that:

- a) A sealed access driveway is provided from the public road to the garage parking spaces.
b) Off street access and parking complies with Penrith City Council's Development Control Plan and AS2890.1.
b) Sight distances at the street frontage have been provided in accordance with AS2890.1.

35 **K501 - Penrith City Council Clearance - Roads Act / Local Government Act**

Prior to the issue of any Occupation Certificate, the Principal Certifier shall ensure that all works associated with a S138 Roads Act approval have been inspected and signed off by Penrith City Council and Transport for NSW as applicable.

36 **K501 Roads Authority clearance**

Prior to the issue of an Occupation Certificate, the Principal Certifying Authority shall ensure that all works within the road reserve have been inspected and approved by Penrith City Council.

Landscaping

37 **L001 - General landscaping (applies to most building works)**

All landscape works are to be constructed in accordance with the stamped approved plan and Sections F5 "Planting Techniques", F8 "Quality Assurance Standards", F9 "Site Management Plan" of Penrith Council's Landscape Development Control Plan.

Landscaping shall be maintained:

- in accordance with the approved plan, and
- in a healthy state, and
- in perpetuity by the existing or future owners and occupiers of the property.

If any of the vegetation comprising that landscaping dies or is removed, it is to be replaced with vegetation of the same species and, to the greatest extent practicable, the same maturity, as the vegetation which died or was removed.

38 **L008 - Tree Preservation Order**

No trees are to be removed, ringbarked, cut, topped or lopped or wilfully destroyed without the prior consent of Penrith City Council and in accordance with Council's Tree Preservation Order and Policy.

Payment of Fees

39 **P002 - Fees associated with Council land (Applies to all works & add K019)**

Prior to the commencement of any works on site, all fees associated with Penrith City Council-owned land and infrastructure shall be paid to Council. These fees include Road Opening fees and Infrastructure Restoration fees.

Certification

40 **Q01F - Notice of Commencement & Appointment of PCA2 (use for Fast Light only)**

Prior to the commencement of any earthworks or construction works on site, the proponent is to:

- (a) employ a Principal Certifying Authority to oversee that the said works carried out on the site are in accordance with the development consent and related Construction Certificate issued for the approved development, and with the relevant provisions of the Environmental Planning and Assessment Act and accompanying Regulation, and
- (b) submit a Notice of Commencement to Penrith City Council.

The Principal Certifying Authority shall submit to Council an "Appointment of Principal Certifying Authority" in accordance with Section 81A of the Environmental Planning and Assessment Act 1979.

Information to accompany the Notice of Commencement

Two (2) days before any earthworks or construction/demolition works are to commence on site (including the clearing site vegetation), the proponent shall submit a "Notice of Commencement" to Council in accordance with Section 81A of the Environmental Planning and Assessment Act 1979.

41 **Q05F - Occupation Certificate for Class10**

An Occupation Certificate is to be obtained from the Principal Certifying Authority on completion of all works and prior to the occupation/use of the development.

The Certificate shall not be issued if any conditions of this consent, but not the conditions relating to the operation of the development, are outstanding.

A copy of the Occupation Certificate and all necessary documentation supporting the issue of the Certificate is to be submitted to Penrith City Council, if Council is not the Principal Certifying Authority.

Operation of OSSM

42 **R101 - Operational Approval prior to use**

Prior to the issue of the 'Approval to Operate', a Commissioning Certificate for the on-site sewage management (OSSM) system shall be provided to Penrith City Council for approval. This Certificate shall certify that the aerated wastewater treatment system (AWTS) has been installed and is operating in accordance with the conditions of its NSW Health accreditation documentation.

Prior to the issue of the Occupation Certificate and before the OSSM system can be used, an 'Approval to Operate' for the OSSM system is to be sought from and issued by Penrith City Council.

43 **R102 - OSSM System Type and Disposal Area (all systems)**

All wastewater generated on the site is to be diverted to an aerated water treatment system and be disposed of by way of surface irrigation in the approved effluent management area(s). The effluent management area is to be located in accordance with the stamped approved Effluent Management Area Plan (prepared by Broadcrest Consulting Pty Ltd , dated October 2021, reference number: 1421-WW-01-A) and have a minimum area of 873m².

The system and effluent management area(s) are to be installed and managed in accordance with the:

- “Environmental and Health Protection Guidelines On-Site Sewage Management for Single Households”
- Australian Standards AS 1547:2012,
- Council's On-Site Sewage Management and Greywater Reuse Policy,
- the Wastewater Report (prepared by Broadcrest Consulting Pty Ltd , dated October 2021, reference number: 1421-WW-01-A, and
- the Effluent Management Area Plan (prepared by Broadcrest Consulting Pty Ltd , dated October 2021, reference number: 1421-WW-01-A).

The system is to be utilised for a 5 bedroom dwelling in accordance with Wastewater Report (prepared by Broadcrest Consulting Pty Ltd , dated October 2021, reference number: 1421-WW-01-A). Any dwelling approval on the site greater than this may require a new wastewater report for Council's consideration.

44 **R103 - Council inspections for Installation**

Penrith City Council is both the consent authority and certifying authority for the installation of the on-site sewage management system. **It is your responsibility to contact Council to organise all inspections required for the installation of the system.**

In this regard, the wastewater tank(s) and effluent management area(s) will need to be inspected on completion of the system's installation (before backfilling occurs) and prior to its commissioning, to ensure compliance with those conditions specific to the installation of the system. A copy of the satisfactory inspection report carried out by Council shall be submitted to the Principal Certifying Authority (PCA) if Council is not the PCA.

45 **R104 - No alterations without approval**

The wastewater tank(s), drainage and irrigation lines and effluent management area(s) shall not be altered without the prior approval of Council. In addition, the wastewater tank(s) shall not be buried or covered.

46 **R105 - Plumbing Code of Australia**

All house drainage and sanitary plumbing shall be carried out in accordance with the requirements of the Plumbing and Drainage Act 2011 and the Plumbing Code of Australia.

47 **R106 - AWTS - Design of Irrigation System**

The design of the irrigation system for the effluent management area(s) is to be such that:

- The distribution line is to be buried from the wastewater tank(s) to the designated effluent management area(s).
- The moveable irrigation line and sprinklers (including the plume from the sprinklers) situated within the effluent management area(s) cannot exceed the designated boundaries of the said area.
- The treated wastewater can be evenly irrigated across the entire designated effluent management area(s), **avoiding the drip line of native trees.**

48 [R107 - AWTS - Irrigation pipework \(surface or sub-surface\)](#)

All irrigation pipework and fittings shall comply with AS2698 "Plastic Pipes and Fittings for Irrigation and Rural Applications". In this regard:

- The irrigation system is not to be connected to/not capable of connection to the mains water supply.
- Standard household fittings, soaker hoses, garden sprinklers and standard water hose fittings are not to be used.

Surface -

- All distribution lines of the irrigation system to any standpipe shall be buried to a minimum 100mm below finished surface level.
- Spray irrigation equipment connected to distribution lines shall be fixed.
- Spray irrigation shall only use low pressure, low volume spray heads which are not capable of producing aerosols. The spray shall have a maximum plume height of 500mm from the ground surface and a plume diameter of not more than 2 metres.

49 [R109 - No effluent runoff](#)

There shall be no effluent runoff from the subject property to adjoining premises, public places or reserves.

50 [R110 - EMA Signage](#)

A minimum of two signs shall be erected within the effluent management area(s). These signs are to state "RECLAIMED EFFLUENT - NOT FOR DRINKING - AVOID CONTACT". The signage shall be maintained for the term of the development.

51 **R111 - AWTS Servicing**

The owner/occupier shall enter into an annual service contract with the manufacturer, distributor or other person authorised (in writing) by Penrith City Council to service the aerated wastewater treatment system (AWTS) every three (3) months from the date of commissioning in the following manner:

i. A three monthly service shall include a check on all mechanical, electrical and functioning parts of the AWTS including:

- the chlorinator,
- replenishment of the disinfectant,
- the UV disinfection unit,
- all pumps and switches,
- the air blower, fan or air venturi,
- the alarm system,
- the effluent management area(s) and irrigation spray outlets / sub-surface irrigation lines and filters,
- the slime growth on the filter media, and
- the operation of the sludge return system.

ii. The following field tests are to be carried out at every service:

- free residual chlorine using DPD colorimetric or photometric method,
- pH from a sample taken from the irrigation chamber,
- dissolved oxygen from a sample taken from the final aeration or stilling chamber (although recommended) is optional.

iii. On the yearly anniversary date of the commissioning of the system, an annual service of the system shall also be carried out which includes a check on the sludge accumulation in the AWTS (primary chamber) and the clarifier, where appropriate.

iv. For systems which utilise the sewage treatment principle of activated sludge or contact aeration, a sludge bulking test, known as a SV30 Test, shall also be conducted on an annual basis. This test is to determine whether the accumulated sludge is bulking, indicating that the aeration compartment(s) will require desludging.

v. On completion of each service, a service report sheet is to specify all service items and test results, the amount of chlorine compound provided, parts replaced (if applicable), the date the service was conducted and the technician's name. A copy of the service report is to be:

- given to the property owner and another to the applicant (if not the same), and
- forwarded to Penrith City Council.

Each service agent shall provide a registered business office which, if unattended during business hours, is provided with a telephone answering device or service. A means of reporting a malfunction or breakdown outside normal business hours shall be available. In the event of a breakdown or malfunction, the service agent shall, within 24 hours of the breakdown or malfunction, ensure that temporary repairs are carried out to the AWTS to ensure continued operation of the system. This may necessitate provision of adequate spare parts and temporary replacement blowers and irrigation pumps where repairs cannot be completed on site.

52 **R113 - Decommission old system**

The contents of the existing wastewater tank(s) are to be removed by a licensed waste contractor to a licensed waste facility. The disconnected wastewater tank(s) shall be removed to a licensed waste facility or demolished and filled with clean soil and builder's lime. Documentation of the collection and disposal of waste are to be retained and provided to Council on request.

53 **R114 - EMA Turfed**

The effluent management area is to be turfed to the satisfaction of Council. Where a specific variety of turf is identified in the approved Wastewater Report that variety is to be installed and maintained.

54 **R115 - No structures on EMA**

No concreting, driveways, vehicles or any other structure or access way is to be located over any portion of the effluent management area(s).

55 **R116 - Diversion of stormwater**

All stormwater and seepage shall be diverted away from the wastewater tank(s) and the effluent management area(s) by using an agricultural drain or earthen bund and dish drain.

56 [R117 - No plants for human consumption within EMA](#)

Orchards, vegetable gardens or any other plant species that can be used for the purposes of human consumption are not to be planted within the effluent management area(s). Effluent from the on-site sewage management system is not to be used on fruit or vegetables grown for human consumption.

57 [R118 - EMA protected from stock damage](#)

The effluent management area shall be protected from possible stock damage.

58 [R119 - Wastewater and Native Trees](#)

No wastewater associated with the on-site sewage management system is to be applied or irrigated within the drip line of any native trees within the effluent management area(s). It is the responsibility of the applicant to ensure the ongoing health of the trees in relation to the effluent management area(s).

59 [R127 - NSW Health Accreditation documentation required](#)

Prior to the issue of the Construction Certificate, the NSW Health Accreditation documentation is to be submitted to Council for approval. If Council is not the certifying authority, a copy of Council's written approval is to be provided to the Private Certifying Authority.

60 [R130 - Reserve area without plan](#)

A 100% reserve area is to be set aside for the on-site sewage management system. This area is to be established with turf and is not to be used for any ancillary purpose. No materials are to be stored in the reserve area, and the reserve area is not to be developed. In the event that the primary effluent management area is to fail the reserve area is to be used. Written approval is to be obtained from Penrith City Council prior to any works being undertaken.

Appendix - Development Control Plan Compliance

[illegible]

1.2.1	Landscape / Scenic Character a) Buildings on sloping land should be sited (where natural features permit) so they do not intrude into the skyline. b) Buildings should not be placed on the ridgeline or peak of any hill unless there are no alternative locations possible. c) Where practical, buildings should be sited to take advantage of existing vegetation to provide privacy from passing traffic and public places, screening from winds and a pleasant living environment. d) Roads should be designed and located to run with the contours of the land. e) Rooflines and ridgelines should reflect the setting of the dwelling, incorporating simple shapes to step a building down with a sloping site or level change. f) Simple rooflines should be used to minimise the likelihood of twigs and leaves building up in valleys and presenting a bushfire hazard.	Yes Yes Yes Yes Yes	Existing stabilised access to be retained.
1.2.2	Setbacks and Building Separations 1) Setbacks from Roads a) A minimum setback of 15m from public roads is required for all dwellings and outbuildings. Formal parking areas are not permitted within the setback. b) A variety of setbacks will be encouraged to prevent rigidity in the streetscape. c) A minimum setback of 30m is required to all classified roads (except Mulgoa Road), Luddenham Road, Greendale Road and Park Road (except in the villages of Londonderry, Wallacia and Luddenham). Please contact Council to discuss. d) A minimum setback of 100m is required to Mulgoa Road for all dwellings and outbuildings (except in the Mulgoa Village). 2) Setbacks from Watercourses a) A minimum setback of 100m is required from the Nepean River. This is measured from the top of the bank. The river includes all elements, such as lagoons and backwaters. Council will determine the minimum setback required if the "bank" is difficult to define. b) A minimum setback of 75m is required from South Creek for all dwellings and outbuildings.	Yes Yes Yes NA Yes Yes Yes	43.673m

1.2.3	Site Coverage, Bulk and Massing 1) Dwellings shall have a maximum ground floor footprint of 500m2 (including any undercover car parking areas). Note: 'Ground floor footprint' is the area measured from the external face of any wall of any dwelling, outbuilding (other than a farm building), dual occupancy dwelling, garage or undercover car parking area, animal house or garden shed. 2) Dwellings shall have a maximum overall ground floor dimension of 45m, with a maximum of 18m at any one point. 3) The maximum floor space of any second storey is to be 70% of the floor space of the lower storey of the dwelling. 4) No more than three (3) undercover car parking spaces shall face towards a public road or place. Any additional garages shall be setback behind the building line and screened. 5) A maximum ground floor footprint of 600m2 will be permitted on any one allotment, including the dwelling and all associated structures, but excluding 'farm buildings' and any 'agricultural or non-agricultural development' referred to other parts of this chapter.	No Yes NA Yes Yes	Proposed foot print 520m2 The variation is very minor in nature and will not result in any adverse impacts to the street scape or adjoining lots. The development is consistent with other development in the area and rural amenity is maintained.
-------	---	--	--

1.2.4	Height, Scale and Design a) Dwellings shall be no more than two storeys in height, including garage and storage areas. b) If liveable rooms are located in the area immediately below the roof then this level will be counted as a storey. c) The maximum height of the ceiling of the top floor of all buildings should not exceed 8m above natural ground level. d) On sloping sites, split level development is preferred. The floor level of the dwelling at any point should not be greater than 1m above or below the natural ground level immediately below the floor level of that point. Cut and fill should be limited to 1m of cut and 1m of fill as shown in Figure D1.7. Design and Quality a) The design of dwellings and associated structures should be sympathetic to the rural character of the area. b) Fencing is to be of an open rural nature consistent in style with that normally found in rural areas. Internal courtyard fencing or entry fencing should be sensitive to the rural environment.	Yes NA Yes Yes Yes NA	. Minor earthworks involved to create level building platform. Existing.
1.2.7	Materials and Colours 1) Colours of external finishes should be in keeping with the natural surroundings, be non-reflective and utilise earthy tones, unless it can be demonstrated that the proposed colours and finishes will have no visual impact or will complement the rural character. 2) Building materials with reflective surfaces such as large expanses of glass, unpainted corrugated iron, concrete blocks, sheet cladding or similar finishes should be avoided. Where these materials are unavoidable, they should be screened with landscaping to minimise visual impact. 3) Re-sited dwellings may be considered in rural areas, however, the external finishes may be required to be upgraded to Council's satisfaction.	Yes Yes NA	

SEPP 55

A review of historical aerial imaging shows that fill material of an unknown origin around March 2021 was deposited on the site. As the fill material is not within the area of the proposed development it is

determined that the site is suitable for the proposed development.

However, as the nature of the fill material, its quality and its origin is unknown, a referral to Councils Development Compliance Team will be made outside of the DA process.