NSW RURAL FIRE SERVICE GUIDELINES FOR SINGLE DWELLING DEVELOPMENT APPLICATIONS

SECTION TWO - BUSH FIRE ASSESSMENT REPORT (Attach to DA)

PART A	Property Detai	ls			
Applicants Name: ED	a e water	HOMES	>		
Contact Phone Number; (H):	(02) 8602	6111 (M):			
Council: PENRITH	COUNCIL	Council Reference (it	f known):		
Lot: 2141 DP:	1168991				
Address to be developed:	ILLOURA	レタイ		CACSOC	SPOUS
My property is on Bush Fire P	rone Land: Yes				_
PART B	Type of Propos	al			
Type of Proposal:					
New Building Dual Occupancy Alteration/Additions to a	n existing building	Urban Rural Residentia	al		
Proposal Description: e.g. two	storey house with atta	ched garage	ale si	カミノ	
House		MOCHES C			••
Copy of plans attached	Yes				
PART C	Bush Fire Attack	k and Level of Const	truction		_
Step 1: Asess the vegetation	about the proposed bu	uilding in all directions a	nd convert from Keith t	o AUSLIG (1990) using	g
Table1	NORTH	S Mund-la	COUTU	MEST	
CATEGORY Converted vegetation	Forest Woodland Shrubland Scrub Mallee/Mulga Rainforest Tussock Moorland	Forest Woodland Shrubland Scrub Mallee/Mulga Rainforest Tussock Moorland	Forest Woodland Shrubland Scrub Mallee/Mulga Rainforest Tussock Moorland	Forest Woodland Shrubland Scrub Mallee/Mulga Rainforest Tussock Moorland	
Copy of any relevant photos at	Managed Land-	/NO	— Managed Land	L	_
Step 2: Determine the distance	e from the building line	e to the vegetation in ea	ach direction as above	ing a line of	V10
ASPECT	NORTH	EAST	SOUTH	WEST	
Distance	O	O_m		$-\mathcal{O}_m$	

Step 3: Determine the effective slope that will influence bushfire behaviour in each direction

CATEGORY	NORTH	EAST	SOUTH	WEST
Slope under the hazard (over 100m) [in degrees]	upslope/flat >0 to 5 >5 to 10 >10 to 15 >15 to 18	upslope/flat >0 to 5 >5 to 10 >10 to 15 >15 to 18	upslope/flat >0 to 5 >5 to 10 >10 to 15 >15 to 18	upslope/flat >0 to 5 >5 to 10 >10 to 15 >15 to 18
Step 4: Determine the Fire Dan 9). Circle the relevant FDI below	ger Index (FDI) that app	olies to your local gove	rnment area (see page	2
FDI	100	□80		50
Step 5: Match the relevant FDI, Construction level	vegetation, distance ar	nd slope to determine t	he required APZ and	
FDI	100 (see Table 4, page 1	1) 80 (see Tab	ole 5. page 12)	50 (see Table 6, page 13)
Identify the bush fire attack level BAL-12.5 is the lowest construction Bush Fire Attack Level BAL-FZ BAL-40 DAL-20	BAL- 19		the entire building ar	nd record below. Note
BAL-12.5 is the lowest constructi Bush Fire Attack Level BAL- FZ	BAL- 19 BAL12.5 No requirement	pe of AS3959.	the entire building ar	nd record below. Note

If you determine your house is located in the flame zone you may wish to seek the advice of a specialist bush fire consultant.

Water Supplies

Does your property have a reticulated (piped) water supply?; If so, please provide details on the distance

PARTE

to the nearest fire hydrant on your site plan.

Reticulated (piped) water supply is available

Development Type		Water Requirement	Planned	Existing
Residential Lots (<1,000m	12)	5,000 l/lot	29	
Rural-residential Lots (1,00	00-10,000m2)	10,000 l/lot	27	
Large Rural/Lifestyle Lots ((>10,000m2)	20,000 I/lot	75	_
Dual Occupancy		2,500 l/unit	AC	_
Townhouse/Unit Style (e.g	g. Flats)	5,000 I/unit up to 20,000I maximum	25	
litres and also include Water supply type	u plan to have a tank material ii Capacity 50,000	c static water supply (e.g. pool, tank or dam). Income fusing a tank: Construction material Above ground rolled steel with plastic liner	Planned	Existing
litres and also include Water supply type	e tank material it	Construction material	Planned	Existing
litres and also include Water supply type	e tank material it	Construction material	Planned	Existing
litres and also include Water supply type e.g. pool	Capacity 50,000l	Construction material Above ground rolled steel with plastic liner	Planned	Existing
Water supply type e.g. pool	Capacity 50,000l	Construction material	Planned	

NOTE: When attaching development plans please ensure they clearly show location and details of

electricity and gas (where relevant) on your property.