NSW RURAL FIRE SERVICE GUIDELINES FOR SINGLE DWELLING DEVELOPMENT APPLICATIONS

SECTION TWO - BUSH FIRE ASSESSMENT REPORT (Attach to DA)

DADTA	Dun and Data	-		
PART A	Property Detail		- <	
Applicants Name:				
Contact Phone Number; (H		511(M):		
Council: PENRIT		Council Reference (i	f known):	
Lot: 2059 DP:				
Address to be developed:	Marcoll	יאנו שנים	n speric	
My property is on Bush Fire				
PART B	Type of Propos	al		
Type of Proposal:				
New Building Dual Occupancy Alteration/Additions to		Urban Rural Resident Isolated Rural		
Proposal Description: e.g. tw	o storey house with atta	ched garage Sl	our st	over House
WITH AN	ACHED CF	324SF		
Copy of plans attached	Yes			
PART C	Bush Fire Attack	and Level of Cons	truction	
Step 1: Asess the vegetation	n about the proposed bu	ilding in all directions a	and convert from Keith	to AUSLIG (1990) using
CATEGORY	NORTH	EAST	SOUTH	WEST
Converted vegetation	Forest Woodland Shrubland Scrub Mallee/Mulga Rainforest Tussock Moorland Managed Land	Forest Woodland Shrubland Scrub Mallee/Mulga Rainforest Tussock Moorland Managed Land	Forest Woodland Shrubland Scrub Mallee/Mulga Rainforest Tussock Møorland Managed Land	Forest Woodland Shrubland Scrub Mallee/Mulga Rainforest Tussock Moorland Managed Land
Copy of any relevant photos a	attached Yes		·	•
itep 2: Determine the distar	nce from the building line	to the vegetation in e	ach direction as above	
SPECT	NORTH	EAST	SOUTH	WEST
	200	250	400	350

Step 3: Determine the effective slope that will influence bushfire behaviour in each direction

CATEGORY	NORTH	EAST	SOUTH	WEST			
Slope under the hazard (over 100m) [in degrees]	upslope/flat >0 to 5 >5 to 10 >10 to 15 >15 to 18	upslope/flat >0 to 5 >5 to 10 >10 to 15 >15 to 18	upslope/flat >0 to 5 >5 to 10 >10 to 15 >15 to 18	upslope/flat >0 to 5 >5 to 10 >10 to 15 >15 to 18			
Step 4: Determine the Fire Danger Index (FDI) that applies to your local government area (see page 9). Circle the relevant FDI below							
FDI	100	80		50			
Step 5: Match the relevant FDI, vegetation, distance and slope to determine the required APZ and Construction level							
FDI	100 (see Table 4. page 1	1) 80 (see Tab	ole 5. page 12)	50 (see Table 6. page 13)			
Identify the bush fire attack level for each direction, select the highest level for the entire building and record below. Note BAL-12.5 is the lowest construction level within the scope of AS3959. Bush Fire Attack Level							
BAL- FZ BAL- 40 BAL- 29	BAL-19 BAL-12.5 No requirement						
Does your proposal meet the required construction level YES NO							
PART D Flame Zone	Provide details an	d evidence of an al	ternative solution				

If you determine your house is located in the flame zone you may wish to seek the advice of a specialist bush fire consultant.

	W	ater Supplies		
Does your property h to the nearest fire hy		ed (piped) water supply?; If so, please provide det ite plan.	tails on the distance	
Reticulated (piped) v	vater supply is a	vailable		
Yes No I	Distance	(m) to hydrant from house.		
Do you have or do yo	ou plan to have	a dedicated water supply for firefighting purpos	es?	
Yes No				
Development Type		Water Requirement	Planned	Existing
Residential Lots (<1,000m	12)	5,000 l/lot		
Rural-residential Lots (1,00	00-10,000m2)	10,000 l/lot		
Large Rural/Lifestyle Lots	(>10,000m2)	20,000 l/lot		
Dual Occupancy		2,500 l/unit		
Townhouse/Unit Style (e.g	g. Flats)	5,000 l/unit up to 20,000l maximum		
litres and also include tank material if usin Water supply type Capacity C		using a tank:	Planned	Existing
Water supply type	Capacity	Construction material	Planned	Existing
Water supply type e.g. pool	Capacity 50,000l	Construction material Above ground rolled steel with plastic liner	Planned	Existing
CHARLEST STREET		AT THE WATER WATER AND THE SERVICE OF THE SECOND OF THE SE	Planned	Existing
CHARLEST STREET		AT THE WATER WATER AND THE SERVICE OF THE SECOND OF THE SE	Planned	Existing
e.g. pool NOTE: Check with you	50,000l	AT THE WATER WATER AND THE SERVICE OF THE SECOND OF THE SE		
e.g. pool NOTE: Check with you Control Plan (DCP) as 1	50,000l r local council c this may dictate	Above ground rolled steel with plastic liner oncerning their Local Environmental Plan (LEP)		
e.g. pool NOTE: Check with you	r local council c this may dictate	Above ground rolled steel with plastic liner oncerning their Local Environmental Plan (LEP) of the type and size of tank.		

NOTE: When attaching development plans please ensure they clearly show location and details of electricity and gas (where relevant) on your property.